

KM 130/300 R D CLASSIC

Ride-on vacuum sweeper KM 130/300 R Classic with pocket filter, large waste container, robust steel chassis, simple lever operation, hydraulic rear wheel drive and Flexible Footprint System.





Order no.

1.186-139.0

- High working and transport speed
- Simple operation via control lever
- Pocket filter with large filter area

| Technical data | | - |
|--|------|--------------------|
| EAN code | | 4054278095561 |
| Drive type | | Diesel |
| Traction drive | | Four-stroke engine |
| Motor manufacturer Drive- performance Max. area performance Working width | | Yanmar |
| Drive- performance | kW | 15.8 |
| Max. area performance | m²/h | 13000 |
| Working width | mm | 1000 |
| Working width with 1 side brush | mm | 1300 |
| - | mm | 1550 |
| Waste container | 1 | 300 |
| Climbing ability | % | 18 |
| Working speed | km/h | 10 |
| Filter areas | m² | 7.8 |
| Weight (with accessories) | kg | 923 |
| Weight, ready to uset | kg | 923 |
| Weight incl. packaging | kg | 923 |
| Dimensions (L × W × H) | mm | 2040 × 1330 × 1430 |

| Equipment | |
|----------------------------------|---|
| Pocket filter | |
| Filter cleaning manual | • |
| Main sweeper roller adjustable | |
| Power steering | • |
| Suction volume regulation | • |
| Dustpan principle | • |
| Forwards traction drive | • |
| Backwards traction drive | • |
| Suction | • |
| Hydr. high dump | • |
| Outdoor use | • |
| Elapsed time counter | • |
| Sweeping function, can be | |
| switched off | |
| Wheels, solid rubber | • |
| Included in the scope of supply. | |

Users must receive training on this device.


KARCHER





Hydraulic rear-wheel drive with solid rubber tyres

- Good manoeuvrability and control even in tight spaces.
- Works even on sharp surfaces without causing tyre punctures.
- Clear and intuitive layout and robust control elements for easy operation.



Large-area pocket filter with vibration motor

- Large filter area for dust-free vacuuming.
- Cleaning by means of vibration motor.



Robust steel chassis with multiple corrosion protection


- Can be used under tough working conditions.
- Durable machine and components.

KARCHER

ACCESSORIES FOR KM 130/300 R D CLASSIC 1.186-139.0

3-6









Description









| FILTERS | | | | |
|--|----|-------------|--|------|
| Pocket filter | | | | |
| Pocket filter white | 1 | 6.988-657.0 | 0 With a filter area of 7.8 m ² , this pocket filter (900 × 440 × 300 mm) allows the intake of large quantities of very fine dusts. Designed to fit vacuum sweeper KM 130/300 R D Classic. | |
| Pocket filter green | 2 | 6.988-658.0 | Water-resistant pocket filter with dimensions of 900 × 440 × 300 mm for very fine dusts. 7.8 m ² filter area for the intake of large quantities of dust. Suitable for KM 130/300 R D Classic. | |
| MAIN SWEEPER ROLLER | | | | |
| Standard roller brush | | | | |
| Standard roller brush | 3 | 6.987-438.0 | Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable. | |
| Main sweeper roller, soft | | | | |
| Main sweeper roller, soft | 4 | 6.987-460.0 | Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas. | |
| Main sweeper roller, soft/natural | 5 | 6.987-440.0 | Specially designed with natural bristles for sweeping fine dust on smooth floors indoors. | |
| Main sweeper roller, hard | | | | |
| Main sweeper roller, hard | 6 | 6.987-439.0 | For removing stubborn dirt outdoors. | |
| кітѕ | | | | |
| Fleet mounting kit | | | | |
| Attachment kit Plug-in Connect Module | 7 | 2.644-391.0 | The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system. | it 🗆 |
| MOUNTING KITS FOR SWEEPERS AND VACUUM | | EPERS | | |
| Lighting | | | | |
| Spotlight blue | 8 | 2.852-802.0 | Blue spotlight for the KM Industrial vacuum sweeper from Kärcher. The optical route warning | |
| Spotlight blue - ex works | 9 | 2.852-802.7 | device ensures maximum visibility and safety for people and the machine itself. | |
| Work illumination | 10 | 2.852-082.0 | For increased visibility, e.g. in underground garages or warehouses. | |
| Blinker beacon front and rear - ex works | 11 | 2.852-151.7 | For increased work safety on the factory site: road lights consisting of indicators and working lights. | |
| Sweeping/Vacuuming | | | | |
| Side brush cover | 12 | 2.851-286.0 | Side brush cover reduces dust dispersion. | |
| Holder for NT 22/1 Ap Bp vacuum cleaner | 13 | 2.852-814.0 | Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step. | . 🗆 |
| Side brushes, left | | | • | |
| Second side brush left | 14 | 2.852-725.0 | Complete, including standard side brushes for excellent cleaning results. | |
| | | | | |

■ Included in the scope of supply. □ Available accessories.

KARCHER

ACCESSORIES FOR KM 130/300 R D CLASSIC 1.186-139.0



| | | Order no. | Description | |
|--|-----|-------------|--|--|
| MOUNTING KITS FOR SWEEPERS AND VACUUM | SWE | EPERS | | |
| Other mounting kits | | | | |
| Ram protection | 15 | 2.852-620.0 | | |
| CABS AND PROTECTIVE ROOFS | | | | |
| Protective roof | | | | |
| Protective roof | 16 | 2.852-595.0 | | |
| TYRES, PUNCTURE-PROOF | | | | |
| Tyres set solid rubber non-chalking | 17 | 4.515-328.0 | Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces. | |
| WATER SPRAYING SYSTEM | | | | |
| Add-on kit spray system side broom KM 13 | 18 | 2.852-819.0 | Spraying system for binding dust. Consisting of a 50 litre stainless steel water tank and spray water nozzles on the side brushes. | |

■ Included in the scope of supply. □ Available accessories.