



### KM 105/110 R G+KSSB

NEW FOR 2014. Ride-on sweeper with a host of standard features to increase productivity and safety. 1050mm sweeping width and 2x50 litres waste containers. Featuring Yanmar 4.5kW petrol engine.





- 1 Sweeping crescent side brush
- No more tedious sweeping by hand.
- Cleans in corners in a single pass.

# 2 Innovative, highly effective and automatic Tact filter cleaning system

- Consistently clean pores for an optimal cleaning result.
- Automatic cleaning.

#### 3 Teach system

- Automatic roller brush correction according to wear.
- Three contact pressures adjustable at the push of a button.

#### 4 Kärcher Intelligent Key

- Programmable in 28 different languages.
- Assignment of user rights for machine settings.

## **TECHNICAL DATA AND EQUIPMENT.**

### KARCHER



#### KM 105/110 R G+KSSB

Tochnical data				
Technical data		0.300-200.0		
EAN code		4054278181905		
EAN CODE				
Puine annua	Law	hydraulic		
Drive - power	kW	6,5		
Max. Area Performance	m²/h	7350		
	m²/h	10150		
Working width	mm	640		
Working width with 1 side brush	mm	1050		
Working width with 2 side brushes	mm	1450		
Waste Container	I	110		
Hill climbing ability	%	18		
Operating speed	km/h	7		
Weight	kg	469,06		
Weight, ready to operate	kg	470		
Dimensions (L × W × H)	mm	1800 × 1250 × 1450		
Equipment				
Automatic filter cleaning		•	Start / Stop system	•
Bulk waste flap		•	Teach system	•
Overthrow sweeping principle		•	Sweeping crescent side brush	•
Travel drive - forward		•	Power Plus system	•
Travel drive, reverse		•	Automatic wear adjustment of the main sweeper roller	•
Vacuum			Tact filter cleaning	
Outdoor applications			Multi-functional display	
Operating hour meter			Individual user languages/user rights	
Sweep function (can be switched off)			Shared service concept	
Pneumatic wheels			Home Base fastening option	
Kärcher Intelligent Key			Main sweeper roller on rear axle	
Included in delivery.				



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description
Standard main roller brushes Standard roller brush	1	4.762-529.0		640 mm	400 mm		Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durab- le.
Flat pleated filter			1				
Flat filter with cross beam PES	2	6.907-519.0					Synthetic filter, moisture-proof, washable, saves mainte- nance costs



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
Standard side brushes								
Standard side brushes	1	6.966-063.0			600 mm		Water-resistant universal bristles, durable, suitable for all surfaces.	



		Order no.	Installation ex works		Price	Description	
Water spraying system							
Add-on kit spray system KM 105/1xx	1	2.852-241.0	DE_28522417			Water spraying system for binding dust, including nozzles for the left side brush and very stable 30-litre plastic con- tainer. Removable, with water drain, safe belt attachment.	



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other		I						1	
Cleaning agent container, complete	1	4.070-006.0	1 Piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	



		Order no.	Installation ex works		Price	Description	
Sweeping/Vacuuming							
Side brush cover	1	2.852-243.0	DE_28522437			Side brush cover for KM 105 vacuum sweepers. For dust reduction, as this sustainably reduces dust dispersion and thereby prevents surroundings and equipment from beco- ming dusty.	