



KM 90/60 R G

"Hard on dirt - easy to use" Comfortable, extremely compact ride-on sweeper with reliable Honda petrol engine for cleaning areas from 1500 sqm, for outdoor use. Designed for easy operation and ride comfort thanks to EASY operation concept and ergonomically arranged controls. Clever waste container concept with two drawers for easy emptying. Convincing: large, durable round polyester filter with effective, automatic filter cleaning system.



1 Robust, compact construction style with pick-up area

- Built to last, high reliability.
- Safety and manoeuvrability.

2 EASY Operation operating concept

- Logical and clear.
- All control elements are clearly arranged and within easy reach.

3 Large filter area with automatic filter cleaning system

- The filter is automatically cleaned when the machine is switched off
 for continuous low-dust sweeping for long periods of uninterrupted
- Filter cleaning can also take place manually.

4 Optimal convenience of use

■ Ergonomic workplace with individually adjustable driver's seat.

TECHNICAL DATA AND EQUIPMENT





KM 90/60 R G

- Compact and extremely manoeuvrable
- Ergonomic operating concept
- Floating main sweeper roller

| Technical data | | |
|---|------|-----------------------------------|
| Order no. | | 1.047-204.0 |
| EAN code | | 4039784468535 |
| Drive | | Four-stroke petrol engine / Honda |
| Drive - power | kW | 4.8 |
| Max. area performance | m²/h | 7200 |
| Max. area performance with 2 side brushes | m²/h | 9200 |
| Working width | mm | 615 |
| Working width with one side brush | mm | 900 |
| Working width with 2 side brushes | mm | 1150 |
| Waste container | I | 60 |
| Climbing ability | % | 18 |
| Working speed | km/h | 8 |
| Filter area | m² | 4 |
| Weight | kg | 220 |
| Dimensions (L × W × H) | mm | 1635 × 980 × 1260 |
| | | |

| Equipment | | | |
|------------------------------|-------------|--------------------------------------|---|
| Polyester round filter | | Outdoor use | • |
| Manual filter cleaning | | Elapsed time counter | |
| Automatic filter cleaning | | Sweeping function can be deactivated | |
| Traction driveTraction drive | hydrostatic | Wheels, pneumatic-tyred | • |
| Floating main sweeper roller | | Side brush, pneumatically controlled | • |
| Suction volume regulation | | | |
| Coarse dirt flap | | | |
| Overhead sweeping principle | | | |
| Forward traction drive | • | | |
| Reverse traction drive | | | |
| Suction | | | |

■ Included in the scope of supply.

KM 90/60 R G 1.047-204.0













| | | Order no. | Installation ex works | Length / width | Diame- ter | Price | Description |
|-----------------------------------|---|-------------|--------------------------|-------------------|---------------|-------|---|
| Round filter | | <u>'</u> | ' | | | | |
| Round filter | 1 | 6.414-576.0 | | | | | Synthetic filter, moisture-proof, washable, saves maintenance costs |
| Standard roller brush | | | | | | | |
| Standard roller brush | 2 | 4.762-430.0 | | 615 mm | 250 mm | | Water-resistant universal bristles, durable, suitable for all surfaces. |
| Main sweeper roller, antistatic | | | | | | | |
| Main roller brush, antistatic | 3 | 4.762-441.0 | | 615 mm | 250 mm | | For sweeping surfaces subject to static build up (e.g. carpets, artificial turf) $\hfill\Box$ |
| Main sweeper roller, soft | | | | | | | |
| Main sweeper roller, soft/natural | 4 | 4.762-442.0 | | 615 mm | 250 mm | | With natural bristles, ideal for sweeping fine dust on smooth surfaces both indoors and outdoors. |
| Main sweeper roller, hard | | | | | | | |
| Main sweeper roller, hard | 5 | 4.762-443.0 | | 615 mm | 250 mm | | For the removal of stubborn dirt outdoors. |

[■] Included in the scope of supply.

Available accessories.

KM 90/60 R G 1.047-204.0







| | | Order no. | Installation ex works | Length / width | Diame- ter | Price | Description |
|-----------------------|---|-------------|--------------------------|-------------------|---------------|-------|---|
| Standard side brushes | ' | | | | | | |
| Standard side brushes | 1 | 6.906-132.0 | | | 420 mm | | Moisture-proof universal bristles, longlife, suitable for all surfaces |
| Side brush, hard | · | | | | | | |
| Side broom hard | 2 | 6.905-625.0 | | | 420 mm | | Removes stubborn dirt outdoors, moisture-proof, mildly abrasive |
| Side brush, soft | | | | | | | |
| Side broom soft | 3 | 6.905-626.0 | | | 420 mm | | Moisture-proof, soft side brush for sweeping fine dust on all surfaces indoors and outdoors. Ideal for dirt with a high dust content. |

[■] Included in the scope of supply.

Available accessories.

KM 90/60 R G 1.047-204.0







| | | Order no. | Installation ex works | | Price | Description |
|---|---|-------------|--------------------------|--|-------|--|
| Other mounting kits | | | | | | |
| Spare tank | 1 | 2.641-800.0 | 2.641-800.7 | | | Conversion of the petrol tank, expanding the tank volume to \Box 3 I |
| Warning beacon | | | | | | |
| Warning beacon | 2 | 2.641-650.0 | 2.641-650.7 | | | For increased safety |
| Side brushes, left | | | | | | |
| Attachment kit for second side brush left | 3 | 2.642-693.0 | 2.642-693.7 | | | Side brush, complete, including standard side brush for increasing area performance. |

[■] Included in the scope of supply.

□ Available accessories.