#### **KARCHER**

#### **B 90 R ADV BP PACK**

The B 90 R Adv Bp Pack battery powered ride-on scrubber drier is compact and versatile, has an increased tank capacity and variable working widths (55-75 cm) and features FACT. The Advance model features a control panel for displaying all operating states and adjusting the brush speed and turbine output to suit floor conditions. Features 4 contact pressure settings.











#### Order no.

1.161-309.0

- Adjustable brush contact pressure
- With two-level suction performance
- With tank level display

Technical data		
EAN code		4039784497870
Working width of brushes	mm	550 - 750
Working width, vacuuming	mm	850 - 940
Tank of fresh/dirty water	I	90 / 90
Theoretical area performance	m²/h	4500
Practical area performance	m²/h	3375
Brush contact pressure	g/cm² / kg	20 - 315 / 28 - 35
Battery	V / Ah	24 / 170
Battery type		maintenance-free
Battery runtime	h	max. 2.5
Battery runtime Traction motor	h W	max. 2.5 600
•		
Traction motor	w	600
Traction motor Waste container	W 1/1	600 5 / 7
Traction motor Waste container Sound pressure level	W I/I dB(A)	600 5 / 7 69
Traction motor Waste container Sound pressure level Water consumption	W I/I dB(A)	600 5 / 7 69 2.5

Users must receive training on this device.

Equipment	
Powerful traction drive	•
Battery and built-in charger included	•
Automatic water stop	
DOSE	
2-tank system	•
Included in the scope of supply.	

B 90 R Adv Bp Pack, 1.161-309.0, 2023-01-20

#### **KARCHER**



#### Highly manoeuvrable

- Thanks to its very short and narrow construction style, the machine is very agile and easy to manoeuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.
- A low centre of gravity ensures excellent road adherence.



#### **Easy operation**

- The basic functions are easily controlled using the EASY switch.
- Operating hours can be viewed on the display.
- Additionally, the roller brushes ensure that water and therefore also cleaning agent are saved.



#### Long running time

- Large compartment for a large battery capacity.
   Maintenance-free gel batteries in the pack variants.
- Two-level turbo power saves energy in the WHISPER setting.



















	_			_
		Order no.	Description	
TRACTION BATTERIES AND CHARGERS				
Batteries				
Battery kit, 24 V, 170 Ah, maintenance-free	1	2.815-092.0	Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	e <b>I</b>
Accessories for batteries				
Battery mounting kit	2	2.638-064.0	Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.	•
DISC PADS / PAD DRIVE BOARDS				
Pad drive boards				
Pad drive board STRONG, 375 mm	3	4.762-591.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lot of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 75. 2 pc. required.	
Pad drive board STRONG, 335 mm	4	4.762-590.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lot of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required.	- 1
Pad drive board, 375 mm	5	4.762-447.0	Pad driver plate for cleaning with pads, 375 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
Pad drive board, 335 mm	6	4.762-446.0	Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
Pad drive board, 280 mm	7	4.762-445.0	Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	
Microfibre pad				
Microfibre pad, White, 381 mm	8	6.371-078.0	5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	
Microfibre pad, White, 356 mm	9	6.369-959.0	Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	Г
Microfibre pad, White, 280 mm	10	6.369-120.0		Е
Pads		•		Ť
Pad, medium-soft, red, 650 mm	11	6.371-000.0	Red, standard disc pad for regular maintenance cleaning.	
Pad, hard, brown, 650 mm	12	4.642-025.0	Very abrasive disc pad for chemical-free care film and decoating.	Е
Pad, medium-soft, red, 381 mm	13	6.369-791.0	Red, standard disc pad for regular maintenance cleaning.	
Pad, medium-hard, green, 381 mm	14	6.369-790.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	Е

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.















				_
		Order no.	Description	
DISC PADS / PAD DRIVE BOARDS				Ė
Pads				
Pad, hard, black, 381 mm	15	6.369-789.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Pad, medium-soft, red, 356 mm	16	6.369-003.0	Red, standard disc pad for regular maintenance cleaning.	
Pad, medium-hard, green, 356 mm	17	6.369-002.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	
Pad, hard, black, 356 mm	18	6.369-001.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Pad, medium-soft, red, 280 mm	19	6.371-153.0	Red, standard disc pad for regular maintenance cleaning.	Г
Pad, medium-hard, green, 280 mm	20	6.371-154.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	
Pad, hard, black, 280 mm	21	6.371-155.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Diamond pad				
Diamond pad, coarse, White, 385 mm	22	6.371-252.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
Diamond pad, medium, yellow, 385 mm	23	6.371-253.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	e $\square$
Diamond pad, fine, green, 385 mm	24	6.371-236.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
Diamond pad, coarse, White, 356 mm	25	6.371-250.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
Diamond pad, medium, yellow, 356 mm	26	6.371-251.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	e C
Diamond pad, fine, green, 356 mm	27	6.371-235.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
Diamond pad, coarse, White, 280 mm	28	6.371-246.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.





















		Order no.	Description	
DISC PADS / PAD DRIVE BOARDS				
Diamond pad				
Diamond pad, medium, yellow, 280 mm	29	6.371-247.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surfact which can then be polished with the green diamond disc pad.	e 🗆
Diamond pad, fine, green, 280 mm	30	6.371-233.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
Melamine pads		'		
Melamine pad	31	6.371-022.0	White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as	
	32	6.371-021.0	fine stone and other hard floor coverings. Can also be used for removing grey haze.	
SQUEEGEES AND SQUEEGEE BLADES				
Squeegees				
Squeegee, 1000 mm, V-shaped	33	4.777-080.0	Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resistant polyurethane with a long lifetime.	
Squeegee, 850 mm, straight	34	4.777-401.0	Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
Squeegee, 900 mm, V-shaped	35	4.777-079.0	900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	e 🗆
Squeegee, 940 mm, straight	36	4.777-402.0	Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.	
Squeegee blades				
Squeegee blades for V-squeegee, oil-resistant, grooved, 1116 mm	37	6.273-024.0	Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane.	
Squeegee blades for V-squeegee, oil-resistant, grooved, 1010 mm	38	6.273-023.0	Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	
Squeegee blades, oil-resistant, grooved, 960 mm	39	6.273-208.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	
Squeegee blades, oil-resistant, slotted, 960 mm	40	6.273-205.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	
Squeegee blades, oil-resistant, closed, 960 mm	41	6.273-291.0	Closed, oil-resistant, for structured floors.	
Squeegee blades, Standard, grooved, 960 mm	42	6.273-214.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\qed$  Available accessories.





























		Order no.	Description	
SQUEEGEES AND SQUEEGEE BLADES				
Squeegee blades				
Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm	43	6.273-207.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	
Squeegee blades, oil-resistant, slotted, 890 mm	44	6.273-229.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	
Squeegee blades, oil-resistant, closed, 890 mm	45	6.273-290.0	Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	
Rubber lip set standard, Standard, grooved, 890 mm	46	6.273-213.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
OTHER ACCESSORIES SCRUBBER DRIERS				
Wheels / tyres				
Tyres, supergrip	47	6.435-403.0	Oil-resistant, with especially good traction.	
Miscellaneous				
Add-on kit eco!zero	48	5.388-133.0	With eco!zero for climate-neutral cleaning: as compensation for the CO <sub>2</sub> which is produced by	
			using the machine, we support climate protection projects worldwide.	
Filling hose	49	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Dirty water tank filter	50	6.414-976.0	Improves airflow even when damp, thanks to modified filter material.	
Additional weight kit	51	5.031-498.0	ensures that squeegee glides optimally	
Dosing aids				
DS 3 Cleaning Agent Dosing Station	52	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	
ROLLER BRUSHES				
Roller brush, very hard, black, 700 mm	53	6.906-988.0	Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Roller brush, soft, White, 638 mm	54	6.906-981.0	White roller brush for cleaning sensitive floor coverings.	
Roller brush, medium, red, 638 mm	55	4.035-187.0	Red standard roller brush for maintenance cleaning.	
Roller brush, high / low, orange, 638 mm	56	6.906-982.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	

<sup>☐</sup> Available accessories.

























		Order no.	Description	
ROLLER BRUSHES			·	_
Roller brush, hard, green, 638 mm	57	6.906-983.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
Roller brush, very hard, black, 638 mm	58	6.906-984.0	Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Roller brush, soft, White, 532 mm	59	6.906-977.0	White roller brush for cleaning sensitive floor coverings.	
Roller brush, medium, red, 532 mm	60	4.035-193.0	Red standard roller brush for maintenance cleaning.	
Roller brush, high / low, orange, 532 mm	61	6.906-978.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
Roller brush, hard, green, 532 mm	62	6.906-979.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
Roller brush, very hard, black, 532 mm	63	6.906-980.0	Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Roller brush, medium, red, 700 mm	64	4.035-578.0	Red standard roller brush for maintenance cleaning.	
Roller brush, soft, White, 700 mm	65	6.907-729.0	White roller brush for cleaning sensitive floor coverings.	
Roller brush, high / low, orange, 700 mm	66	6.907-730.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
Roller brush, hard, green, 700 mm	67	6.907-731.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
DISC BRUSHES				
Disc brush, very soft, White, 385 mm	68	4.905-019.0	White, soft disc brush for the gentle cleaning of sensitive floor coverings.	
Disc brush, soft, natural, 385 mm	69	4.905-020.0	Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	
Disc brush, medium, red, 385 mm	70	4.905-018.0	Red standard disc brush for regular maintenance cleaning.	
	-			

<sup>☐</sup> Available accessories.

























		Order no.	Description	
DISC BRUSHES	'			
Disc brush, hard, black, 385 mm	71	4.905-021.0	Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Disc brush, very soft, White, 355 mm	72	4.905-011.0	White, soft disc brush for the gentle cleaning of sensitive floor coverings.	Г
Disc brush, soft, natural, 355 mm	73	4.905-012.0	Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	Ε
Disc brush, medium, red, 355 mm	74	4.905-010.0	Red standard disc brush for regular maintenance cleaning.	Г
Disc brush, hard, black, 355 mm	75	4.905-013.0	Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Disc brush, very soft, White, 300 mm	76	4.905-015.0	White, soft disc brush for the gentle cleaning of sensitive floor coverings.	
Disc brush, soft, natural, 300 mm	77	4.905-016.0	Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	Ε
Disc brush, medium, red, 300 mm	78	4.905-014.0	Red standard disc brush for regular maintenance cleaning.	Г
Disc brush, hard, black, 300 mm	79	4.905-017.0	Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
BRUSH HEADS				
Brush head R 75 S	80	2.763-006.0	Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	e
Brush head R 65 S	81	2.763-004.0	Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	e
Brush head R 55 S	82	2.763-002.0	Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	
D 75 S brush head	83	2.763-005.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	e
D 65 S brush head	84	2.763-003.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	е

<sup>☐</sup> Available accessories.

























		Order no.	Description	
BRUSH HEADS				
D 55 S brush head	85	2.763-001.0	Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splasl guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee: Packed separately.	n 🗆
Floor head S 65	86	2.763-030.0	Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	
Connection kit S 65	87	4.036-061.0	Kit for connecting the S 65 floor head to the B 90 R.	
ROLLER PADS / ROLLER PAD SHAFTS				
Pad roller shafts				
Pad roller shaft, 700 mm	88	4.762-434.0	Aluminium pad roller shaft suitable for holding roller pads or microfibre rollers.	
Pad roller shaft, 638 mm	89	4.762-433.0		
Pad roller shaft, 532 mm	90	4.762-432.0	Pad roller shaft suitable for holding roller pads or microfibre rollers.	T
Roller pads				
Roller pad, soft, yellow	91	6.369-454.0	Yellow roller pad for cleaning and polishing non-textured floor coverings.	
Roller pad, medium, red	92	6.369-456.0	Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	
Roller pad, hard, green	93	6.369-455.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	
Microfibre shaft				
Microfibre roller, 700 mm	94	4.114-007.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	
Microfibre roller, 638 mm	95	4.114-006.0		
Microfibre roller, 532 mm	96	4.114-005.0		
KITS				
Lighting / revolving signal light mounting kit				
Flashing beacon	97	2.641-718.0	Increases the safety of the working environment.	
Other attachment kits				
Auto-Fill	98	2.641-748.0	Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	

<sup>☐</sup> Available accessories.











				_
		Order no.	Description	
KITS				
Other attachment kits				
Support roller kit	99	2.641-773.0	Reduces the danger of damaging the floor through abrupt steering at high speeds, sharp breaking on corners or when turning on downhill slopes.	
Suction hose accessories	100	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	
Attachment kit stacked bumper roller squeegee	101	4.035-619.0	Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	
SPRAY UNITS				
Pump spray bottle	102	6.394-409.0	1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising.	3 🗆

<sup>☐</sup> Available accessories.