

BR 45/10 ESC

For maintenance/interim cleaning: the BR 45/10 Esc is suitable for quick and thorough cleaning of escalators and travelators. Cleaning takes place while the escalator is moving.



Order no. 1.310-121.0

- Cleans escalators and travelators while they are running
- Dry cleaning
- For maintenance and intermediate cleaning

Technical data

| | | |
|------------------------------------|--------|---------------------|
| EAN code | | 4039784470002 |
| Working width of brushes | mm | 450 |
| Working width, vacuuming | mm | 450 |
| Container content | l | 10 |
| Brush rotational speed | rpm | 290 |
| Motor rating of brush motor | W | 190 |
| Suction motor | W | 1500 |
| Supply voltage | V / Hz | 220 - 240 / 50 - 60 |
| Drive type | | Mains operation |
| Weight (with accessories) | kg | 44 |
| Dimensions (L × W × H) | mm | 880 × 460 × 220 |

Equipment

| | | |
|-------------------------|---|------|
| Cleaning brushes | | ■ |
| Wheels | | ■ |
| Mains operation | | ■ |
| Suction motor | W | 1500 |
| Roller brushes | | ■ |

■ Included in the scope of supply.

Users must receive training on this device.



Efficient cleaning

- Ready to use within minutes.
- Cleans moving escalators quickly and efficiently.
- Easy and convenient handling.




Dust suction

- For dust-free operation. The 10-litre filter bag reliably retains dirt.
- Two suction turbines for very high suction power.

Filter bag

- The 10-litre filter bag reliably retains dirt

ACCESSORIES FOR BR 45/10 ESC 1.310-121.0



| | | Order no. | Description | |
|--|---|-------------|---|-------------------------------------|
| ESCALATOR CLEANER ACCESSORIES | | | | |
| Brushes | | | | |
| Brushes, standard | 1 | 6.680-002.0 | Brushes. | <input checked="" type="checkbox"/> |
| Brushes, hard | 2 | 6.680-001.0 | | <input type="checkbox"/> |
| Other | | | | |
| Filter bags | 3 | 6.680-003.0 | 10 l. | <input checked="" type="checkbox"/> |
| OTHER ACCESSORIES SCRUBBER DRIERS | | | | |
| Miscellaneous | | | | |
| Extension cable | 4 | 6.647-022.0 | Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.