



#### **B 40 W Bp**

Battery powered walk-behind scrubber driers in the 40 litre class with traction drive. Ideal for areas of 400 to  $1100 \text{ m}^2$ . With innovative KIK system. With roller or disc brush head.







#### 1 3 batteries to choose from

- Battery types: maintenance-free 70 Ah (C5), low-maintenance 80 Ah (C5) or maintenance-free 105 Ah (C5).
- The built-in charger can be adjusted to the various battery types.

#### 3 Energy-saving eco!efficiency mode

- For significantly reduced energy consumption and substantially longer battery runtime.
- The ecolefficiency mode is extra quiet and optimal for noise-sensitive areas (such as hospitals or hotels).

#### 2 EASY Operation selector switch

- Simple operation.
- $\hfill \blacksquare$  The basic functions are easily controlled using the EASY switch.

#### 4 Powerful traction drive

- Forward and reverse operation.
- Variable speed.

# **TECHNICAL DATA AND EQUIPMENT**





#### B 40 W Bp

Technical data		
Order no.		2.533-204.0
EAN code		4039784557970
Working width of brushes	mm	430
Working width, vacuuming	mm	850
Tank of fresh/dirty water	I	40 / 40
Rated input power	W	up to 1300
Weight (with accessories)	kg	65
Dimensions (L x W x H)	mm	1212 × 520 × 1142
Battery voltage	V	24
Equipment		
Fact		-

Fact
Tin
Powerful traction drive
Tank in tank decien

■ Included in the scope of supply.



























					Quanti-			
		Order no.	Length	Colour	ty	Price	Description	L
Miscellaneous								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	•
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	•
KIK key set, yellow	3	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	
Add-on kit eco!zero	4	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	n 🗆
Filling hose	5	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Cover without tank flushing system complete	6	4.035-334.0	720 mm		1 piece(s)		Tool-free exchangeable dirty water tank cover for machine in B 40 range without tank cleaning system.	S
Cover for tank flushing system complete	7	4.035-369.0	73 cm		1 piece(s)		For machines in the B 40 range with tank cleaning system: tool-free exchangeable dirty water tank cover with integral ed spray nozzles.	t- 🗆
Cover plate Auto-Fill	8	4.035-370.0	18 cm		1 piece(s)		For machines without Auto Fill function: screw-on cover for the opening of the fresh water tank at rear of machine.	
Home Base accessories								
Home Base adapter	9	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	
Home Base mop holder kit	10	4.035-374.0			1 piece(s)		The Homebase Mop kit contains mop clip, mop support and bottle holder – the perfect solution for securely carrying th mop directly on the scrubber drier.	
Universal hook kit	11	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	- 1
Double hook	12	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine Only for use with the Homebase adapter 5.035-488.0.	2. 🗆
Holder handhold grey	13	6.980-078.0		grey	1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Bottle holder	14	6.980-080.0		grey	1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	J 🗆
Home Base Box Kit	15	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	
Mop support	16	5.035-655.0	105 mm		1 piece(s)		Foldable mop support in anthracite.	
Mop handle for mop support, single	17	5.035-656.0	17 cm		1 piece(s)		Handle (single) for cleaning bottles.	
Dosing aids				_	1,(-)			
DS 3 Cleaning Agent Dosing Station	18	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	
			1				1 - p - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	

<sup>■</sup> Included in the scope of supply. 

Available accessories.

















		ı	1	1		1	1	T	
		Order no.	Hardness grade	Length	Colour	Quanti- ty	Price	Description	
Roller brushes									
Roller brush	1	4.762-409.0	soft	550 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	
	2	4.035-184.0	medium	550 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	
	3	4.762-410.0		550 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
	4	4.762-411.0	hard	550 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
	5	4.762-412.0	very hard	550 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
	6	4.762-405.0	soft	450 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	
	7	4.762-392.0	medium	450 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	
	8	4.762-406.0		450 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
	9	4.762-407.0	hard	450 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
	10	4.762-408.0	very hard	450 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.

























			Hardness		Diame-				
		Order no.	grade	Length	ter	Colour	Price	Description	
Pad roller shafts									
Pad roller shaft	1	4.762-415.0		550 mm				Pad roller shaft suitable for holding roller pads or microfibr	e [
	2	4.762-413.0		450 mm				rollers.	[
Roller pads			,						
Roller pad on sleeve	3	6.369-732.0	soft	530 mm	96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	
	4	6.369-734.0	medium	530 mm	96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	
	5	6.369-733.0	hard	530 mm	96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	
	6	6.367-105.0	soft	450 mm	96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	
	7	6.367-107.0	medium	450 mm	96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	
	8	6.367-106.0	hard	450 mm	96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	
Roller pad	9	6.369-451.0	soft		96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	
	10	6.369-452.0	hard		96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	
	11	6.369-453.0	medium		96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	
Stripping roller	12	8.635-692.0		550 mm		brown		Very abrasive roller pad for chemical-free care film and	[
	13	4.114-011.0		450 mm		brown		decoating.	[
Microfibre shaft									
Microfibre roller	14	4.114-010.0		550 mm	96 mm	light green		Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	
	15	4.114-009.0		450 mm	96 mm	light green			[

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\square$  Available accessories.













		Order no.	Hardness grade	Diameter	Colour	Quanti- ty	Price	Description	
Disc brushes				<u> </u>					
Disc brush complete white D51	1	4.905-028.0	very soft	510 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	
Disc brush	2	4.905-027.0	soft	510 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	
	3	4.905-026.0	medium	510 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	
Disc brush complete black D51	4	4.905-029.0	hard	510 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Disc brush	5	4.905-024.0	very soft	430 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	
	6	4.905-023.0	soft	430 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	
	7	4.905-022.0	medium	430 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	
	8	4.905-025.0	hard	430 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.

























	_	ı	1	1					_
			Hardness			Quanti-			
		Order no.	grade	Diameter	Colour	ty	Price	Description	
Microfibre pad			•						
Microfibre pad	1	6.371-271.0		508 mm	White	5 piece(s)		Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	
	2	6.371-346.0		430 mm	White	5		grey haze. Ideal for thie storieware thes.	
						piece(s)			
Pads									
Pad	3	6.369-468.0	soft	508 mm	beige	5		Beige-coloured disc pad with fine abrasive for cleaning and	
						piece(s)		polishing.	Ë
	4	6.369-079.0	medium-soft	508 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	
	5	6.369-078.0	medium-hard	508 mm	green	5		Green, abrasive roller pad for deep cleaning, as well as the	+
					0	piece(s)		removal of sticky dirt.	
	6	6.369-077.0	hard	508 mm	black	5		Black, very abrasive disc pad for the deep cleaning of	
						piece(s)		hard-wearing floor coverings with very sticky dirt.	
	7	2.639-258.0	hard	508 mm	brown	2 piece(s)		Very abrasive disc pad for chemical-free care film and decoating.	
	8	6.371-146.0	soft	500 mm	natural	5 piece(s)		Beige-coloured disc pad with fine abrasive for cleaning and polishing.	
	9	6.369-469.0	very soft	432 mm	White	5		White, soft and non-abrasive disc pad for cleaning and	$\pm$
		0.303 403.0	very sort	132 11111	Willie	piece(s)		high-gloss polishing.	
	10	6.371-149.0	soft	432 mm	natural	5		Beige-coloured disc pad with fine abrasive for cleaning and	П
			-			piece(s)		polishing.	Ë
	11	6.371-081.0	soft	432 mm	beige	5 piece(s)			
	12	6.369-470.0	medium-soft	432 mm	red	5		Red, standard disc pad for regular maintenance cleaning.	
						piece(s)			
	13	6.369-472.0	medium-hard	432 mm	green	5		Green, abrasive roller pad for deep cleaning, as well as the	
		6 0 6 0 4 7 0 0		100		piece(s)		removal of sticky dirt.	+
	14	6.369-473.0	hard	432 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Pad drive boards			1			hiere(2)		ן וומוט שכמוווק ווטטו נטעפווווקט שונוו עפוץ טנונגץ UII נ.	_
Pad drive board	15	4.762-534.0		479 mm		1		For cleaning with pads. With quick-change coupling and	L
						piece(s)		Centerlock.	
	16	4.762-533.0		403 mm		1		For cleaning with pads. With quick-change coupling and	
■ Instituted in the seems of our		☐ A.vailabla aa				piece(s)		Centerlock. Fits D 43.	┸

<sup>■</sup> Included in the scope of supply. 

Available accessories.









		Order no.	Hardness grade	Diameter	Colour	Quanti- ty	Price	Description	
Diamond pad									
Diamond pad	17	6.371-260.0	coarse	508 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
	18	6.371-261.0	medium	508 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	
	19	6.371-240.0	fine	508 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
	20	6.371-256.0	coarse	432 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
	21	6.371-257.0	medium	432 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	
	22	6.371-238.0	fine	432 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.















		Order no.	Length	Colour	Quanti- ty	Price	Description	
Squeegee blades							,	
Rubber lip set oil resistant BR- BD530,55	1	6.273-207.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-re- sistant, transparent polyurethane. For all standard floors.	
Squeegee blades	2	6.273-229.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-re- sistant, transparent polyurethane. For sensitive floors.	
	3	6.273-290.0	890 mm	transparent	2 -part		Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	
Rubber lip set standard	4	6.273-213.0	890 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
Squeegee blades for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	
Squeegees								
Squeegee	6	4.777-401.0	850 mm	transparent	1 piece(s)		Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
	7	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.











	1						
		Order no.			Price	Description	
		order no.			FIICE	Description	Ш
Brush heads							
Brush head R 55 W	1	2.763-011.0				Brush head with two roller brushes and 55 cm working	
						width.	
Brush head R 45 W	2	2.763-019.0				Brush head with two roller brushes and 45 cm working	
						width.	
Brush head D 51	3	2.763-026.0				Brush head with one disc brush and 51 cm working width.	
Brush head D 43	4	2.763-023.0				Brush head with one disc brush and 43 cm working width.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.







					Battery				
		Order no.	Quantity	Battery volt- age	capaci- ty	Battery type	Price	Description	
Batteries	<u>'</u>				•				
Battery kit	1	2.815-100.0	2 -part	24 V	105 Ah	mainte- nance- free		Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	
	2	2.815-091.0	2 -part	24 V	115 Ah	mainte- nance- free		Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	
	3	2.815-090.0	2 -part	24 V	80 Ah	mainte- nance- free		AGM battery kit with 24 V voltage and 80 Ah (C5). The kit includes 2 single batteries, each with 12 V and 80 Ah capacity.	
Accessories for batteries									
Battery mounting kit	4	2.638-036.0	2 -part					Installation kit for installing battery kit in a machine. Incl. connection cable and brackets.	
	5	2.638-059.0	2 -part					Installation kit for installing battery kit in a machine. Incl. brackets and connection cable.	
Spacer	6	4.642-020.0	1 piece(s)					Fits quick charger set 2.642-559.0. Prevents the battery from slipping into the machine.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.









		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Other attachment kits  Auto-Fill	1	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	
Suction hose accessories	2	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	
Attachment kit stacked bumper roller squeegee	3	4.035-619.0			2 -part		Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.





		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.





		Order no.			Price	Description	
Storage		1	1				
Basket with bottle insert	1	6.999-290.0				Carrying basket with bottle insert, carrying handle and removable dividers.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.