

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** RM 69 ASF

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Detergent

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden

Postfach 160
D - 71349 Winnenden

Tel.: +49-7195-14-0
Fax : +49-7195-14-2212

www.karcher.com

· **Further information obtainable from:**

Department CSD-D
Tel.: +49-7195-14-2548
productsafety.management@de.kaercher.com

· **1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 1)

· **Hazard pictograms**



GHS05

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

isotridecanoethoxylate + 8 EO

· **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

· **Precautionary statements**

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· **Results of PBT and vPvB assessment**

· **PBT:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **vPvB:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** *Mixture of substances listed below with non-hazardous additions.*

· **Dangerous components:**

CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	≥5-<10%
----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------	---------

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 2)		
CAS: 111905-53-4	aliphatic alcohols, C12-C18, mainly linear, ethoxylated, butoxylated ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%
CAS: 69011-36-5 EC number: 931-138-8	isotridecanoethoxylate + 8 EO ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 10 % ≤ C < 10 %	1-5%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate ⚠ Eye Irrit. 2, H319	1-5%
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43-0000	decamethylcyclopentasiloxane Non-classified vPvB substance. Non-classified PBT substance. Substance identified as having endocrine disrupting properties (II).	0.1-1%
· SVHC		
541-02-6	decamethylcyclopentasiloxane	
· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
non-ionic surfactants, anionic surfactants		<5%
perfumes		
· Additional information For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation**
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** Corneal damage
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 3)

- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Avoid contact with eyes and skin.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Keep away from food, beverages and feed.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

111-76-2 2-butoxyethanol

IOELV	Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 98 mg/m ³ , 20 ppm Skin
--------------	------------------------------------------------------------------------------------------------------------

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 4)

· DNELs		
15763-76-5 sodium p-cumenesulphonate		
Oral	DNEL	3.8 mg/kg*d (consumer)
Dermal	DNEL	136.25 mg/kg*d (employee)
		68.1 mg/kg*d (consumer)
Inhalative	DNEL	26.9 mg/m ³ (employee)
		6.6 mg/m ³ (consumer)

· PNECs	
15763-76-5 sodium p-cumenesulphonate	
PNEC	0.23 mg/l (freshwater)
	0.023 mg/l (marine water)
	100 mg/l (STP)
PNEC sediment	0.862 mg/kg (freshwater)
	0.086 mg/kg (marine water)
PNEC soil	0.037 mg/kg (soil)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Hand protection**



Protective gloves.

- **Material of gloves** Butyl rubber, BR
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**
* butyl rubber 0,7 mm, 480 min (EN 374)
- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Nitrile rubber, NBR

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 5)

· **Eye/face protection**



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Colour:	Blue
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	0 °C
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH at 20 °C	12.4
· pH 1 % dem.	11.0
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	3.3 mPas
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.026 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· **9.2 Other information**

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	not applicable
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	5.0 %
· VOC (EC)	5.00 %

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 6)

- | | |
|------------------------------|-----------------|
| · Solids content: | 9.3 % |
| · Change in condition | |
| · Evaporation rate | Not determined. |

· **Information with regard to physical hazard classes**

- | | |
|------------------------------------------------------------------------------------|------|
| · Explosives | Void |
| · Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| · Gases under pressure | Void |
| · Flammable liquids | Void |
| · Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

III-76-2 2-butoxyethanol

Oral	LD50	1,746 mg/kg (Rat)
------	------	-------------------

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 7)

Inhalative	LCLo	>3.1 ppm (consumer)
69011-36-5 isotridecanoethoxylate + 8 EO		
Oral	ATE	500 mg/kg (Rat)
541-02-6 decamethylcyclopentasiloxane		
Dermal	LD50	>15,000 mg/kg (Rat)
Inhalative	LC50	>5,000 mg/kg (Rat)

- **Skin corrosion/irritation** EpiDerm
- **Serious eye damage/irritation** BCOP (OECD 437)
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:**

111-76-2 2-butoxyethanol

LC50/96 h	1,474 mg/l (<i>Oncorhynchus mykiss</i>) (OECD 203)
EC50/48 h	1,550 mg/l (<i>Daphnia magna</i>) (OECD 202)
EC50/72 h	1,840 mg/l (<i>Pseudokirchneriella subcapitata</i>) (OECD 201)
EC0 (16 h)	700 mg/l (<i>Pseudomonas putida</i>)
NOEL (21 d)	100 mg/l (<i>Daphnia magna</i>) (OECD 211)

69011-36-5 isotridecanoethoxylate + 8 EO

LC50/96 h	1-10 mg/l (<i>Leuciscus idus</i>)
EC50/48 h	1-10 mg/l (Aquatic invertebrates)
EC50/72 h	1-10 mg/l (Aquatic plants)

· 12.2 Persistence and degradability

69011-36-5 isotridecanoethoxylate + 8 EO

Bismuth-act. sup. ≥90 % (mod. OECD 301 E)

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 8)

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **vPvB:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **COD-value:** 255000 mg/l

· **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Directive on liquid waste.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· **European waste catalogue**

20 01 29*	detergents containing hazardous substances
-----------	--------------------------------------------

· **Uncleaned packaging:**

· **Recommendation:** Non contaminated packagings may be recycled.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

EU

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 9)

SECTION 14: Transport information

- | | |
|-------------------------------------------------------------------------------|-----------------|
| · 14.1 UN number or ID number
· ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name
· ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | Void |
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - Directive 2012/18/EU
 - Named dangerous substances - ANNEX I None of the ingredients is listed.
 - REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
 - National regulations
 - Information about limitation of use:
Employment restrictions concerning juveniles must be observed.
 - Other regulations, limitations and prohibitive regulations
- | | |
|--------------------------------------------------------------------------------|------------------------------|
| · Substances of very high concern (SVHC) according to REACH, Article 57 | |
| 541-02-6 | decamethylcyclopentasiloxane |
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

- **Relevant phrases**
 - H302 Harmful if swallowed.
 - H312 Harmful in contact with skin.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2021

Version number 9

Revision: 18.12.2018

Trade name: RM 69 ASF

(Contd. of page 10)

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

· Classification according to Regulation (EC) No 1272/2008

<i>Skin corrosion/irritation</i> <i>Serious eye damage/eye irritation</i>	<i>The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.</i>
------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------

· Department issuing SDS: CSD-D

· Contact:

Department CSD-D
Tel.: +49-7195-14-2548
productsafety.management@de.kaercher.com

· Version number of previous version: 8

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· * Data compared to the previous version altered.

· 0-011-367-0 RM 69/19 2-189