

KÄRCHER

makes a difference



CLEANING PERFORMANCE FOR SPECIALTY APPLICATIONS.

Electric-powered, belt-drive cold water pressure washer.

PROFESSIONAL | LIBERTY HD ROLL CAGE

LIBERTY HD ROLL CAGE



Specialty applications.

These belt-drive, electric roll cage models feature cleaning power of 5000 PSI and are available with either 230/3 phase or 460/3 phase motors. These units are specialty machines perfect for use in the marine market cleaning the bottom of boats or in the concrete industry, mixers, forms and handling equipment. Both models are ETL safety certified.



1 Powerful and durable

- 20 HP industrial-duty Baldor motor for years of reliable performance.
- Kärcher crankcase pump is belt-driven for longer-life and quieter operation than gear-driven models and comes with a 7-year warranty.
- Thermal Pump Protection protects the pump against excessive water temperature.
- ETL certification to UL and CSA standards.
- In-line water filter provides additional protection of the pump against dirt and debris.

2 Smart features

- 50-ft high pressure hose rated for 6,000 PSI with 11,000 PSI rated fittings and couplings.
- NEMA 4 Electrical Box houses all electrical components and protects them against house over-spray.
- High visibility spray gun and wand for operator safety and easy operation.
- Downstream detergent injection for application of soaps and other detergents.
- 12-ft electrical cord for connection to electrical circuit.

3 Outstanding mobility

- Roll-cage construction with 4 pneumatic tires and integrated lifting beam for easy maneuverability on all terrains and easy movement with a crane.
- Hand-operated safety brake keeps the unit from rolling when in use.

TECHNICAL DATA AND EQUIPMENT

| | |
|-------------------------------------|--------------------------|
| Features | |
| ■ Rugged steel chassis & roll cage | ■ Flat-free tires |
| ■ Kärcher Belt-drive crankcase pump | ■ 20 HP Baldor motor |
| ■ Cleaning power of 5000 PSI | ■ 50' high-pressure hose |

| | | | | | | | | | |
|-------------------|-------------|-----|------|----|------------|------|------------|---------------|-------------------------------|
| Technical Data | | | | | | | | | |
| Model | Part No. | GPM | PSI | HP | Electrical | Amps | Pump | Weight (lbs.) | Dimensions (L x W x H) inches |
| HD 5.0/50 Eb Cage | 1.107-084.0 | 5.0 | 5000 | 20 | 230V / 3ph | 48 | Kärcher KX | 480 | 42 x 26 x 30 |
| HD 5.0/50 Ec Cage | 1.107-087.0 | 5.0 | 5000 | 20 | 460V / 3ph | 26 | Kärcher KX | 480 | 42 x 26 x 30 |

| | | |
|---------------------------|-------------|--|
| Options (field installed) | | |
| Product | Order No. | Description |
| 100' hose reel kit | 9.801-029.0 | 100' hose reel kit, 5000 PSI (hose not included) |

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 888-805-9852
Fax 800-248-8409

www.karcher.com/us

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2
Canada

Phone 905-672-8233
Fax 905-672-3155

www.karcher.ca