



KÄRCHER

makes a difference



BRILLIANT FLOORS EASILY.

Make your floors shine bright with these durable burnishers.

Make your floors shine brilliantly.

Make your floors shine brilliantly with the BDP 51/1500 C and 2000 C. We included features such as a mechanical interlock to prevent accidental starts for safety. The built in circuit breaker protects the motor for long life and durability. These efficient burnishers restore your hard floors to a like-new shine. They have an easy to use adjustable handle and a non-marking bumper to protect your machine and facility.



1 Performance

- Floating handle automatically adjusts to operator height simplifying operation and providing a consistent high-gloss shine.
- Powerful dust control system captures dust in an easy to remove paper bag and provides a healthier work environment.
- Direct drive motor provides reduced maintenance cost.

2 Safety

- Mechanical safety interlock to prevent accidental start-ups.
- Built in circuit breaker to protect motor.

3 Durability

- Rugged cast aluminum base and switch housing with non-marking bumper to protect the machine and facility.

Technical Specifications and Order Numbers.

BDP 51/1500 C

- 20" burnishing path
- Low profile design
- Adjustable handle
- UL listed to U.S. & Canadian safety standards

BDP 51/2000 C

- Powerful and versatile
- Passive dust control
- Built-in circuit breaker and fuse system to protect motor
- UL listed to U.S. and Canadian safety standards

Technical data

Pad speed	1500 rpm	2000 rpm
Pad diameter	20" (510 mm)	20" (510 mm)
Pad drive diameter	19" (480 mm) Rigid	19" (480 mm) Rigid
Optional brushes	Nylon, Polypropylene, mild or aggressive grit	Nylon, Polypropylene, mild or aggressive grit
Motor	1.75 hp (1305 watt) single speed, permanent magnet DC motor	1.5 hp (1119 watt) single speed, permanent magnet DC motor
Construction	Die cast aluminum motor base and handle housing	Die cast aluminum motor base and handle housing
Hand tube	1.5" (40 mm) cold rolled steel	1.5" (40 mm) cold rolled steel
Wheels	Four, 5" (127 mm) x 1.25" (30 mm) non-marking	Four, 5" (127 mm) x 1.25" (30 mm) non-marking
Electric rating	115 V, 60 Hz	115 V, 60 Hz
Weight	112 lbs (51 kg)	112 lbs (51 kg)
Dimensions (L x W x H)	16.5" x 13" x 43.5" (785 mm x 545 mm x 1220 mm)	21.5" x 17" x 46.5" (810 mm x 610 mm x 1230 mm)

Equipment

Product	Order No.	Description
BDP 51/1500 C	9.840-470.0	20" burnisher
BDP 51/2000 C	9.840-468.0	20" burnisher

Accessories

Order No.	Description
■ 8.622-247.0	Pad, Driver, 20" Burnisher
■ 8.600-139.0	Replacement Dust Filter Bag, package of 10 (BDP 51/2000 C)

■ Included □ Optional

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654
Fax +1 866 271-0520

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233
Fax +1 905 672-3155

www.kaercher.com/ca