

makes a difference









RACE INTO EFFICIENCY

The B 150 sweeps, scrubs and vacuums for maximum productivity for large spaces.

Customize it for your needs to maximize your productivity.

The B 150 R can cover up to 64,580 ft²/hr making this one impressively productive scrubber. Although it can cover large areas quickly, we made sure that it has great visibility for safety. Our KIK operating system and the color coded controls make operation simple and intuitive. KIK allows managers to control what functions and settings their employees can use and adjust.











Advanced model features all-wheel drive

- Clean ramps with grades up to 18%
- Features a unique all-wheel brake system for safety

2 Maximum control

 Utilize the large color LCD screen to adjust everything to your needs including contact pressure, water volume, brush speed, etc.

Let the machine do the work

 Auto tank-rinsing and auto-fill come standard to allow the operator to do other tasks while rinse and fill are taking place

4 Extremely maneuverable

The short and narrow design makes the machine very maneuverable.
Ideal for angled interiors, and provides good line-of-site. This makes cleaning faster, more efficient and safer

Technical specifications and order numbers.



B 150 R

- Advanced models features all-wheel drive
- Maximum control (large color LCD screen to adjust pressure, water volume, brush speed...)
- Auto tank-rinsing and auto-fill come standard to allow the operator to do other tasks

+ brush head		R 75	R 90	D 75	D 90
Working width, brushes	inches	30 (750 mm)	35 (900 mm)	30 (750 mm)	35 (900 mm)
Working width, vacuuming	inches	37 (940 mm)	42 (1060 mm)	37 (940 mm)	42 (1060 mm)
Fresh / dirty water tank capacity	gallons	40 / 40 (150 / 150 l)			
Water flow max.	gpm	2 (9 I/min)	2 (9 I/min)	2 (9 l/min)	2 (9 I/min)
Brush speed	rpm	600-1300	600-1300	180	180
Power consumption, total device (eco!efficiency mode)	w	2,800 (1,680)	2,800 (1,680)	2,800 (1,680)	2,800 (1,680)
Power consumption, traction motor, max.	W	2,500	2,500	2,500	2,500
Driving and cleaning speed	mph	3.7 (6 km/h)	3.7 (6 km/h)	3.7 (6 km/h)	3.7 (6 km/h)
Weight (with battery)	lbs	959 - 1,146 (435-520 kg)			
Dimensions (L x W x H) (without attachment parts)	inches	65 x 31 x 56 (1,790 x 1,080 x 1,410 mm)	65 x 31 x 56 (1,790 x 1,080 x 1,410 mm)	65 x 31 x 56 (1,790 x 1,080 x 1,410 mm)	65 x 31 x 56 (1,790 x 1,080 x 1,410 mm)
Voltage supply	V	36	36	36	36
Waste container	gallons	2 (7 1)	2.5 (9 I)	-	-

Equipment		
Product	Order No.	Description
BR 150 R Bp	9.512-758.0	305 AH Wet Cell Batteries, 36 Volt
BR 150 R Bp	9.512-764.0	305 AH Wet Cell Batteries & Lid with Tank Cleaning System
BR 150 R Bp	9.512-759.0	330 AH AGM Batteries, 36 Volt
BR 150 R Bp	9.512-765.0	330 AH AGM Batteries & Lid with Tank Cleaning System

Acc	essories	
	Part no.	Description
-	4.777-413.0	Squeegee Blade Assembly with 30" brush heads
	6.273-209.0	Oil Resistant Squeegee Blades included with 4.777-413.0
•	4.777-414.0	Squeegee Blade Assembly with 36" brush heads
	6.273-252.0	Oil Resistant Squeegee Blades included with 4.777-413.0
•	5.035-344.0	Yellow Key - Operator
	5.035-348.0	Grey Key - Supervisor
	4.035-512.0	Tank Lid
•	4.035-370.0	Faceplate without Quick Fill
	8.623-295.0	Off-board 36V, 21 AH Battery Charger - Input 110 Volt
	4.035-513.0	Lid with Tank Cleaning System
	4.035-345.0	Fresh Water Filling System
	4.035-408.0	Yellow Key Set (5)
	4.035-406.0	Homebase Box
	4.035-514.0	Homebase Mop Kit

Included	□ Ontional ■ Montional Brush Heads	

Accessories			
	Part no.	Description	
	6.980-077.0	Double Hook	
	5.035-488.0	Homebase Adapter	
	6.980-080.0	Bottle Hook	
	6.980-078.0	Mop Clip	
٠	2.763-005.0	30" Disk with Side Skirts	
٠	2.763-008.0	36" Disk with Side Skirts	
٠	2.763-006.0	30" Roller Brush with Side Skirts and Sweeping Ability	
•	2.763-007.0	36" Roller Brush with Side Skirts and Sweeping Ability	
SEF	RVICES		

		• • • • • • • • • • • • • • • • • • • •		
	7.000-269.0	Fleet Monthly Premium Subscription		
■ Included □ Optional				

Please contact us for more information:

North America

4555 Airport Way Denver, CO 80239 U.S.A.

Phone 800-456-6649 Fax 303-738-2818

Canada

6535 Millcreek Drive Unit 67 Mississauga, ON L5N 2M2 Canada

Phone 905-672-8233 Fax 905-672-3155

www.kaercher.com/ca