

# KÄRCHER

makes a difference



**“DELIVERING INNOVATIVE SOLUTIONS  
TO LIFE’S EVERYDAY NEEDS”**

**HOME & GARDEN** | Product Range 2017



## High Pressure Washers

### K 1



#### Technical Details

Pressure (bar)	20 -max. 100
Flow rate (l/h)	max. 300
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.2
Weight without accessories (kg)	5.1
Dimensions (L×W×H) (mm)	160 x 241 x 426
High-pressure gun	Standard Quick Connect
Vario power jet	No
One-jet spray lance	Yes
Dirt blaster	No
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
<b>Order no</b>	<b>1.600-006.0</b>

### K 2 Basic OJ



#### Technical Details

Pressure (bar)	20 -max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m <sup>2</sup> /h)	20
Weight without accessories (kg)	4
Dimensions (L×W×H) (mm)	176 x 280 x 443
High-pressure gun	Standard Quick Connect
Vario power jet	No
One-jet spray lance	Yes
Dirt blaster	No
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
<b>Order no</b>	<b>1.673-153.0</b>

### K 2 Compact



#### Technical Details

Pressure (bar)	20 -max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m <sup>2</sup> /h)	20
Weight without accessories (kg)	4.0
Dimensions (L×W×H) (mm)	176 x 280 x 443
High-pressure gun	Standard Quick Connect
One-jet spray lance	Yes
Dirt blaster	Yes
Pressure hose (m)	4
Detergent application via	Suction
Integrated water filter	Yes
A3/4" garden hose connector adaptor	Yes
<b>Order no</b>	<b>1.673-121.0</b>

### K 2 Full Control



#### Technical Details

Pressure (bar)	20 -max. 110
Flow rate (l/h)	max. 360
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Area performance (m <sup>2</sup> /h)	20
Weight without accessories (kg)	4.3
Dimensions (L×W×H) (mm)	246 x 280 x 586
Detergent application via	Suction
High-pressure gun	G 120 Q
Handle	Telescopic
Vario Power Spray lance	Yes
Integrated Water filter	Yes
High-pressure hose	4m
Dirt Blaster	Yes
<b>Order no</b>	<b>1.673-400.0</b>

### K 2.420 Air Con



#### Technical Details

Pressure (bar)	20 - max. 100
Flow rate (l/h)	360
Max. inlet temperature (°C)	40
Voltage (V)	220 - 240
Connection load (kW)	1.4
Weight without accessories (kg)	7.9
Dimensions (L×W×H) (mm)	374 x 201 x 296
Vario Power Jet Short 360°	Yes
High-pressure gun, Standard Quick Connect	Yes
High-pressure hose	7.5m
Integrated water filter	Yes
<b>Order no.</b>	<b>1.601-110.0</b>

### K 3 Premium



#### Technical Details

Pressure (bar)	max. 120
Flow rate (l/h)	max. 380
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.6
Area performance (m <sup>2</sup> /h)	25
Weight without accessories (kg)	9.6
Dimensions (L×W×H) (mm)	285 x 331 x 563
Car Kit, Wash brush, 0.3 l foam jet, detergent concentrate, car shampoo	No
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	6m
Integrated water filter	Yes
Vario power jet	Yes
<b>Order no</b>	<b>1.603-180.0</b>

### K 4 Silent



#### Technical Details

Pressure (bar)	20 - max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.8
Area performance (m <sup>2</sup> /h)	30
Weight without accessories (kg)	11.2
Dimensions (L×W×H) (mm)	516 x 295 x 294
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	with anti- twist systems
Integrated water filter	Yes
Vario power jet	Yes
<b>Order no</b>	<b>1.637-350.0</b>

### K 4 Basic



#### Technical Details

Pressure (bar)	max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	230
Connection load (kW)	1.8
Area performance (m <sup>2</sup> /h)	30
Weight without accessories (kg)	10.9
Dimensions (L×W×H) (mm)	285 x 309 x 876
High pressure gun	Standard Quick Connect
Vario Power jet	Yes
Dirt blaster	Yes
High-pressure hose	6m
Integrated water filter	Yes
Water-cooled motor	Yes
A3/4" garden hose connector adaptor	Yes
<b>Order no</b>	<b>1.180-080.0</b>



## High Pressure Washers

### K 4 Premium



#### Technical Details

Pressure (bar)	max. 130
Flow rate (l/h)	max. 420
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	1.8
Area performance (m <sup>2</sup> /h)	30
Weight without accessories (kg)	14.1
Dimensions (L×W×H) (mm)	349 x 426 x 878
Car shampoo	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	6 m
Integrated water filter	Yes
Vario power jet	Yes
Hose Reel	Yes
<b>Order no</b>	<b>1.180-310.0</b>

### K 5 Compact Car



#### Technical Details

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	2.1
Area performance (m <sup>2</sup> /h)	40
Weight without accessories (kg)	11.5
Dimensions (L×W×H) (mm)	516 x 295 x 282
Car Kit	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Integrated water filter	Yes
<b>Order no</b>	<b>1.630-723.0</b>

### K 5 Premium



#### Technical Details

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	max. 40
Voltage (V)	220 - 240
Connection load (kW)	2.1
Area performance (m <sup>2</sup> /h)	40
Weight without accessories (kg)	14.5
Dimensions (L×W×H) (mm)	349 x 426 x 878
Car shampoo	Yes
Standard Quick Connect	Yes
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Integrated water filter	Yes
Vario power jet	Yes
Hose Reel	Yes
<b>Order no</b>	<b>1.181-313.0</b>

### K 5 Premium Full Control



#### Technical Details

Pressure (bar)	max. 145
Flow rate (l/h)	max. 500
Max. inlet temperature (°C)	up to 40
Voltage (V)	230
Connection load (kW)	2.1
Area performance (m <sup>2</sup> /h)	40
Weight without accessories (kg)	13.1
Dimensions (L×W×H) (mm)	411 x 305 x 584
High-pressure spray gun	Full Control Power gun
One-jet spray lance	No
Dirt blaster	Yes
High-pressure hose	8 m
Detergent application via	Yes
Vario power spray lance	Yes
Water suction	Yes
<b>Order no</b>	<b>1.324-600.0</b>

## Sweepers

### S 650



#### Technical data

Working width without side brush	No
Working width with side brush (mm)	650
Max. area performance (m <sup>2</sup> /h)	1800
Housing / frame	Plastic/Plastic
Weight, ready to operate (kg)	11
Waste container (l)	16
<b>Order No.</b>	<b>1.766.300.0</b>

### S 750



#### Technical data

Working width without side brush	480
Working width with side brush (mm)	700
Max. area performance (m <sup>2</sup> /h)	2500
Housing / frame	Plastic/Plastic
Weight, ready to operate (kg)	13
Waste container (l)	32
<b>Order No.</b>	<b>1.766.910.0</b>



## Steam Cleaner & Steam Vac

### SC 1 Premium



#### Technical overview

Heating output(W)	1200
Tank Capacity(l)	0.20
Max. steam pressure(bar)	3.0
Weight without accessories(Kg)	1.6
Dimensions (L x W x H)(mm)	321 x 127 x 186
Heating Time (min)	3
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	No
Steam flow control	No
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.516-220.0

### SC 1 Premium + Floor Kit



#### Technical overview

Heating output(W)	1200
Tank Capacity(l)	0.20
Max. steam pressure(bar)	3.0
Weight without accessories(Kg)	1.6
Dimensions (L x W x H)(mm)	321 x 127 x 186
Heating Time (min)	3
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Steam flow control	No
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.516-226.0

### SC 2



#### Technical overview

Heating output (W)	1500
Tank Capacity (l)	1
Max. steam pressure(bar)	3.2
Weight without accessories(Kg)	2.9
Dimensions (L x W x H)(mm)	380 x 254 x 260
Heating Time (min)	6.5
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Window nozzle / window wiper	No
Steam flow control	On the handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.512-000.0

### SC 3



#### Technical overview

Heating output(W)	1900
Tank Capacity(l)	1
Max. steam pressure(bar)	3.5
Weight without accessories(Kg)	3.1
Dimensions (L x W x H)(mm)	360 x 236 x 253
Heating Time (min)	0.5
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Window nozzle / window wiper	No
Steam flow control	On the Handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.513-000.0

### SC 4



#### Technical overview

Heating output(W)	2000
Tank Capacity(l)	0.5 + 0.8(removable kit)
Max. steam pressure(bar)	3.5
Weight without accessories(kg)	4.0
Dimensions (L x W x H)(mm)	380 x 251 x 273
Heating Time (min)	4
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Steam flow control	On the handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.512-405.0

### SC 4 Iron Kit



#### Technical overview

Heating output (W)	2000
Tank Capacity (l)	0.5 + 0.8
Max. steam pressure(bar)	3.5
Weight without accessories(Kg)	4.1
Dimensions (L x W x H)(mm)	380 x 254 x 273
Heating Time (min)	4
Childproof safety lock	Yes
Safety value	Yes
Floor cleaning kit	Yes
Window nozzle / window wiper	No
Steam flow control	On the handle
Hand nozzle, detail nozzle, round brush	Yes
Order No.	1.512-408.0

## Steam Vacuum

### SV 7



#### Technical overview

Heating output (W)	2200
Boiler Capacity (l)	0.45 + .50
Max. steam pressure(bar)	4
Water Filter (l)	1.2
Dimensions (L x W x H)(mm)	515 x 336 x 340
Vacuum (mbar)	210
Cable Length (m)	6
Childproof safety lock	Yes
HEPA filter	Yes
Floor cleaning kit	Yes
Crevice nozzle	Yes
Upholstery nozzle	Yes
Hand nozzle, detail nozzle, round brush	Yes
Foamstop defoamer	Yes
Order No.	1.439-410.0



## Hard Floor Cleaner

### FC 5



#### Technical Details

Roller speed (rpm)	500
Power (W)	max. 460
Current type (Ph)	1 / 220 / 240 / 50 / 60
Tank capacity fresh water (ml)	400
Tank capacity dirt water (ml)	200
Cleaning station volume (ml)	200
Cleaning performance per tank (m <sup>2</sup> )	60
Drying time of cleaned floor (min.)	2
Roller working width (mm)	300
Weight (kg)	5
Dimensions (L x W x H) (mm)	320 x 270 x 1220
Order No.	1.055-500.0



## Vacuum Cleaners

### WD 1



#### Technical Details

Actual suction power*(Air watts)	160
Energy use (W)	1000
Container capacity (l)	15
Container material	Plastic
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	3.7
Dimensions (L x W x H) (mm)	331 x 352 x 461
Blower Function	Yes
Filter Bag	Paper
Suction Hose length / diameter	1.8m / 35mm
<b>Order no</b>	<b>1.098-300.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.

### WD 3



#### Technical Details

Actual suction power*(Air watts)	200
Energy use (W)	1000
Container capacity (l)	17
Container material	Plastic
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	5.5
Dimensions (L x W x H) (mm)	388 x 340 x 503
Blower Function	Yes
Cartridge Filter	Standard
Filter Bag	Paper
Suction Hose length / diameter	2m / 35mm
<b>Order no</b>	<b>1.629-800.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.

### WD 3 Premium



#### Technical Details

Actual suction power* (Air Watts)	200
Energy use (W)	1000
Container capacity (l)	17
Container material	Stainless Steel
Power cable (m)	4
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	5.8
Dimensions (L x W x H) (mm)	388 x 340 x 525
Blower Function	Yes
Filter Bag	Paper
Suction Hose length / diameter	2 m / 35mm
<b>Order no</b>	<b>1.629-840.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.

### WD 4



#### Technical Details

Actual suction power* (Air Watts)	220
Energy use (W)	1000
Container capacity (l)	20
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	7.1
Dimensions (L x W x H) (mm)	384 x 365 x 526
Blower Function	No
Filter Bag	Fleece
Suction Hose length / diameter	2.2m / 35mm
<b>Order no</b>	<b>1.348-110.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.

### WD 4 Premium



#### Technical Details

Actual suction power*(Air watts)	220
Energy use (W)	1000
Container capacity (l)	20
Container material	Stainless Steel
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	7.5
Dimensions (L x W x H) (mm)	388 x 365 x 520
Blower Function	No
Filter Bag	Fleece
Suction Hose length / diameter	2.2 m / 35mm
<b>Order no</b>	<b>1.348-150.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.

### WD 5



#### Technical Details

Actual suction power* (Air Watts)	240
Energy use (W)	1100
Container capacity (l)	25
Container material	Plastic
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	8.2
Dimensions (L x W x H) (mm)	418 x 382 x 652
Blower Function	Yes
Filter Bag	Fleece
Suction Hose length / diameter	2.2m / 35mm
<b>Order no</b>	<b>1.348-190.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.

### WD 5 Premium



#### Technical Details

Actual suction power* (Air watts)	240
Energy use (W)	1100
Container capacity (l)	25
Container material	Stainless Steel
Power cable (m)	5
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	8.7
Dimensions (L x W x H) (mm)	418 x 382 x 652
Blower Function	Yes
Filter Bag	Fleece
Suction Hose length / diameter	2.2 m / 35mm
<b>Order no</b>	<b>1.348-230.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.

### WD 6 P Premium



#### Technical Details

Actual suction power*(Airwatts)	260
Energy use (W)	1300
Container capacity (l)	30
Container material	Stainless Steel
Power cable (m)	6
Standard accessory ID (mm)	35
Voltage (V)	220 / 240
Weight without accessories (kg)	9.5
Dimensions (L x W x H) (mm)	418 x 382 x 694
Blower Function	Yes
Filter Bag	Fleece
Drain Screw	Yes
Power Tool	Yes
Suction Hose length / diameter	2.2 m / 35mm
<b>Order no</b>	<b>1.348-270.0</b>

\* Measured at the suction tubes according to the IEC 60312 standard.



## Water Filter Vacuum Cleaner - DS 5.800



### Technical Details

Rated input power (W)	900
Water filter (l)	2
Power cable (m)	6.5
Operating radius (m)	10.2
Sound pressure level (dB(A))	66
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.4
Dimensions (L x W x H) (mm)	535 x 289 x 345
Suction hose	2.1 m
Crevice nozzle	Yes
HEPA 12 filter	Yes
Telescopic suction tube	Yes
Switchable dry floor nozzle	Yes
<b>Order no</b>	<b>1.195-210.0</b>

## Dry Vacuum - VC 3 Plus



### Technical Details

Rated input power (W)	1100
Water filter (l)	0.9
Power cable (m)	6.5
Operating radius (m)	7.5
Sound pressure level (dB(A))	78
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	4.5
Dimensions (L x W x H) (mm)	388 x 269 x 334
Suction hose (m)	1.5 m
Crevice nozzle	Yes
HEPA 12 filter	Yes
Telescopic suction tube	Yes
Automatic cable rewind	Yes
<b>Order no</b>	<b>1.198-127.0</b>

## Carpet Cleaner - SE 4001



### Technical Details

Vacuum (mbar)	210 / 21
Air flow (l/s)	70
Fresh/ dirty water tank (l)	4 / 4
Input power turbine/pump (W)	1400 / 40
Spray rate (l/min)	1
Spray pressure (bar)	1
Power cable (m)	7.5
Working width (mm)	230
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	7.8
Dimensions (L x W x H) (mm)	441 x 386 x 480
Filter Bag	Paper
Crevice nozzle	Yes
Spray extraction tubes, 2 piece(s)	0.5 m, 35 mm
Wet and dry floor nozzle, Clips	Yes
Upholstery nozzle	Yes
Foam filter	Yes
Carpet Cleaner	RM 519 (100 ml)
<b>Order no</b>	<b>1.081-130.0</b>

## Floor Polisher - FP 303



### Technical data

Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Working width (mm)	290
Power rating (W)	600
Speed (rpm)	1000
Filter bag capacity (l)	4
Cable length (m)	7
Weight (kg)	7
Dimensions (L x W x H) (mm)	385 X 340 X 1155
<b>Equipment</b>	
Polish Pad	3 Piece
Filter bag	Paper
Cable storage	Yes
<b>Order No.</b>	<b>1.056-820.0</b>

## Window Cleaner - WV 1 Plus

NEW



### Technical data

Dirty water tank(ml)	100
Battery duration(min)	20
Time required to charge battery(min)	120
Area cleaned per battery charge	Approx. 55 m <sup>2</sup> = 18 windows
Working width of vacuum nozzle (mm)	250
Weight incl. battery(kg)	0.5
Dimensions (mm)	130 x 250 x 275

### Equipment

Battery charger	Yes
Lithium ion battery	Yes
Spray bottle with micro fibre wiper	Yes
Window Cleaner Concentrate	Yes
Hip bag	No
<b>Order No.</b>	<b>1.633-014.0</b>

## Electric Broom - KB 5

NEW



### Technical data

Area cleaned per battery charge	m <sup>2</sup>	60-100
Battery running time	min.	30
Working width	mm	210 (per hair brush)/
Container capacity	ml	370
Battery voltage	V	3.7
Weight incl. battery	kg	1.2
Dimensions (L x W x H)	mm	260 x 300 x 96

### Equipment

Wall bracket	Yes
Battery charger	Yes
Long life rechargeable battery	Yes
Standard brush	Detachable
Pet hair brush	Detachable
<b>Order No.</b>	<b>1.258-000.0</b>


## Handheld Vacuum - VC 5Premium

NEW



### Technical Details

Energy efficiency class	A
Operating radius (m)	10
Sound power level (dB(A))	77
Voltage (V)	220 - 240
Frequency (Hz)	50 - 60
Weight without accessories (kg)	3.2
Dimensions (L x W x H) (mm)	182 x 261 x 621
Order No.	1.349-150.0



## Cordless Vacuum - VC 4

NEW



### Technical Details

Battery With Charger	N/a
Operation voltage	50 V
Weight (Kg)	2.34
Noise level (db)	99
Vibration value(m/s <sup>2</sup> )	1.1
Air speed (m/s <sup>2</sup> )	40 max
Air throughput (m <sup>2</sup> /h)	815 max
Run time with Bp 200 adv	Up to 60min
Run time with Bp 400 adv	Up to 120min
Run time with Bp 800 adv	Up to 220min
Order No.	1.442-110.0



## Additional Accessories

### High Pressure Washer



1



2



3



4



5



6



7



8



9



10



11

S. No	Accessories	Order No												
			K 2 Basic OJ	K 2 Compact	K 2 Full Control	K 2 Aircon	K 3 Premium	K 4 Silent	K 4 Basic	K 4 Premium	K 5 Compact Car	K 5 Premium	K 5 Premium Full Control	
1	G 145 Q, Full Control Power Gun	2.643-634.0	-	-	-	-	-	-	-	-	-	-	-	-
2	Universal hose connector	2.645-191.0	■	■	■	■	■	■	■	■	■	■	■	■
3	T - 550, T-Racer Surface Cleaner	2.643-251.0	-	-	-	-	-	■	■	■	■	■	■	■
4	T 450, T-Racer Surface Cleaner	2.643.214.0	-	-	-	-	-	■	■	■	■	■	■	■
5	T 350, T-Racer Surface Cleaner	2.643-252.0	■	■	■	■	■	■	■	■	■	■	■	■
6	PS 40, Power Scrubber Surface Cleaner	2.643-245.0	■	■	■	■	■	■	■	■	■	■	■	■
7	Telescopic spray lance	2.642-347.0	■	■	■	■	■	■	■	■	■	■	■	■
8	HK 12, High Pressure Hose Kit	2.643-909.0	■	■	■	■	■	■	■	■	■	■	■	-
9	HK 7.5, High Pressure Hose Kit	2.643-910.0	■	■	■	■	■	■	■	■	■	■	■	-
10	HK 4, High Pressure Hose Kit	2.643-912.0	-	■	-	-	-	-	-	-	-	-	-	-
11	Water filter	4.730-059.0	■	■	■	■	■	■	■	■	■	■	■	■



## Wet & Dry Vacuum cleaner



Car interior kit  
(2.862-128.0)



Suction hose extension  
(2.863-001.0)



Suction brush  
(2.863-146.0)



Coarse dirt filter  
(2.863-161.0)



Paper filter bag  
(6.904-322.0)



Fleece filter bag  
(2.863-006.0)



Filter kit  
(6.904-143.0)



Cartridge filter  
(6.414-552.0)



Flat pleated filter  
(2.863-005.0 / 6.414-498.0)

## Steam cleaner



Round brush set  
(2.863-058.0)



Textile care nozzle  
(4.130-390.0)



Round brush with  
brass bristles  
(2.863-061.0)



Multipurpose  
accessory kit  
(2.863-215.0)



Big round brush  
(2.863-022.0)



Descaling sticks  
(6.295-206.0)

## Window Vacuum



Extension kit  
(2.633-111.0)

## Drill Dust Catcher



### Technical data

Container capacity (cm <sup>3</sup> )	23
Drill sizes (mm)	Max. 15
Weight (Kg)	0.2
Dimensions (L x W x H)	207 x 106 x 117
Order No.	2.863 -234.0





Notes

Area with horizontal dotted lines for notes.

## Contact us for our products & services across India

Help line No: 1800 1234 180 (9:30 AM- 5 PM, Mon- Fri)

[www.kaercher.com/in](http://www.kaercher.com/in)

e-mail: [info@in.kaercher.com](mailto:info@in.kaercher.com) | [service@in.kaercher.com](mailto:service@in.kaercher.com)

### **Noida (Head Office)**

D-120, Sec-63,  
Noida - 201 307,  
Uttar Pradesh  
Ph. : +91 120 7111800  
Fax : +91 120 7111900

CIN : U29142DL2011PTC214243

**Dealer stamp here:**

**Find our nearest Dealer**

**SMS <Karcher> space <Pincode> send to 53456\* T & C Apply.(SMS Rates Apply)**