



PressurePro Smoke Resin Remover RM 33

Very powerful liquid basic cleaning agent for removing stubborn stains such as oil, fat, tar, soot, resinous soot, and burnt-on sugar glazes. NTA free.







Properties

- Effective high-pressure cleaning agent
- Removes effectively oil, fat, tar, soot and smoke resin
- Particularly suitable for typical food stains such as smoke resin, sugar glaze, grease stains, etc.
- Effective quickly
- Suitable for cleaning stainless steel and ceramic surfaces
- Tensides biodegradable in accordance with EEC 648/2004
- Rapidly separates oil/water in the oil separator (easy to separate=asf)
- NTA free
- Free of phosphates

Areas:

Agriculture: Food and drink industry: Hotels, gastronomy, catering: Retail: Smoke-curing systems, grill stands Smoke-curing systems, grill stands Smoke-curing systems, grill stands Smoke-curing systems, grill stands

Application

- High-pressure washers
- Spray units

Part number

20 I 6.295-560.0

200 I 6.295-561.0









Application:

High-pressure washers

- Combine the product with the appropriate dosage and fresh water.
- 1-80°C processing temperature.
- Wet object completely with product.
- Allow to soak.
- Reaction time 1-5 minutes, depending on the degree of soiling.
- Rinse with clear water.
- In food-processing applications, rinse thoroughly with drinking water.

Spray attachment

- Combine the product with the appropriate dosage and fresh water.
- Wet object completely with product.
- Allow to soak
- Reaction time 1-5 minutes, depending on the degree of soiling.
- Rinse with clear water.
- In food-processing applications, rinse thoroughly with drinking water.

Directions for use:

- Test on an inconspicuous part for material compatibility.
- Do not let the cleaning solution dry out.
- Rinse hot water units with cold water for at least 2 minutes.
- Using cleaning agents and disinfectants alternately is recommended in order to prevent the formation of resistant bacterial strains.
- Clean the cleaning machine after use.
- Store away from frost.

Warnings and safety recommendations according to EC Directives:

- Danger
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P405 Store locked up
- P501a Dispose of contents/container in accordance with local/regional/ national/international regulations.

Further information:

■ Material Safety Data Sheet (MSDS)

Dosage and yield:

Content:	Cleaning method:	Primary mixture:	Dosage:	Contamination:	Productivity:
1000 ml	High-pressure washers	1+3	4-8 %	heavy	67 m²
1000 ml	Spray units		10 %	medium-strong	110 m²

Please contact us for more information:

Kärcher UK Ltd

Kärcher House Brookhill Way Banbury Oxon OX16 3ED