

PressurePro Descaling Acid RM 101

Hydrochloric acid-based decalcifying agent, specially made for heating coils in high-pressure cleaners. Releases even extremely stubborn lime and detergent residue while also protecting against corrosion.













Properties

- Service product for decalcification of the heating coil
- Reliable removes stubborn calcification
- Rapidly effective
- Quick oil and water separation in the oil separator (easily separable = asf)
- NTA-free

_		
N	Applicati	
	Applicati	on

Agriculture	Transport and machines		
Car dealership and garage	Car/engine wash		
Building Industry	Transport and machines		
Metalworking industry	Degreasing, phosphating		
Industry	Surface degreasing		
Municipal	Car/engine wash		
Haulage contractors, bus operators	Car/engine wash		
Machine protector	Machine maintenance, decalcification of hot water systems.		

Usage options

High-pressure cleaner

Technical data Container sizes

Container sizes Pack	kaging unit	Part number
5 I 1 Pi	ece(s)	6.295-398.0

KARCHER

Application

High-pressure cleaner

- Combine the product with the appropriate dosage and fresh water.
- Set the temperature on the device.
- 1-40°C processing temperature.
- Vacuum the solution through a water connection and drive in the circuit (with the hand spray gun screwed off).
- Contact time 10-15 minutes, depending on the degree of soiling.
- Rinse the device with water and then neutralise with an alkaline cleaning agent.

Instructions for use

- Only descale in a circuit.
- Ensure good ventilation.
- Observe safety measures for corrosive fluids.

Warnings and safety recommendations according to EC Directive

- Danger
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- H335 May cause respiratory irritation
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all
- contaminated clothing. Rinse skin with water [or shower].
- P405 Store locked up.
- P501a Dispose of contents/container in accordance with local/regional/national/international regulations.

Further information

Material Safety Data Sheet (MSDS)

Dosage and yield					
Contents	Cleaning method	Dosage	Soiling	Yield	
1000 ml	Heater coil descaling	10 %	heavy	1 Heating coil	