KÄRCHER

PressurePro Intensive Deep Cleaner RM 750

Powerful deep cleaner effectively removes the most stubborn stains, such as oil, grease, soot, blood and proteins. Low foam production. Particularly suited for floor cleaning by machine and for processing with hard surface cleaners.

pH 13.7 in concentrate













Properties

- Intensive basic cleaner for use with high-pressure and floor cleaning units
- For deep cleaning of heavily soiled industrial floor coverings
- Loosens heavy oil, grease and mineral-based soiling
- Rapidly effective
- Low-foam formulation
- Extremely economical
- Tensides biodegradable in accordance with EEC 648/2004
- Quick oil and water separation in the oil separator (easily separable = asf)
- NTA-free

Usage option

- High-pressure cleaner
- Scrubber driers
- manual

Application areas

Agriculture	Transport and machines			
Car dealership and garage	Car/engine wash, Parts cleaning			
Building Industry	Transport and machines			
Building cleaning	Floor cleaning			
Food and drink industry	Floor cleaning			
Industry	Surface degreasing			
Municipal	Car/engine wash			
Retail	Floor cleaning			
Haulage contractors, bus operators	Car/engine wash			

Technical data

Container sizes	Packaging unit	Part number
10	1 Piece(s)	6.295-539.0
200	1 Piece(s)	6.295-540.0



Application

High-pressure cleaner

- Apply primary mixture with fresh water.
- Set the dosage and temperature on the device
- 1-80°C processing temperature.
- Clean object.
- Rinse surface well with clear water.

Scrubber-driers - deep cleaning

- Combine the product with the appropriate dosage and fresh water.
- Contact time 10-15 minutes, depending on the degree of soiling.
- Wet object completely with the product.
- Clean the surface in overlapping sections.
- Neutralise with clear water.

- Combine the product with the appropriate dosage and fresh water.
- Allow to soak.
- Contact time 10-15 minutes, depending on the degree of soiling.
- Wet object completely with the product.
- Incorporate the cleaning fluid.
- Neutralise with clear water.



Instructions for use

- Test on an inconspicuous part for material compatibility.
- Do not let the cleaning solution dry out.

Warnings and safety recommendations according to EC Directives

- Danger
- H290 May be corrosive to metals
- H314 Causes severe skin burns and eye damage
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P405 Store locked up.
- P501a Dispose of contents/container in accordance with local/regional/national/international regulations.

Further information

Material Safety Data Sheet (MSDS)

Dosage and yield					
Contents	Cleaning method	Primary mixture	Dosage	Soiling	Yield
1000 ml	High-pressure cleaner	1+3	1 - 5 %	heavy	270 m²
1000 ml	Scrubber driers - Stripping		10 - 50 %	heavy	110 m²
1000 ml	Scrubber-driers - deep cleaning		5 - 50 %	heavy	370 m²
1000 ml	Scrubber driers - maintenance cleaning		1 - 5 %	light-medium	3300 m ²
1000 ml	manual		5 - 50 %	heavy	120 m²