

PartsPro Cleaner RM 39

Gentle cleaning and degreasing agent effectively removes oil, grease and soot stains from metal parts and provides temporary corrosion protection.

pH value 10.5
in concentrate



Made in Germany



NTA-free



Properties

- Effective degreaser for high-pressure and parts cleaners
- Dissolves oil, grease and rust stains
- Protects metal parts from corrosion for short-term intermediate storage
- Gentle on materials
- Low-foam formulation
- pH value in concentrate approx. 10
- Yellowish liquid with characteristic smell
- NTA-free
- Free from nitrite and halogenated hydrocarbons

Application areas

Car dealership and garage

Parts cleaning

Industry

Surface degreasing

Usage options

- High-pressure cleaners
- Parts cleaners

Technical data

Container sizes	Packaging unit	Part number
20 l	1 Piece(s)	6.295-165.0
200 l	1 Piece(s)	6.295-424.0

Application

High-pressure cleaners

- Set the dosage and temperature on the device
- 60-80°C processing temperature.
- Clean object.
- Allow to soak.
- Contact time 1-10 minutes, depending on the degree of soiling.

Parts cleaners

- Pour the product into the parts cleaner in the appropriate dosage.
- Set the temperature and cleaning time on the device.
- 60-80°C processing temperature.
- Contact time 1-10 minutes, depending on the degree of soiling.

Instructions for use

- Rinse thoroughly with hot water before additional surface treatment (painting, galvanising, etc.).
- Ensure quick drying after treatment and for dry storage.
- Proper disposal of old alkali on the part cleaning machine.

Warnings and safety recommendations according to EC Directives

- Warning
- H319 Causes serious eye irritation
- P280i Wear eye/face protection.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 + P313 If eye irritation persists: Get medical advice/attention.

Further information

- Dusseldorf Chamber of Crafts expert report on freedom of volatile halogen hydrocarbons
- Material Safety Data Sheet (MSDS)

Dosage and yield

Contents	Cleaning method	Dosage	Soiling	Yield
1000 ml	High-pressure cleaners	2 - 5 %	medium	33 m ²
1000 ml	Parts cleaners	1 - 5 %	medium	100 l