

## NT 30/1 TACT TE L \*AU

The craftsman's favourite among wet and dry vacuum cleaners: the Kärcher NT 30/1 Tact Te with power outlet (automatic on/off switch) and Tact filter cleaning for uninterrupted work.



### Order No.

1.148-213.0

- 30-litre container, antistatic preparation, dust class L
- Tact filter cleaning, electric suction power regulation, device socket

### Technical data


<b>EAN code</b>		4054278287263
<b>Number of phases</b>	<b>Phases</b>	1
<b>Voltage</b>	<b>Volt</b>	220 - 240
<b>Frequency</b>	<b>Hertz</b>	50 - 60
<b>Air flow</b>	<b>Litres per second</b>	74
<b>Vacuum</b>	<b>Millibar / Kilopascal</b>	273 / 27.3
<b>Container capacity</b>	<b>Litre</b>	30
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>Watt</b>	Maximum 1380
<b>Standard nominal width</b>		DN 35
<b>Cable length</b>	<b>Metre</b>	7.5
<b>Sound pressure level</b>	<b>Decibel</b>	69
<b>Colour</b>		anthracite
<b>Weight without accessories</b>	<b>Kilogram</b>	13.5
<b>Weight incl. packaging</b>	<b>Kilogram</b>	18
<b>Dimensions (L × W × H)</b>	<b>Millimetre</b>	560 × 370 × 580

### Scope of supply

<b>Suction hose length:</b> 4 Metre
<b>Bend:</b> Plastic
<b>Quantity of suction tubes:</b> 2 Unit
<b>Suction tubes length:</b> 550 Millimetre
<b>Suction tubes material:</b> Stainless steel
<b>Quantity of filter bags:</b> 1 Unit
<b>Filter bag material:</b> Fleece
<b>Wet/dry floor nozzle width:</b> 360 Millimetre
<b>Crevice nozzle</b>
<b>Connector for electric tools</b>
<b>Flat pleated filter:</b> PES with PTFE coating

### Equipment

<b>Auto shutdown when max. level is reached</b>
<b>Power tool autostart</b>
<b>Anti-static Optional</b>
<b>Filter cleaning:</b> Tact - Auto Filter Clean System
<b>Sturdy bumper</b>
<b>Protection class:</b> I
<b>Castor with brake</b>



### Tact automatic filter cleaning system

- For consistently high suction power and filter capacity.
- Automatic filter cleaning with powerful blasts of air.
- Time-saving design and longer filter service life.



### Tool sleeve with false air valve and rubber attachment

- Enables dust-free drilling, sawing or sanding using power tools.
- Comes with rubber attachment and false air rotating ring.
- Rotating ring for adjusting the suction power.



### Power outlet with automatic on/off switch

- Power tool connects easily to the vacuum cleaner.
- Easy operation thanks to the automatic switch-on/off function.
- Energy-efficient: vacuum cleaner switches off automatically.

## EQUIPMENT FOR NT 30/1 TACT TE L \*AU

### 1.148-213.0



		Order No.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Flachfaltfilter (PTFE)</b>				
Wet & Dry flat pleated filter, PES fibre material with PTFE coating, blue label	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Ultimate flat pleated filter	2	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>Flat pleated filter (paper)</b>				
Dry flat pleated filter	3	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow packaged NW35 2K	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Elbow electrically conducting packaged N	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Elbow complete packaged NW35 2K	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	7	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	■
Wet/dry floor nozzle, DN 35, width 300 mm	8	2.889-173.0	Plastic floor nozzle in nominal size DN 35 for wet and dry vacuuming of fine dust, coarse dirt or liquids. Features brush strips and squeegees. Width: 300 mm.	□
Switchable floor nozzle, DN 35, 270 mm wide, suitable for textile and hard surfaces	9	6.906-511.0	Plastic switchable floor nozzle in nominal size DN 35 and with a width of 270 mm. For cleaning textile and hard surfaces.	□
Wet/dry floor nozzle, DN 35, width 300 mm	10	6.906-512.0	Plastic floor nozzle with rollers, width of 300 mm and nominal size of DN 35. Includes brush strips and squeegees. For removing fine dust, coarse dirt or liquids.	□
Wet/dry floor nozzle, aluminium, DN 35, width 370 mm	11	6.906-384.0	For wet and dry vacuum cleaners from Kärcher: aluminium floor nozzle (DN 35) with a width of 370 mm, including brush strips and squeegees that are easy to change.	□
Wet/dry floor nozzle, Adv, DN 35, width 400 mm	12	2.889-118.0	Plastic Adv floor nozzle with width of 400 mm and nominal size of DN 35 for wet and dry vacuum cleaning. Includes brush strips and squeegees that are easy to change.	□
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	13	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>All-purpose brushes</b>				
All-purpose brush	14	6.900-425.0	All-purpose brush PPN_Bristle	□

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 30/1 TACT TE L \*AU

### 1.148-213.0



		Order No.	Description	
<b>SUCTION NOZZLES</b>				
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, DN 35, 100 Millimetre	15	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	<input type="checkbox"/>
Car nozzle, DN 35, 90 Millimetre	16	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	<input type="checkbox"/>
<b>Suction brushes</b>				
Suction brush DN35	17	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 x 45 mm.	<input type="checkbox"/>
<b>SUCTION TUBES</b>				
<b>Suction tubes stainless steel</b>				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	18	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	<input checked="" type="checkbox"/>
<b>Suction tubes metal</b>				
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2	19	2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	<input type="checkbox"/>
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Hose packaged NW35 4.0m	20	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input checked="" type="checkbox"/>
Hose packaged NW35 2.5m	21	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Hose electrically conducting packaged NW	22	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
	23	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Hose packaged NW40 4m	24	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Hose packaged NW35 2.5m	25	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Hose oil resistant packaged NW40 4m	26	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Hose electrically conducting packaged NW	27	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
	28	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 30/1 TACT TE L \*AU

### 1.148-213.0



	Order No.	Description		
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Extension hose	29	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Repair set NW35	30	2.889-149.0	Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Extension hose conductive packaged NW35	31	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Adapter for electric power tools, clip on, el.</b>				
Sleeve electrically conducting packaged	32	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	<input checked="" type="checkbox"/>
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>				
Connection cone NW35	33	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>				
Power tool adapter, threaded, DN 35	34	5.453-016.0	3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
<b>FILTER BAGS</b>				
<b>Fleece filter bags</b>				
Fleece filter bags, 5 Unit, NT 30/1	35	2.889-154.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Made from 40% recycled plastic. Contents: 5-pack.	<input type="checkbox"/>
NT TACT VAC VACUUM FILTER BAGS - 5 PACK, 5 Unit, NT 30/1	36	9.505-368.0	Tear-resistant 3-layer fleece filter bags for M & L Class dust, suitable for Kärcher Professional NT 30/1 Wet and Dry vacuum cleaners. Contains 5 bags.	<input type="checkbox"/>
<b>FILTER T/ NT</b>				
<b>Flat pleated filter HEPA, dust class H</b>				
HEPA-14 (H14) flat pleated filter made from glass fibre.	37	6.904-242.0	HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	<input type="checkbox"/>
<b>Coarse filter for wet pickup</b>				
Coarse dirt filter	38	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	<input type="checkbox"/>
<b>Plastic sacks for dust-free disposal</b>				
Plastic bag for dust-free disposal, 10 Unit, NT 30/1, NT 40/1, NT 50/1	39	2.889-158.0	PE plastic sack for dust-free disposal.	<input type="checkbox"/>
<b>Membrane filter / fabric filter</b>				
Wood cartridge filter, NT 30/1, NT 40/1, NT 50/1	40	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	<input type="checkbox"/>
Membrane filter, NT 30/1, NT 40/1, NT 50/1	41	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	<input type="checkbox"/>
<b>TARGET GROUP SPECIFIC VACUUM CLEANER ACCESSORY SETS</b>				
Universal trade and industrial set, DN 35	42	2.637-595.0	Accessory kit for wet and dry vacuum cleaners from Kärcher. Perfect for trade and industry.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 30/1 TACT TE L \*AU 1.148-213.0



		Order No.	Description	
<b>TARGET GROUP SPECIFIC VACUUM CLEANER ACCESSORY SETS</b>				
Car cleaning kit	43	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	<input type="checkbox"/>
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Drilling dust tool	44	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter old packaged NW35	45	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>
Adapter connection old elektr. leitend	46	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

Available accessories.