

NT 50/1 TACT TE L *AU

The Professional NT 50/1 Tact Te wet and dry vacuum cleaner with multiple features. These include a 50-litre container with adjustable push handle and drain hose as well as an integrated power outlet.



Made in Europe



Order No.

1.148-413.0

- Adjustable push handle
- Drain hose
- Anti-static Optional

Technical data

EAN code		4054278299952
Type of current	Phases / Volt / Hertz	1 / 220 - 240 / 50 - 60
Air flow	Litres per second	74
Vacuum	Millibar / Kilopascal	273 / 27.3
Container capacity	Litre	50
Container material		Plastic
Rated input power	Watt	Maximum 1380
Standard nominal width		DN 35
Cable length	Metre	7.5
Sound pressure level	Decibel	69
Weight without accessories	Kilogram	18.3
Weight incl. packaging	Kilogram	25
Dimensions (L × W × H)	Millimetre	640 × 370 × 1045

Equipment

Suction hose	Metre	4
Bend		Plastic
Suction Tube	Unit × Millimetre	2 × 550 / Stainless steel
Filter bag	Unit	1 / Fleece
Dust class		L
Wet and dry floor tool	Millimetre	360
Crevice nozzle		■
Connector for electric tools		■
Drain hose (oil-resistant)		■
Auto shutdown when max. level is reached		■
Power tool autostart		■
Flat pleated filter		PES
Filter cleaning		Tact - Auto Filter Clean System
Sturdy bumper		■
Push handle		■
Protection class		I
Castor with brake		■

■ included in delivery.



Adjustable, ergonomic push handle

- Thanks to a quick lock, the adjustable push handle adapts to the size of the operator.
- The push handle can be easily folded away to save space when storing the machine.



Oil-resistant drain hose

- Oil-resistant, integrated drain hose for easy emptying of liquids.



Wide floor nozzle with quickly exchangeable inserts

- Floor nozzle with brush strip and squeegee inserts. Effortless switching between wet and dry vacuuming.

EQUIPMENT FOR NT 50/1 TACT TE L *AU

1.148-413.0



		Order No.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter (PES)				
Flat-pleated filter packaged PES	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Flat pleated filter (paper)				
Dry flat pleated filter	2	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
Flachfaltfilter (PTFE)				
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
BENDS				
Plastic bend				
Elbow packaged NW35 2K	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Elbow electrically conducting packaged N	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Elbow complete packaged NW35 2K	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NW35 360mm	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Combination floor tool (dry)	8	6.906-511.0	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□
Floor tool DN35	9	6.906-512.0	Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	□
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	10	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
All-purpose brushes				
All-purpose brush	11	6.900-425.0	All-purpose brush PPN_Bristle	□
Car cleaning nozzles				
Car nozzle, DN 35, 90 Millimetre	12	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
Gangway nozzles				
Lane nozzle NW40 / KAERCHER	13	4.130-029.0	For vacuuming large areas with the NT 50/1 Tact Te L.	□
Suction brushes				
Suction brush DN35	14	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 50/1 TACT TE L *AU

1.148-413.0



	Order No.	Description	
SUCTION TUBES			
Suction tubes stainless steel			
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	15	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners. ■
SUCTION HOSES			
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)			
Hose packaged NW35 4.0m	16	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. ■
Hose packaged NW35 2.5m	17	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. □
Hose electrically conducting packaged NW	18	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. □
	19	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. □
Extension hose	20	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher. □
CONNECTING SLEEVES			
Adapter for electric power tools, clip on, el.			
Sleeve electrically conducting packaged	21	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools. ■
FILTER BAGS			
Fleece filter bags			
Fleece filter bags, 5 Unit, NT 40/1, NT 50/1	22	2.889-155.0	Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head. □
FILTER T/ NT			
Flat pleated filter HEPA, dust class H			
HEPA flat pleated filter	23	6.904-242.0	HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids. □
Coarse filter for wet pickup			
Coarse dirt filter	24	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher. □
Plastic sacks for dust-free disposal			
Plastic bag for dust-free disposal, 10 Unit, NT 30/1, NT 40/1, NT 50/1	25	2.889-158.0	PE plastic sack for dust-free disposal. □
Membrane filter / fabric filter			
Candle filter Wood, NT 30/1, NT 40/1, NT 50/1	26	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L. □
Membrane filter, NT 30/1, NT 40/1, NT 50/1	27	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused. □
OTHER ACCESSORIES FOR T AND NT			
Drilling dust tool	28	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher. □

■ Included in delivery. □ Available accessories.