

## NT 50/1 TACT TE L \*AU

The Professional NT 50/1 Tact Te wet and dry vacuum cleaner with multiple features. These include a 50-litre container with adjustable push handle and drain hose as well as an integrated power outlet.



Order No.

1.148-413.0

### Technical data

EAN code		4054278299952
Number of phases	Phases	1
Voltage	Volt	220 - 240
Frequency	Hertz	50 - 60
Air flow	Litres per second	74
Vacuum	Millibar / Kilopascal	273 / 27.3
Container capacity	Litre	50
Container material		Plastic
Rated input power	Watt	Maximum 1380
Standard nominal width		DN 35
Cable length	Metre	7.5
Sound pressure level	Decibel	69
Colour		anthracite
Weight without accessories	Kilogram	18.3
Weight incl. packaging	Kilogram	25
Dimensions (L x W x H)	Millimetre	640 x 370 x 1045

### Scope of supply

Suction hose length:	4 Metre
Bend:	Plastic
Quantity of suction tubes:	2 Unit
Suction tubes length:	550 Millimetre
Suction tubes material:	Stainless steel
Quantity of filter bags:	1 Unit
Filter bag material:	Fleece
Wet/dry floor nozzle width:	360 Millimetre
Crevice nozzle	
Connector for electric tools	
Drain hose (oil-resistant)	
Flat pleated filter:	PES with PTFE coating
Push handle	

### Equipment

Dust class:	L
Auto shutdown when max. level is reached	
Power tool autostart	
Filter cleaning:	Tact - Auto Filter Clean System
Sturdy bumper	
Protection class:	I
Castor with brake	



### Adjustable, ergonomic push handle

- Thanks to a quick lock, the adjustable push handle adapts to the size of the operator.
- The push handle can be easily folded away to save space when storing the machine.



### Oil-resistant drain hose

- Oil-resistant, integrated drain hose for easy emptying of liquids.



### Wide floor nozzle with quickly exchangeable inserts

- Floor nozzle with brush strip and squeegee inserts. Effortless switching between wet and dry vacuuming.

## EQUIPMENT FOR NT 50/1 TACT TE L \*AU

### 1.148-413.0



		Order No.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Flachfaltenfilter (PTFE)</b>				
Wet & Dry flat pleated filter, PES fibre material with PTFE coating, blue label	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Ultimate flat pleated filter	2	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>Flat pleated filter (paper)</b>				
Dry flat pleated filter	3	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	□
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow packaged NW35 2K	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Elbow electrically conducting packaged N	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Elbow complete packaged NW35 2K	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	7	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	■
Switchable floor nozzle, DN 35, 270 mm wide, suitable for textile and hard surfaces	8	6.906-511.0	Plastic switchable floor nozzle in nominal size DN 35 and with a width of 270 mm. For cleaning textile and hard surfaces.	□
Wet/dry floor nozzle, DN 35, width 300 mm	9	6.906-512.0	Plastic floor nozzle with rollers, width of 300 mm and nominal size of DN 35. Includes brush strips and squeegees. For removing fine dust, coarse dirt or liquids.	□
Wet/dry floor nozzle, aluminium, DN 35, width 370 mm	10	6.906-384.0	For wet and dry vacuum cleaners from Kärcher: aluminium floor nozzle (DN 35) with a width of 370 mm, including brush strips and squeegees that are easy to change.	□
Wet/dry floor nozzle, Adv, DN 35, width 400 mm	11	2.889-118.0	Plastic Adv floor nozzle with width of 400 mm and nominal size of DN 35 for wet and dry vacuum cleaning. Includes brush strips and squeegees that are easy to change.	□
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	12	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>All-purpose brushes</b>				
All-purpose brush	13	6.900-425.0	All-purpose brush PPN_Bristle	□
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, DN 35, 100 Millimetre	14	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 50/1 TACT TE L \*AU

### 1.148-413.0



	Order No.	Description	
<b>SUCTION NOZZLES</b>			
<b>Car cleaning nozzles</b>			
Car nozzle, DN 35, 90 Millimetre	15	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm. <input type="checkbox"/>
<b>Gangway nozzles</b>			
Squeegee nozzle NT 50/1 Tact Te	16	4.130-029.0	Squeegee nozzle for vacuuming large areas with the NT 50/1 Tact Te. <input type="checkbox"/>
<b>Suction brushes</b>			
Suction brush DN35	17	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm. <input type="checkbox"/>
<b>SUCTION TUBES</b>			
<b>Suction tubes stainless steel</b>			
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	18	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners. <input checked="" type="checkbox"/>
<b>SUCTION HOSES</b>			
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>			
Hose packaged NW35 4.0m	19	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input checked="" type="checkbox"/>
Hose packaged NW35 2.5m	20	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Hose electrically conducting packaged NW	21	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
	22	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Hose packaged NW40 4m	23	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
Hose packaged NW35 2.5m	24	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Hose oil resistant packaged NW40 4m	25	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Hose electrically conducting packaged NW	26	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
	27	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
Extension hose	28	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher. <input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 50/1 TACT TE L \*AU

### 1.148-413.0



		Order No.	Description	
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Repair set NW35	29	2.889-149.0	Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Extension hose conductive packaged NW35	30	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Adapter for electric power tools, clip on, el.</b>				
Sleeve electrically conducting packaged	31	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	<input checked="" type="checkbox"/>
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>				
Connection cone NW35	32	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
<b>FILTER BAGS</b>				
<b>Fleece filter bags</b>				
Fleece filter bags, 5 Unit, NT 40/1, NT 50/1	33	2.889-155.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Made from 30% recycled plastic. Contents: 5-pack.	<input type="checkbox"/>
<b>FILTER T/ NT</b>				
<b>Flat pleated filter HEPA, dust class H</b>				
HEPA-14 (H14) flat pleated filter made from glass fibre.	34	6.904-242.0	HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	<input type="checkbox"/>
<b>Coarse filter for wet pickup</b>				
Coarse dirt filter	35	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	<input type="checkbox"/>
<b>Plastic sacks for dust-free disposal</b>				
Plastic bag for dust-free disposal, 10 Unit, NT 30/1, NT 40/1, NT 50/1	36	2.889-158.0	PE plastic sack for dust-free disposal.	<input type="checkbox"/>
<b>Membrane filter / fabric filter</b>				
Wood cartridge filter, NT 30/1, NT 40/1, NT 50/1	37	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	<input type="checkbox"/>
Membrane filter, NT 30/1, NT 40/1, NT 50/1	38	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	<input type="checkbox"/>
<b>TARGET GROUP SPECIFIC VACUUM CLEANER ACCESSORY SETS</b>				
Universal trade and industrial set, DN 35	39	2.637-595.0	Accessory kit for wet and dry vacuum cleaners from Kärcher. Perfect for trade and industry.	<input type="checkbox"/>
Car cleaning kit	40	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	<input type="checkbox"/>
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Drilling dust tool	41	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter old packaged NW35	42	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 50/1 TACT TE L \*AU 1.148-413.0



		Order No.	Description	
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Adapter connection old elektr. leitend	43	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

Available accessories.