

NT 50/1 TACT TE M *AU

Developed for large quantities of hazardous fine dusts in dust class M: Large and highly mobile 50/1 Tact Te M wet and dry vacuum cleaner with 50-litre container and adjustable push handle.



Order No. 1.148-446.0

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Cooling air filtration


Technical data

EAN code		4054278559575
Type of current	Phases / Volt / Hertz	1 / 220 - 240 / 50 - 60
Air flow	Litres per second	74
Vacuum	Millibar / Kilopascal	273 / 27.3
Container capacity	Litre	50
Rated input power	Watt	Maximum 1380
Standard nominal width		DN 35
Cable length	Metre	7.5
Sound pressure level	Decibel	69
Weight without accessories	Kilogram	19
Weight incl. packaging	Kilogram	25.2
Dimensions (L × W × H)	Millimetre	640 × 370 × 1045

Equipment

Suction hose	Metre	4 / electrically conductive
Bend		electrically conductive
Suction Tube	Unit × Millimetre	2 × 550 / Stainless steel
Filter bag		Fleece
Wet and dry floor tool	Millimetre	360
Crevice nozzle		■
Connector for electric tools		■
Drain hose		■
Power tool autostart		■
Fully antistatic		■
Flat pleated filter		PES
Sturdy bumper		■
Push handle		■
Protection class		I
Castor with brake		■
Filter cleaning		Tact - Auto Filter Clean System
Dust class		M

■ included in delivery.




Fully automatic filter cleaning

- Sensor-controlled electronics for optimal filter cleaning efficiency and therefore maximum suction power.



Tested filtration efficiency of 99.9 per cent

- The removal of almost all fine dust makes for clean, safe workplaces.



Complete antistatic system with conductive accessories

- Effective protection against electric shocks through antistatic charging.

EQUIPMENT FOR NT 50/1 TACT TE M *AU

1.148-446.0



		Order No.	Description	
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Unit, NT 40/1, NT 50/1	1	2.889-155.0	Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	■
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter (PES)				
Flat-pleated filter packaged PES	2	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
Flachfaltenfilter (PTFE)				
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
BENDS				
Plastic bend				
Elbow complete packaged NW35 2K	4	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NW35 360mm	5	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	6	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Car nozzle, DN 35, 90 Millimetre	7	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
Gangway nozzles				
Lane nozzle NW40 / KAERCHER	8	4.130-029.0	For vacuuming large areas with the NT 50/1 Tact Te L.	□
SUCTION TUBES				
Suction tubes stainless steel				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	9	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Hose electrically conducting packaged NW	10	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Hose packaged NW35 4.0m	11	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	□
Hose electrically conducting packaged NW	12	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Extension hose	13	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	□
CONNECTING SLEEVES				
Adapter for electric power tools, clip on, el.				
Sleeve electrically conducting packaged	14	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 50/1 TACT TE M *AU 1.148-446.0



15



16

		Order No.	Description	
FILTER T/ NT				
Membrane filter / fabric filter				
Candle filter Wood, NT 30/1, NT 40/1, NT 50/1	15	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	<input type="checkbox"/>
OTHER ACCESSORIES FOR T AND NT				
Drilling dust tool	16	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.