

KM 150/500 R LPG

LPG operated, fully hydraulic industrial sweeper built for construction & industrial use. Max. area performance 18,000 m2/h.





Order No.

1.186-138.0

_			
Σ	Technical data		
	EAN code		886622012900
	Drive type		LPG
	Traction drive		Four-stroke engine
	Engine manufacturer		Kubota
	Drive power	Kilowatt	22
	Max. area performance	Square metres per hour	18000
	Working width	Millimetre	1200
	Working width with 1 side brush	Millimetre	1500
	Working width with 2 side brushes	Millimetre	1800
	Container	Litre	500
	Climbing capacity	Percent	18
	Working speed	Kilometres per hour	12
	Filter area	Square metre	7
	Weight (with accessories)	Kilogram	1339
	Weight, ready to operate	Kilogram	1317
	Weight incl. packaging	Kilogram	1339
	Dimensions (L × W × H)	Millimetre	2442 × 1570 × 1640

KARCHER





Efficient filter system

- Flat pleated filter with 7 m² filter area.
- Effective cleaning with dual scraper.
- For dust-free sweeping.



Comfortable workplace

- All control elements are clearly arranged and easy to access.
- All displays in full view.
- Optional: cabs with heating or air conditioning.



Simple operation, maintenance and servicing

- Simple technology with tried and tested components: fully hydraulic drive, electric instead of electronic.
- Easy motor access for quick and simple maintenance.
- Main sweeper roller and flat pleated filter can be replaced without tools.

KARCHER

EQUIPMENT FOR KM 150/500 R LPG

1.186-138.0





13

















		Order No.	Description	
MAIN ROLLER BRUSHES				
Standard main roller brushes				
Standard roller brush	1	6.987-085.0	Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	
Main roller brush, soft/natural				
Reversing rolling mill soft KM 150/500	2	6.987-464.0	Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	
Main roller brush, soft/natural	3	6.987-437.0	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	
Main roller brush, hard		1		
Main sweeper roller, hard	4	6.987-436.0	For removing stubborn dirt outdoors.	
FILTERS				
Flat pleated filter				
Flat pleated filter green	5	6.988-159.0	Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	
SIDE BRUSHES				
Standard side brushes				
Standard side brush	6	6.987-083.0	Water-resistant universal bristles, durable, suitable for all surfaces.	
Side brush, hard		1	·	
Side brush, hard	7	6.905-773.0	Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	
Side brush, steel bristles	8	6.905-619.0	For stripping, removing moss, abrasive, for outdoor use only	
Side brush, soft				
Side brush, soft	9	6.905-620.0	Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	
MOUNTING KITS FOR SWEEPERS AND VACUUM	SWE	PERS		
Lighting				
Spotlight blue	10	2.852-802.0	Blue spotlight for the KM Industrial vacuum sweeper from Kärcher. The optical route warning device ensures maximum visibility and safety for people and the machine itself.	
Sweeping/Vacuuming				
Holder for NT 22/1 Ap Bp vacuum cleaner	11	2.852-884.0	Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	
Side brush cover	12	2.851-287.0	Side brush cover reduces dust dispersion.	
Other mounting kits			•	
Comfort seat	13	6.373-014.0	For increased driving comfort.	
Add-on kit stainless steel container - ex works	14	6.961-927.7	Stainless steel waste container for waste and areas of application with increased risk of corrosion.	

■ Included in delivery. □ Available accessories.

KARCHER

EQUIPMENT FOR KM 150/500 R LPG 1.186-138.0



		Order No.	Description							
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS										
Side brushes, left										
Second side brush left	15	2.851-274.0	Side brush, complete, including standard side brush for increasing area performance.							
CABS AND PROTECTIVE ROOFS										
Protective roof for operator										
Protective roof	16	2.852-688.0								
Weatherproof cab										
Protective cabin with windscreen and wiper - ex works	17	2.851-270.7	The roof with windscreen and windscreen wiper protects the driver from falling objects.							
Protective cabin without glazing - ex works	18	2.851-268.7	The protective roof complies with VDE standard IEC 60335-2-72.							

■ Included in delivery. □ Available accessories.