



## NT 20/1 Ap Te

The mobile NT 20/1 Ap Te wet and dry vacuum cleaner with semi-automatic filter cleaning system and power outlet with auto-start feature is handy, rugged and powerful – ideal for workshops and construction sites.



### 1 Compact dimensions

- Ergonomic handle and compact, square dimensions for easy transport and storage.



### 2 Compact dimensions

- Ergonomic handle and compact, square dimensions for easy transport and storage.



### 3 Semi-automatic filter cleaning

- Semi-automatic filter cleaning effectively ensures constantly high suction power.
- With an air flow rate of 74 l/s and a vacuum of 254 mbar, the suction power of the machine is outstanding.



### 4 Removable filter box

- Easy, dirt-free removal. The flat pleated filter can be tapped clean without damaging it.



## NT 20/1 Ap Te

- Semi-automatic filter cleaning
- Automatic on/off switch
- Removable filter box

### Technical data

Order no.	1.378-510.0	
EAN code	4039784859258	
Air flow rate	l/s	74
Vacuum	mbar / kPa	254 / 25
Container capacity	l	20
Max. rated input power	W	1380
Standard nominal width	ID 35	
Cable length	m	6
Sound pressure level	dB(A)	66
Number of motors	1	
Voltage	V	220-240
Weight	kg	8.5
Dimensions (L × W × H)	mm	440 × 380 × 470

### Equipment

Suction hose	m	2.5
Suction Tube	piece(s) / m	2 × 0.5 / Metal
Filter bag	fleece	
Wet and dry floor nozzle	mm	300
Crevice nozzle	■	
Power tool connection adaptor	■	

■ Included in the scope of supply.

# NT 20/1 AP TE 1.378-510.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	1	6.907-469.0	5 piece(s)					Fleece filter bag, tear-resistant, dust class M.	■
<b>Flat pleated filter, paper</b>									
Dry flat pleated filter	2	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	■
<b>Crevice nozzles</b>									
Crevice nozzle	3	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	■
<b>Suction tubes, metal</b>									
Suction tube	4	6.902-152.0	1 piece(s)	ID 35	0.33 m			Metal suction tube, ID 35, 0.33 m length	■
<b>Complete suction hoses (clip system)</b>									
Suction hose	5	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	■
<b>Connection adapter for power tools, clip-on, electrically conductive</b>									
Connection adapter for power tools, C 35, electrically conductive	6	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	■
<b>Flat pleated filter, PES</b>									
Flat pleated filter, PES	7	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	□
<b>Floor nozzles</b>									
Wet and dry floor nozzle	8	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
<b>All-purpose brushes</b>									
All-purpose brush	9	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	□
<b>Car cleaning nozzles</b>									
Car nozzle	10	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>Suction brushes</b>									
Suction brush	11	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	□

■ Included in the scope of supply. □ Available accessories.