

NT 27/1

The NT 27/1 is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.



Order No. 1.428-508.0

Technical data

EAN code		4039784724211
Voltage	Volt	220 - 240
Frequency	Hertz	50 - 60
Air flow	Litres per second	72
Vacuum	Millibar / Kilopascal	249 / 24.9
Container capacity	Litre	27
Container material		Plastic
Rated input power	Watt	Maximum 1380
Standard nominal width		DN 35
Cable length	Metre	7.5
Sound pressure level	Decibel	71
Colour		anthracite
Weight without accessories	Kilogram	7.1
Dimensions (L × W × H)	Millimetre	420 × 420 × 525

Scope of supply

Suction hose length: 2.5 Metre
Bend: Plastic
Quantity of suction tubes: 2 Unit
Suction tubes length: 550 Millimetre
Suction tubes material: Steel, chrome-plated
Quantity of filter bags: 1 Unit
Filter bag material: Paper
Wet/dry floor nozzle width: 300 Millimetre
Crevice nozzle
Cartridge filter: PES

Equipment

Sturdy bumper
Protection class: II
Castor with brake



Moisture-resistant PES cartridge filter

- Easy switching between wet and dry vacuum cleaner operation.
- The PES cartridge filter does not need to be dried before use.
- Sustainability: the PES cartridge filter is washable.



Robust metal latches

- The extremely robust metal latches lock more reliably.



Robust bumper

- A bumper protects the vacuum as well as walls, machines and other items against damage.

EQUIPMENT FOR NT 27/1 1.428-508.0



	Order No.	Description	
FILTER T/ NT			
Coarse filter for wet pickup			
Foam filter for wet applications using wet and dry vacuum cleaners	1 5.731-595.0	Quick-drying foam filter for wet applications using wet and dry vacuum cleaners from Kärcher that have a mechanical floating switch off.	■
Special filter bags, wet filter bags			
Wet filter bag	2 6.904-171.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
Membrane filter / fabric filter			
Membrane filter, NT 27/1, NT 48/1	3 6.906-103.0	The membrane/fabric filter made of polyester needle fleece for wet and dry vacuum cleaners is washable up to 40°C.	□
CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M			
Cartridge filter PES			
PES cartridge filter, for wet and dry vacuum cleaners	4 2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
BENDS			
Plastic bend			
Elbow packaged NW35 1K	5 2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Elbow complete packaged NW35 2K	6 2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
SUCTION NOZZLES			
All-purpose nozzles (wet/dry)			
Wet/dry floor nozzle, DN 35, width 300 mm	7 2.899-691.0	For wet and dry vacuum cleaners from Kärcher: plastic floor nozzle in nominal size DN 35. Features brush strips and squeegees that are easy to change. Width: 300 mm.	■
Crevice nozzles			
Crevice nozzle wet and dry packaged NW35	8 2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
All-purpose brushes			
All-purpose brush	9 6.900-425.0	All-purpose brush PPN_Bristle	□
Car cleaning nozzles			
Ergonomic car nozzle, DN 35, 100 Millimetre	10 2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□
Suction brushes			
Suction brush DN35	11 6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 x 45 mm.	□
SUCTION TUBES			
Suction tubes metal			
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2	12 2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	■
Suction tubes stainless steel			
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	13 2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	□
Suction tubes plastic			
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	14 2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 27/1 1.428-508.0



		Order No.	Description	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Hose packaged NW35 2.5m	15	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Hose electrically conducting packaged NW	16	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Extension hose	17	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	□
VACUUMS				
Nozzles				
Flexible crevice nozzle	18	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	□
FILTER BAGS				
Paper filter bags				
Paper filter bags, 5 Unit, NT 27/1	19	6.904-290.0	Premium paper filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	□
CONNECTING SLEEVES				
Connecting sleeve C-DN (clip on taper), EL (electroconductive)				
Connection cone NW35	20	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	□
OTHER ACCESSORIES FOR T AND NT				
Adapter connection old elektr. leitend	21	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	□

■ Included in delivery. □ Available accessories.