

NT 48/1

This machine is a very robust, functional and powerful wet/dry vacuum cleaner with compact construction, developed for the needs of contract cleaners, the automotive industry and trades.



Order No. 1.428-620.0

- Robust chassis
- Moisture-resistant PES cartridge filter
- Drain hose

Technical data		
EAN code		4039784724921
Type of current	Volt / Hertz	220 - 240 / 50 - 60
Air flow	Litres per second	72
Vacuum	Millibar / Kilopascal	249 / 24.9
Container capacity	Litre	48
Container material		Plastic
Rated input power	Watt	Maximum 1380
Standard nominal width		Nominal width 35
Cable length	Metre	7.5
Sound pressure level	Decibel	71
Weight without accessories	Kilogram	10.2
Weight incl. packaging	Kilogram	14.635
Dimensions (L x W x H)	Millimetre	490 x 390 x 780

Equipment			
Suction hose	Metre	2.5 / with bend / Plastic	
Suction Tube	Unit x Millimetre	2 x 550 / Stainless steel	
Filter bag	Unit	1 / Paper	
Wet and dry floor tool	Millimetre	360 / standard	
Crevice nozzle		■	
Cartridge filter		PES	
Drain hose		■	
Sturdy bumper		■	
Protection class		II	
Castor with brake		■	

■ included in delivery.



Container emptying

- Easily accessible drain hose for convenient liquid disposal.



Accessory storage

- Accessories can be attached to the container at the rear of the machine.



Robust metal latches

- The extremely robust metal latches lock more reliably.

EQUIPMENT FOR NT 48/1 1.428-620.0



		Order No.	Description	
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NW35 360mm	1	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	2	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
All-purpose brushes				
All-purpose brush	3	6.900-425.0	All-purpose brush PPN_Bristle	□
Suction brushes				
Suction brush DN35	4	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	□
SUCTION TUBES				
Suction tubes stainless steel				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	5	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
Suction tubes plastic				
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	6	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Hose packaged NW35 2.5m	7	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Hose electrically conducting packaged NW	8	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Extension hose	9	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	□
FILTER T/ NT				
Special filter bags, wet filter bags				
Wet filter bag	10	6.904-211.0	Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	□
Membrane filter / fabric filter				
Membrane filter, NT 27/1, NT 48/1	11	6.906-103.0	Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.	□
BENDS				
Plastic bend				
Elbow complete packaged NW35 2K	12	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□

■ Included in delivery. □ Available accessories.