

NT 22/1 AP BP L

Compact and versatile battery powered wet and dry vacuum cleaner NT 22/1 Ap Bp for demanding wet and dry applications at locations without an external power supply. With space-saving flat pleated filter.



Made in Europe



BATTERY NOT INCLUDED



REAL TIME TECHNOLOGY



Order No.

1.528-130.0

- Dust class L certification
- Efficient semi-automatic filter cleaning
- Flat pleated filter with filter casing

Technical data

EAN code		4054278672328
Battery platform		36 V battery platform
Container capacity	Litre	22
Container material		Plastic
Sound pressure level	Decibel	70
Air flow	Litres per second	57
Vacuum	Millibar / Kilopascal	152 / 15.2
Rated input power	Watt	Maximum 575
Standard nominal width		DN 35
Number of batteries required	Unit	1
Performance per battery charge	Square metre	Approx. 150 (7.5 Ah)
Runtime per battery charging	Minute	Maximum 31 (7.5 Ah) / Maximum 24 (6.0 Ah)
Battery charge time	Minute	58 / 81
Charging current	Ampere	6
Power supply for battery charger	Volt / Hertz	100 - 240 / 50 - 60
Weight without accessories	Kilogram	8.8
Weight incl. packaging	Kilogram	11.133
Dimensions (L × W × H)	Millimetre	401 × 372 × 499

Equipment

Variant		Battery and charger not included
Suction hose	Metre	1.9 / with bend
Suction Tube	Unit × Millimetre	2 × 505 / Plastic
Filter bag		Fleece
Wet and dry floor tool	Millimetre	300
Crevice nozzle		■
Auto shutdown when max. level is reached		■
Flat pleated filter		Paper
Filter cleaning		Semi-automatic filter cleaning Ap
Protection class		III

■ included in delivery.



Powerful 36 V Kärcher Battery Power++ battery with 7.5 Ah capacity

- Ensures a long runtime of 31 minutes at full suction power.



Effective protection cover for the battery bay

- Protects the battery from dirt and moisture. With viewing window.



Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

EQUIPMENT FOR NT 22/1 AP BP L 1.528-130.0



		Order No.	Description	
SUCTION NOZZLES				
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	1	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	<input checked="" type="checkbox"/>
Car cleaning nozzles				
Car nozzle, DN 35, 90 Millimetre	2	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	<input type="checkbox"/>
SUCTION TUBES				
Suction tubes plastic				
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	3	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	<input checked="" type="checkbox"/>
Suction tubes metal				
Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1 T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2	4	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	<input type="checkbox"/>
BATTERY				
Battery Power+ 36/75	5	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	<input type="checkbox"/>
Battery Power+ 36/60	6	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	<input type="checkbox"/>
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Hose packaged NW35 2.5m	7	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.