

NT 22/1 AP BP L

Compact and versatile battery powered wet and dry vacuum cleaner NT 22/1 Ap Bp for demanding wet and dry applications at locations without an external power supply. With space-saving flat pleated filter.



Made in Europe



Order No.

1.528-130.0

- 22-litre container, compact design, low weight, dust class L
- Semi-automatic filter cleaning Ap, battery-powered machine from the 36 V platform
- 300 mm floor nozzle, crevice nozzle, Dry flat pleated filter

Technical data

EAN code		4054278672328
Battery platform		36 V battery platform
Container capacity	Litre	22
Container material		Plastic
Sound pressure level	Decibel	70
Air flow	Litres per second	57
Vacuum	Millibar / Kilopascal	152 / 15.2
Rated input power	Watt	Maximum 575
Standard nominal width		DN 35
Number of batteries required	Unit	1
Performance per battery charge	Square metre	Approx. 150 (7.5 Ah)
Runtime per battery charging	Minute	Maximum 31 (7.5 Ah) / Maximum 24 (6.0 Ah)
Battery charge time	Minute	58 / 81
Charging current	Ampere	6
Power supply for battery charger	Volt / Hertz	100 - 240 / 50 - 60
Colour		anthracite
Weight without accessories	Kilogram	8.8
Weight incl. packaging	Kilogram	11.133
Dimensions (L × W × H)	Millimetre	401 × 372 × 499

Scope of supply

Variant: Battery and charger not included

Suction hose length: 1.9 Metre

Suction hose type: with bend

Quantity of suction tubes: 2 Unit

Suction tubes length: 505 Millimetre

Suction tubes material: Plastic

Wet/dry floor nozzle width: 300 Millimetre

Crevice nozzle

Flat pleated filter: Cellulose

Equipment

Auto shutdown when max. level is reached

Filter cleaning: Semi-automatic filter cleaning

Protection class: III




Powerful 36 V Kärcher Battery Power+ battery with 7.5 Ah capacity

- Ensures a long runtime of 31 minutes at full suction power.



Effective protection cover for the battery bay

- Protects the battery from dirt and moisture. With viewing window.



Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.



EQUIPMENT FOR NT 22/1 AP BP L 1.528-130.0



		Order No.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter (paper)				
Flat pleated filter	1	6.904-156.0	For wet and dry vacuum cleaners NT 14/1 and NT 22/1 Ap Bp: flat pleated filter Dry made from cellulose fibre material for vacuuming fine dust and coarse dirt from dust classes L and M. With green label.	■
Flat pleated filter (PES)				
Flat pleated filter (PES)	2	6.906-123.0	Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Optional main filter for NT 14/1 and NT 351 Eco/Professional.	□
Flachfaltenfilter (PTFE)				
Wet & Dry flat pleated filter, PES fibre material with PTFE coating, suitable for NT 22/1 Ap Bp	3	6.907-649.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	□
BENDS				
Plastic bend				
Elbow packaged NW35 1K	4	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Wet/dry floor nozzle, DN 35, width 300 mm, with parking hook	5	2.899-811.0	Plastic wet/dry floor nozzle with parking hook, brush strips and squeegees in DN 35. For wet and dry vacuuming of fine dust, coarse dirt or liquids. Width of 300 mm.	■
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	6	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Ergonomic car nozzle, DN 35, 100 Millimetre	7	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□
Car nozzle, DN 35, 90 Millimetre	8	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
SUCTION TUBES				
Suction tubes plastic				
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	9	2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher.	■
Suction tubes metal				
Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1 T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2	10	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	□
BATTERIES				
Battery Power 36/50	11	2.445-031.0	36 V / 5.0 Ah Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to show the battery level. Suitable for all devices on the 36 V Kärcher battery platform.	□
BATTERY				
Battery Power+ 36/75	12	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	□
Battery Power+ 36/60	13	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	□
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Unit, NT 22/1	14	6.907-469.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 22/1 AP BP L 1.528-130.0



		Order No.	Description	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Hose packaged NW35 2.5m	15	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
CONNECTING SLEEVES				
Connecting sleeve C-DN (clip on taper), EL (electroconductive)				
Connection cone NW35	16	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
OTHER ACCESSORIES FOR T AND NT				
Adapter old packaged NW35	17	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>

Available accessories.