

T 9/1 BP

Flexible thanks to the powerful Kärcher Battery Power+ battery, extremely powerful and durable: Our T 9/1 Bp battery powered dry vacuum cleaner stands the test against mains-operated dry vacuum cleaners.



Made in Europe



BATTERY NOT INCLUDED



ecoefficiency



BRUSHLESS

Order No. 1.528-133.0

- 9-l container, robust, low-noise, ergonomic carrying handle
- 36 V cordless tool, ecoefficiency mode
- Floor nozzle 280 mm, telescopic suction tube, crevice nozzle, filter basket


Technical data

EAN code	4054278680354	
Battery platform	36 V battery platform	
Container capacity	Litre	9
Sound pressure level	Decibel	59
Air flow	Litres per second	40
Nominal power	Watt	500
Vacuum	Millibar / Kilopascal	210 / 22
Standard nominal width	DN 35	
Number of batteries required	Unit	1
Performance per battery charge	Square metre	Approx. 150 (7.5 Ah)
Runtime per battery charging	Minute	ecoefficiency mode: Maximum 66 (7.5 Ah) / Power mode: Maximum 31 (7.5 Ah) / ecoefficiency mode: Maximum 50 (6.0 Ah) / Power mode: Maximum 22 (6.0 Ah)
Battery charge time	Minute	58 / 81
Charging current	Ampere	6
Power supply for battery charger	Volt / Hertz	100 - 240 / 50 - 60
Colour	anthracite	
Weight without accessories	Kilogram	4.6
Weight incl. packaging	Kilogram	8.2
Dimensions (L × W × H)	Millimetre	420 × 325 × 382

Equipment

Variant	Battery and charger not included	
ecoefficiency mode	■	
Ergonomic carrying handle	■	
Suction hose length	Metre	2
Suction hose type	with bend	
Bend	Antistatic with air-flow regulator	
Telescopic suction tube	Millimetre	615 - 1007
Telescopic suction tube, material	Steel, chrome-plated	
Reversible floor nozzle	■	
Crevice nozzle	■	
Quantity of filter bags	Unit	1
Filter bag material	Fleece	
Motor protection filter	■	
Permanent filter basket	Nylon	

■ included in delivery.



eco!efficiency mode

- The eco!efficiency mode reduces the energy demand and volume of the machine and increases the battery running time.



Ergonomic bend

- The ergonomic bend sits comfortably in the hand and allows fatigue-free working over long periods of time.



Ergonomic carrying handle

- The ergonomic carry handle with suction tube storage is designed for easy and convenient transport including accessories.

EQUIPMENT FOR T 9/1 BP 1.528-133.0



		Order No.	Description	
FILTER T/ NT				
Main filter baskets				
Permanent main filter basket, T 9/1	1	5.731-628.0	Plastic frames with nylon fabric, washably to 40°C.	■
Exhaust air filter				
Motor protection filter, 1 Unit, T 9/1 Bp, T 7, T 8, T 10, T 11, T 12, T 15	2	6.414-022.0	Motor protection filter, removable fleece, which can be replaced when heavily soiled.	■
Fabric filter bag				
Fabric filter bag	3	6.904-316.0	The fabric filter bag for Kärcher dry vacuum cleaners is made of cotton and can be washed at up to 40 °C.	□
BENDS				
Plastic bend				
Elbow electrically conducting packaged N	4	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Switchable floor nozzle, DN 35, width 280 mm, basalt grey, with parking hook, suitable for textile and hard surfaces	5	2.889-129.0	For cleaning textile and hard surfaces: basalt grey plastic switchable floor nozzle with width of 280 mm and nominal size of DN 35. Features a practical parking hook.	■
Crevice nozzles				
Crevice nozzle, DN 35, plastic, length 210 mm	6	2.889-130.0	With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm.	■
Upholstery nozzles				
Upholstery nozzle complete NW35	7	6.905-998.3	Handy plastic upholstery nozzle in nominal width DN 35. Ideal for gentle cleaning of upholstered furniture such as sofas, armchairs, upholstered chairs and beds.	□
SUCTION TUBES				
Suction tubes metal				
Telescopic suction tube, DN 35, 615 - 1007 mm long, chrome-plated steel, suitable for: BV 5/1 Bp, T 9/1 Bp, BV 5/1, T 7/1, T 10/1, T 12/1, T 15/1, NT 30/1, Nt 40/1, NT 50/1NT 65/2	8	2.862-008.0	Practical telescopic suction tube made of chrome-plated steel for Kärcher dry vacuum cleaners, nominal width DN 35 and 615-1007 mm long.	■
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Hose packaged NW35 2.0m	9	2.889-161.0	The suction hose in nominal width DN 35 and with 2 m length is suitable for use with dry vacuum cleaners from Kärcher.	■
BATTERIES				
Battery Power 36/50	10	2.445-031.0	36 V / 5.0 Ah Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to show the battery level. Suitable for all devices on the 36 V Kärcher battery platform.	□
BATTERY CHARGERS				
Fast Charger Battery Power 36 V	11	2.445-041.0	With the fast charger, the 36 V/2.5 Ah exchangeable battery can be charged to 80% in just 48 minutes. Also suitable for all other batteries on the 36 V Kärcher battery platform.	□
BATTERY				
Battery Power+ 36/75	12	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	□
Battery Power+ 36/60	13	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	□
BATTERY CHARGERS				
Universal charger Battery Power+ 18-36	14	2.445-057.0	Universal charging unit Battery Power+ with LED operating status indicator for charging all 18 and 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries. Suitable for wall mounting.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR T 9/1 BP 1.528-133.0



		Order No.	Description	
BATTERY CHARGERS				
Fast battery recharger Battery Power+ 36/60	15	2.445-051.0	Charge all 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries with max. 6 A charging current: Quick charger with LED operating status indicator. Easy wall mounting.	<input type="checkbox"/>
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 10 Unit, BV 5/1, BVL 3/1 Bp, BVL 5/1 Bp, T 7/1, T 9/1	16	6.904-335.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.	<input type="checkbox"/>
Fleece filter bags, 300 Unit, BV 5/1, BVL 3/1 Bp, BVL 5/1 Bp, T 7/1, T 9/1	17	6.904-336.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 300-pack.	<input type="checkbox"/>
Paper filter bags				
Paper filter bags, 10 Unit, T 7/1, T 9/1, T 10/1	18	6.904-333.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.	<input type="checkbox"/>
Paper filter bags, 300 Unit, T 7/1, T 9/1, T 10/1	19	6.904-337.0	Premium paper filter bags of dust class M, suitable for Kärcher dry vacuum cleaners. Contents: 300-pack.	<input type="checkbox"/>
Paper filter bags, 10 Unit, T 7/1, T 9/1, T 10/1	20	6.904-370.0	Premium paper filter bags, suitable for Kärcher dry vacuum cleaners. Contents: 10-pack.	<input type="checkbox"/>
CONNECTING SLEEVES				
Adapter (tube -> nozzle)				
Adapter	21	6.902-083.0	From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves				
Reducer from ID 35 to 32	22	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
OTHER ACCESSORIES FOR T AND NT				
Adapter old packaged NW35	23	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>
FURTHER ACCESSORIES DRY VACUUM CLEANERS				
Surface nozzle DN 35 for hard surfaces and carpeted areas	24	2.889-361.0	Innovative surface nozzle with nominal width DN 35 for dry vacuum cleaners from Kärcher. The nozzle can be used on both hard and carpeted surfaces. Working width: 180 mm.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.