### **NT 70/2**

Powerful wet/dry vacuum cleaner with 70 I container capacity and up to three motors.





Order No.


1.667-269.0

- Robust bumper, large wheelsErgonomic push handle
- Optional wet filter available

Technical data		
EAN code		4039784725379
Supply voltage	Phases / Volt / Hertz	1 / 220 - 240 / 50 - 60
Air flow	Litres per second	2 × 74
Vacuum	Millibar / Kilopascal	254 / 25.4
Container capacity	Litre	70
Container material		Plastic
Rated input power	Watt	Maximum 2400
Standard nominal width		DN 40
Cable length	Metre	10
Sound pressure level	Decibel	79
Colour		anthracite
Weight without accessories	Kilogram	25.2
Weight incl. packaging	Kilogram	32.4
Dimensions (L × W × H)	Millimetre	720 × 510 × 975
Vacuum  Container capacity  Container material  Rated input power  Standard nominal width  Cable length  Sound pressure level  Colour  Weight without accessories  Weight incl. packaging	Millibar / Kilopascal Litre  Watt  Metre Decibel  Kilogram Kilogram	254 / 25.4  70  Plastic  Maximum 2400  DN 40  10  79  anthracite  25.2  32.4

Equipment		
Suction hose length	Metre	4
Bend		Plastic
Quantity of suction tubes	Unit	2
Suction tubes length	Millimetre	550
Suction tubes material		Stainless steel
Wet/dry floor nozzle width	Millimetre	360
Crevice nozzle		•
Cartridge filter		Paper
Drain hose		•
Sturdy bumper		
Push handle		
Protection class		II

■ Included in delivery.



#### Integrated accessory storage

■ Large bumper with accessory storage.

#### Integrated drain hose

■ The container is easy to empty via the drain hose, a clear advantage given its large 70 l tank.

#### Ergonomic push handle

■ The NT 70 has an ergonomic push handle for greater manoeuvrability.

















				Т
		Ouder No	Bassistian	
CARTRIDGE FILTER, STANDARD, BIA C OR	LID TO DUC	Order No.	Description	
Cartridge filter paper	OP 10 DOS	I CLASS M		
Cartridge filter, paper	1 1	6.907-038.0	Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.	I
BENDS	1	0.307 030.0	Taper caranage meer (w bix e abst class w), solitable as a main meer for any and wet pick op.	
Plastic bend				
Elbow packaged NW40 1K	2	2.889-171.0	DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	•
Plastic bend	3	5.031-718.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	
	4	5.031-939.0	Electrically conductive DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	
	5	5.032-427.0	Electrically conductive DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end.	
Bend metal				
Bend, DN 35, metal	6	6.900-519.0	DN 35 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	
Bend, stainless steel ID 35	7	6.903-141.0	Robust DN 35 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	
Bend, DN 40, metal	8	6.900-276.0	DN 40 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The robust bend has a cone connection at both the hose end and the accessory end.	
Bend, stainless steel ID 40	9	6.902-079.0	Robust DN 40 stainless steel bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end.	
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NW40 360mm	10	2.889-153.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	
Floor tool DN40-370	11	6.903-018.0	All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners	
Floor tool neutrally DN40	12	6.906-383.0	All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
Floor tool neutrally DN35	13	6.906-384.0	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Wet and dry floor nozzle	14	2.889-117.0	The wet/dry floor nozzle (DN 40) permits a quick squeegee/brush change and is suitable for wet vacuum cleaning of large areas.	

 $<sup>\</sup>blacksquare$  Included in delivery.  $\qed$  Available accessories.



























				_
		Order No.	Description	
SUCTION NOZZLES				
Crevice nozzles				
Crevice nozzle DN 40 300mm 1:50	15	5.130-655.0	Plastic crevice nozzle in nominal width DN 40 for Kärcher wet and dry vacuum cleaners. Especially suitable for vacuuming out areas that are difficult to reach, such as joints, crevices and corners.	·   =
Crevice nozzle packaged NW35	16	2.889-130.0	Plastic crevice nozzle.	
Crevice nozzle	17	6.900-922.0	Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	Г
Crevice nozzle DN40	18	6.905-817.0	Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	
All-purpose brushes				
All-purpose brush	19	6.903-863.0	Natural bristles (ox hair), bristle element 120 × 45 mm.	
Car cleaning nozzles				Т
Car nozzle, DN 40, 90 Millimetre	20	6.900-952.0	For retrofitting older Kärcher wet and dry vacuum cleaner models with bends in DN 40: Flat angled, convenient, plastic car cleaning nozzle with a working width of approx. 90 mm.	
	21	2.840-095.0	Flat angled, convenient, plastic, DN 40 car cleaning nozzle specially designed for new Kärcher wet and dry vacuum cleaners with a clip system at the suction hose. Working width: Approx. 90 mm.	
Gangway nozzles	'	•		
Gangway nozzle	22	4.130-432.0	Vacuuming larger Areas in connection with NT 70/1, NT 70/2 or NT 70/3 versions only.	
Rubber suction tools, nose 45°	'	•		
Rubber suction tools, nose 45°	23	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
	24	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Pipe dusting nozzles	'	•		
BRUSH	25	6.903-035.0	Plastic, pipe diameter 100 mm	
	26	6.903-036.0	Plastic, pipe diameter 200 mm	
Suction brushes		<b>'</b>		
Suction brush DN32	27	6.903-887.0	Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.	
SUCTION TUBES				
Suction tubes stainless steel				
Set suction tube stainless steel NW40 55	28	2.889-194.0	Stainless steel suction tube set (2 × 0.55 m)	

 $<sup>\</sup>blacksquare$  Included in delivery.  $\qed$  Available accessories.

























				Т
		Order No.	Description	
SUCTION TUBES		oraci ito:	- State Partie	1
Suction tubes stainless steel				Т
Suction tube, DN 35, 505 mm, stainless steel	29	6.902-154.0	Suction tube made of high-quality stainless steel in DN 35 and 505 mm long for wet and dry vacuum cleaners from Kärcher.	
Suction tube, ID 40	30	6.902-081.0	Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	1
Suction tube	31	6.906-531.0	Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	[
Suction tubes metal	·			t
Suction tube, NT, DN 35, 505 mm long, chrome-plated steel, suitable for: NT 25/1, NT 27/1, NT 30/1, NT 35/1, NT 40/1, NT 48/1, NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/1, NT 75/2, NT 611, NT 802 IV	32	6.900-514.0	The suction tube made of chrome-plated steel (DN 35, 505 mm long) is suitable for wet and dry vacuum cleaners from Kärcher.	[
SUCTION HOSES				Ė
Suction hoses with clip system 2.0 (compatible	with	vacuum cleane	rs from model year 2017 on)	
Hose packaged NW40 4m	33	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	ŀ
Hose electrically conducting packaged NW	34	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	r [
Hose packaged NW35 2.5m	35	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	[
Hose oil resistant packaged NW40 4m	36	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	[
Hose electrically conducting packaged NW	37	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	r [
	38	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	[
Extension hose	39	2.889-146.0	The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	[
Repair set NW40	40	2.889-150.0	Repair kit ID 40 for the new clip system.	[
Hose connection		•		İ
Adapter, ID 32/35, with internal thread	41	6.902-077.0	Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	
Adapter, ID 40 with internal thread	42	6.900-286.0	Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	[

 $<sup>\</sup>blacksquare$  Included in delivery.  $\qed$  Available accessories.

### **KÄRCHER**























	I		
	Order No.	Description	
	<u> </u>		
le with	vacuum cleane	ers up to model year 2016)	
43	2.639-873.0	Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	
44	6.906-344.0	The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	
45	4.440-784.0	The suction hose with sleeve in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.	
46	6.906-279.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	/ 🗆
47	6.906-321.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
48	6.906-635.0	The suction hose in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.	/ 🗆
49	6.906-877.0	The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	
•			
50	4.440-263.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
51	4.440-303.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
52	4.440-463.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	/ 🗆
53	4.440-466.0	The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	
54	4.440-612.0	The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.	/ 🗆
55	4.440-264.0	The suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
56	4.440-328.0	The suction hose in nominal width DN 50 and with 3 m length is suitable for use with wet and dry vacuum cleaners.	
	43 44 45 46 47 48 49 50 51 52 53 54	e with vacuum cleane 43   2.639-873.0 44   6.906-344.0 45   4.440-784.0 46   6.906-279.0 47   6.906-321.0 48   6.906-635.0 49   6.906-877.0  50   4.440-263.0 51   4.440-303.0 52   4.440-463.0 53   4.440-466.0 54   4.440-612.0 55   4.440-264.0	e with vacuum cleaners up to model year 2016)  43  2.639-873.0 Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.  44  6.906-344.0 The extension hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.  45  4.440-784.0 The suction hose with sleeve in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.  46  6.906-279.0 The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.  47  6.906-321.0 The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.  48  6.906-350. The suction hose in nominal width DN 40 and with 16 m length is suitable for use with wet and dry vacuum cleaners.  49  6.906-877.0 The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.  50  4.440-263.0 The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.  51  4.440-303.0 The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.  52  4.440-463.0 The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.  53  4.440-466.0 The electrically conductive suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.  54  4.440-661.0 The suction hose in nominal width DN 40 and with 10 m length is suitable for use with wet and dry vacuum cleaners.  54  4.440-264.0 The suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.  55  4.440-264.0 The suction hose in nominal width DN 50 and with 3 m length is suitable for use with wet and dry vacuum cleaners.

<sup>☐</sup> Available accessories.

### **KÄRCHER**

### **EQUIPMENT FOR NT 70/2**

### 1.667-269.0





























		Order No.	Description
SUCTION HOSES		1	
Suction hoses with cone connection			
Suction hose, complete, ID 61, 10 m	57	4.440-467.0	The suction hose in nominal width DN 50 and with 10 m length is suitable for use with wet and $dr_1$ vacuum cleaners.
Suction hose, complete, DN 61, 4 m, oil-resistant	58	4.440-613.0	The oil-resistant suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.
Suction hose complete, ID 61, 4 m, el.	59	4.440-616.0	The electrically conductive suction hose in nominal width DN 50 and with 4 m length is suitable for use with wet and dry vacuum cleaners.
FILTER BAGS			
Fleece filter bags			
Fleece filter bags, 5 Unit, NT 65, NT 70, NT 72, NT 75, NT 90 $$	60	2.885-753.0	Large, tear-resistant, triple-layer fleece filter bags for all twin-motor wet and dry vacuum cleaners from Kärcher. Certified according to dust class M, suitable for container sizes from 65 to 75 litres.
Paper filter bags			
Paper filter bags, 5 Unit, NT 48, NT 65, NT 70, NT 72, NT 75, NT 80, WET VAC	61	6.904-285.0	Premium 3-layer paper filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.
FILTER T/ NT			
Coarse filter for wet pickup			
Foam filter	62	2.889-083.0	Not suitable for dry vacuuming.
Special filter bags, wet filter bags		ı	
Wet filter bag	63	6.904-252.0	Approved for dust class L, general cleaning, wet and dry, tear-resistant.
Plastic sacks for dust-free disposal			
Plastic bag for dust-free disposal, 10 Unit, NT 65, NT 70, NT 72, NT 75, NT 602, NT 700, NT 702	64	6.900-698.0	PE plastic sack.
Membrane filter / fabric filter			
Membrane filter, NT 65, NT 70, NT 72, NT 75, NT 551, NT 602, NT 700, NT 702, NT 802, NT 993	65	6.904-282.0	Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.
CONNECTING SLEEVES			
Y-adapter kit			
Y-adapter kit	66	2.637-217.0	Plastic distributor - suitable for NT vacuum cleaners.
Connecting sleeve C-DN (clip on taper), EL (elec	troco	nductive)	
Connection cone NW35	67	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.
Connection cone NW40	68	5.407-006.0	For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.
C-DN 35 adapter	69	5.407-112.0	C 35 hose connector for DN 35 accessory, electrically conductive.
Reducing sleeves		1	

 $<sup>\ \</sup>square$  Available accessories.





















				$\top$
		Order No.	Description	
CONNECTING SLEEVES	'			
Reducing sleeves				
Reducer adapter from DN 40 to DN 35	71	6.902-017.0	Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	
Sleeve C40 / C35	72	5.407-113.0	Reducer (C $40$ to C $35$ ) for connecting accessories with C- $35$ clip connection to suction hoses with C $40$ clip system.	
Reducer from ID 35 to 32	73	6.902-072.0	Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	
TARGET GROUP SPECIFIC VACUUM CLEANER	ACCESSO	ORY SETS		
Professional cleaning kit ID 40	74	2.637-353.0	Professional wet and dry accessory kit in nominal size DN 40 for Kärcher vacuum cleaners. The we and dry professional cleaning kit comprises a suction hose, bend, two suction tubes, crevice nozzle and floor nozzle.	
Car cleaning kit	75	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	
Chip cleaning kit	76	2.640-760.0	The accessory kit in nominal width DN 50 makes it easier to vacuum chips with the wet and dry vacuum cleaner. The kit comprises an oil-resistant suction hose, a crevice nozzle and a rubber suction nozzle.	
OTHER ACCESSORIES FOR T AND NT				
CS 40 Me	77	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	
Adapter connection old elektr. leitend	78	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	
OTHER ACCESSORIES FOR BR / BD				
Miscellaneous				
Extension cable	79	6.647-022.0	Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	

<sup>☐</sup> Available accessories.