



## NT 50/1 Tact Te L CUL

The Professional NT 50/1 Tact Te wet and dry vacuum cleaner with multiple features. These include a 50-litre container with adjustable push handle and drain hose as well as an integrated power outlet.

### 1 Adjustable, ergonomic push handle

- Thanks to a quick lock, the adjustable push handle adapts to the size of the operator.
- The push handle can be easily folded away to save space when storing the machine.

#### 3 Wide floor nozzle with quickly exchangeable inserts

Floor nozzle with brush strip and squeegee inserts. Effortless switching between wet and dry vacuuming.

### 2 Oil-resistant drain hose

Oil-resistant, integrated drain hose for easy emptying of liquids.

### 4 Central rotary switch

Convenient switching via central rotary switch.

# **TECHNICAL DATA AND EQUIPMENT**





### NT 50/1 Tact Te L CUL

- Adjustable push handleDrain hose
- Antistatic preparation

| Technical data         |            |                  |
|------------------------|------------|------------------|
| Order no.              |            | 1.148-416.0      |
| EAN code               |            | 886622021735     |
| Air flow rate          | I/s        | 71               |
| Vacuum                 | mbar / kPa | 242 / 24.2       |
| Container capacity     | 1          | 50               |
| Max. rated input power | W          | 1380             |
| Standard nominal width |            | ID 35            |
| Sound pressure level   | dB(A)      | 68               |
| Container material     |            | plastic          |
| Number of motors       |            | 1                |
| Frequency              | Hz         | 60               |
| Voltage                | V          | 120              |
| Weight                 | kg         | 18.3             |
| Dimensions (L × W × H) | mm         | 640 × 370 × 1045 |
|                        |            |                  |

| Equipment                                     |    |        |                      |                             |
|---|----|--------|----------------------|-----------------------------|
| Suction hose                                  | m  | 4      | Filter cleaning      | Tact filter cleaning system |
| Filter bag                                    |    | fleece | Sturdy bumper        | •                           |
| Wet and dry floor nozzle                      | mm | 360    | Push handle          |                             |
| Crevice nozzle                                |    | •      | Safety class         | I                           |
| Power tool connection adaptor                 |    | •      | Steering roller stop | •                           |
| Drain hose (oil-resistant)                    |    |        |                      |                             |
| Automatic switch-off at max. filling quantity |    | •      |                      |                             |
| Automatic on/off switch for power tools       |    | •      |                      |                             |
| Antistatic preparation                        |    |        |                      |                             |
| Flat pleated filter                           |    | PES    |                      |                             |
| Bend  |    |        |                      |                             |

Included in the scope of supply.

## NT 50/1 TACT TE L CUL 1.148-416.0































|   |     |               |             |          | 1      |        |       |   | $\neg$     |
|---|-----|---------------|-------------|----------|--------|--------|-------|---|------------|
|   |     |               |             |          |        |        |       |   |            |
|   |     |               |             |          |        |        |       |   |            |
|   |     |               |             |          |        |        |       |   |            |
|   |     | Order no.     | Quantity    | ID       | Length | Width  | Price | Description   |            |
| Flat what d filter DEC                          |     | order no.     | Qualitity   | 10       | Length | width  | FIICE | Description   | _          |
| Flat pleated filter, PES                        | l , | C 004 360 0   | 1 piece(s)  |          |        | ı      | ı     | Flat planted filter (DEC) DIA C dust class M. vatavant poly   |            |
| Flat pleated filter, PES                        | 1   | 6.904-360.0   | 1 piece(s)  |          |        |        |       | Flat pleated filter (PES) – BIA-C dust class M: rotproof poly-<br>ester fleece, ideal for wet use and abrasives. Standard for<br>NT 35/1 Eco BS and NT 55/1 Eco BS.                                     |            |
| HEPA, dust class H filter                       |     | '             | •           |          | •      |        |       |   |            |
| HEPA flat pleated filter                        | 2   | 6.904-242.0   | 1 piece(s)  |          |        |        |       | HEPA surface filter - dust class H (HEPA 13) - with glass-<br>fibre layers increases filter capacity when vacuuming<br>health-endangering and carcinogenic dust.  |            |
| Plastic sacks for dust-free disposal            |     | ,             | ,           | _        |        |        |       |   |            |
| Plastic bag for dust-free disposal              | 3   | 2.889-158.0   | 10 piece(s) |          |        |        |       | PE plastic sack for dust-free disposal.   |            |
| Fleece filter bags (three-ply)                  |     |               | _           |          |        |        |       | ,   |            |
| Fleece filter bags                              | 4   | 2.889-155.0   | 5 piece(s)  |          |        |        |       | Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.   |            |
| Bend, plastic                                   | l _ | 1 0 000 470 0 | L           | Linios   | 1      | I      |       | le  | 1_         |
| Bend Adv  | -   | 2.889-170.0   | 1 piece(s)  | ID 35    |        |        |       | Ergonomic bend for the new clip system.   |            |
| Bend  | 6   | 2.889-148.0   | 1 piece(s)  | ID 35    |        |        |       | Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.  |            |
| Bend Adv, electrically conductive               | 7   | 2.889-168.0   | 1 piece(s)  | ID 35    |        |        |       | Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.  |            |
| DN 40 bend                                      | 8   | 2.889-171.0   | 1 piece(s)  | ID 40    |        |        |       | Bend for the new clip system in nominal size DN 40.   |            |
| Elektricky vodivé koleno, DN 40                 | 9   | 2.889-172.0   | 1 piece(s)  | ID 40    |        |        |       | Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace jemného prachu  |            |
| Floor nozzles                                   |     | ,             | <u>'</u>    | <u>'</u> | '      |        |       |   |            |
| Wet and dry floor nozzle Adv                    | 10  | 2.889-152.0   | 1 piece(s)  | ID 35    |        | 360 mm |       | 360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.   | , <b>=</b> |
| Wet and dry floor nozzle                        | 11  | 6.906-512.0   | 1 piece(s)  | ID 35    |        | 300 mm |       | All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.                                   |            |
| Multi-purpose nozzle, wet/dry                   | 12  | 6.906-384.0   | 1 piece(s)  | ID 35    |        | 370 mm |       | All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. |            |
| Wet and dry floor nozzle                        | 13  | 2.889-118.0   | 1 piece(s)  | ID 35    |        | 400 mm |       | Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.   |            |
| Wet and dry floor nozzle Adv                    | 14  | 2.889-153.0   | 1 piece(s)  | ID 40    |        | 360 mm |       | 360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.  | e 🗆        |
| Wet/Dry floor nozzle standard                   | 15  | 2.889-173.0   | 1 piece(s)  | ID 35    |        | 300 mm |       | 300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.   |            |
| Podlahová hubice, antracit DN40                 | 16  | 2.889-174.0   |             |          |        |        |       | Standardní podlahová hubice, antracit, s průměrem 40, s<br>kartáčovými lištami a stěrkami. Vhodné pro všechny mokré<br>i suché aplikace.  |            |
| Crevice nozzles                                 |     |               |             |          |        |        |       |   |            |
| Crevice nozzle NT Tact DN 35                    | 17  | 2.889-159.0   | 1 piece(s)  | ID 35    | 225 mm |        |       | Crevice nozzle ID 35, for new Tact range.   |            |
| Crevice nozzle NT Tact DN 40                    | 18  | 2.889-160.0   | 1 piece(s)  | ID 40    | 225 mm |        |       | Crevice nozzle ID 40, for new Tact range.   |            |
| Suction tubes, stainless steel Suction tube set | 19  | 2.889-175.0   | 1 piece(s)  | ID 35    | 505 mm |        |       | Stainless steel suction tube set, NW 35, 2-part, each 0.55  |            |
|   |     | <u> </u>      |             |          |        |        |       | millimetres.  |            |

<sup>■</sup> Included in the scope of supply. 

Available accessories.

## NT 50/1 TACT TE L CUL 1.148-416.0































|   |          |                    |            |       |        |        |       |  | Т    |
|---|----------|--------------------|------------|-------|--------|--------|-------|--|------|
|   |          |                    |            |       |        |        |       |  |      |
|   |          |                    |            |       |        |        |       |  |      |
|   |          |                    |            |       |        |        |       |  |      |
|   |          | Order no.          | Quantity   | ID    | Length | Width  | Price | Description  |      |
|   |          |                    | -          |       |        | width  | FIICE | <b>-</b>   | +    |
| Set suction tube stainless steel<br>NW35 55   | 20       | 2.889-192.0        | 1 piece(s) | ID 35 | 550 mm |        |       | Stainless steel suction tube set (2 × 0.55 m)  | •    |
| Set suction tube stainless steel<br>NW40 55   | 21       | 2.889-194.0        | 1 piece(s) | ID 40 | 550 mm |        |       |  |      |
| Complete suction hoses (clip syster           | n)       |                    |            |       |        |        |       |  |      |
| Suction hose                                  | 22       |                    | 1 piece(s) | ID 35 | 4 m    |        |       | 4 m suction hose with new bayonet and clip fastener.   |      |
|   | 23       |                    | 1 piece(s) | ID 35 | 2.5 m  |        |       | 2.5 m suction hose with new clip fastener, C 35.   |      |
|   | 24       |                    | 1 piece(s) | ID 35 | 2.5 m  |        |       | 2.5 m suction hose with new bayonet and clip fastener.   |      |
| Electrically conductive suction hose          | 25       | 2.889-136.0        | 1 piece(s) | ID 35 | 2.5 m  |        |       | Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.  |      |
|   | 26       | 2.889-137.0        | 1 piece(s) | ID 35 | 4 m    |        |       | 4 m suction hose with new bayonet and clip fastener. Electrically conductive.  |      |
| Suction hose DN 40, length 4 m                | 27       | 2.889-138.0        | 1 piece(s) | ID 40 | 4 m    |        |       | 4 m suction hose with new bayonet and clip fastener.   |      |
| Suction hose                                  | 28       | 2.889-139.0        | 1 piece(s) | ID 40 | 2.5 m  |        |       | Suction hose with new bayonet and clip fastener. Length: 2.5 m.  |      |
| Suction hose, oil-resistant                   | 29       | 2.889-140.0        | 1 piece(s) | ID 40 | 4 m    |        |       | Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.  |      |
| Electrically conductive suction hose          | 30       | 2.889-141.0        | 1 piece(s) | ID 40 | 4 m    |        |       | 4 m, electrically conductive suction hose with new bayonet and clip fastener.  |      |
|   | 31       | 2.889-142.0        | 1 piece(s) | ID 40 | 2.5 m  |        |       | Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.   | j [  |
| Connection adapter for power tools            | s, clip- | on, electrically c | onductive  |       |        | '      |       |  |      |
| Tool collar DN 35, clip-on                    | 32       | 2.889-151.0        | 1 piece(s) | ID 35 |        |        |       | Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.   |      |
| Flat pleated filter, paper                    |          |                    |            |       |        |        |       | 10013.   |      |
| Dry flat pleated filter                       | 33       | 6.904-367.0        | 1 piece(s) |       |        |        |       | Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.   |      |
| Flat pleated filter, PTFE                     |          | -                  |            |       |        | 1      |       | Coarse dire from dost classes E and M.   |      |
| Ultimate flat pleated filter                  | 34       | 6.907-455.0        | 1 piece(s) |       |        |        |       | Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust class es M and L.             | - 11 |
| Coarse dirt filter for wet vacuumin           | g        |                    | <u>'</u>   |       |        |        |       |  |      |
| Coarse dirt filter                            | 35       | 6.904-287.0        | 1 piece(s) |       |        |        |       | Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.  |      |
| Fabric filter                                 |          | '                  | <u>'</u>   | •     |        |        |       | 1  |      |
| Membrane filter for the new Tact and Ap range | 36       | 2.889-281.0        |            |       |        |        |       | Additional membrane filter made from non-woven fabric fo machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused. | or _ |
| Wood cartridge filter                         | 37       | 2.414-000.0        |            |       |        |        |       | Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quan tities of wood and fibre dust from dust classes M and L.                             | n- [ |
| All-purpose brushes                           |          |                    |            |       |        |        |       |  |      |
| All-purpose brush                             | 38       | 6.900-425.0        | 1 piece(s) | ID 35 | 120 mm |        |       | All-purpose brush PPN_Bristle  |      |
| Car cleaning nozzles                          |          |                    |            |       |        |        |       |  |      |
| Car nozzle                                    | 39       | 6.906-108.0        | 1 piece(s) | ID 35 |        | 90 mm  |       | Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.  |      |
| Wide nozzles                                  |          |                    |            |       |        |        |       |  |      |
|   |          | 4.130-029.0        | 1 piece(s) | ID 40 |        | 611 mm |       | For vacuuming large areas with the NT 50/1 Tact Te L.  |      |

## NT 50/1 TACT TE L CUL 1.148-416.0































|  |         | Order no.      | Quantity   | ID    | Length | Width  | Price | Description  |       |
|--|---------|----------------|------------|-------|--------|--------|-------|--|-------|
| Combi-nozzles, dry                                 |         |                |            | •     |        |        |       |  |       |
| Combi-nozzle, dry                                  | 41      | 6.906-511.0    | 1 piece(s) | ID 35 |        | 270 mm |       | Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection. |       |
| Suction brushes                                    |         |                |            |       |        | ı      |       | 0.505 417.0 and BN 55 connection.  | Ė     |
| Suction brush                                      | 42      | 6.903-862.0    | 1 piece(s) | ID 35 |        | 70 mm  |       | Rotatable suction brush (DN 35) with natural bristles (cow<br>hair). Bristle size 70x45 mm. Only CV and NT vacuum clean<br>ers.                      | -   [ |
| Suction tubes, metal                               |         |                |            |       |        |        |       |  |       |
| Suction tube set, chrome-plated,<br>NW 35 550 mm   | 43      | 2.889-191.0    | 1 piece(s) | ID 35 | 550 mm |        |       | Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.   |       |
| Repair kits  |         |                |            |       |        |        |       |  |       |
| Repair kit ID 35                                   | 44      | 2.889-149.0    | 1 piece(s) | ID 35 |        |        |       | Repair kit ID 35 for the new clip system.  | Е     |
| Repair kit ID 40                                   | 45      | 2.889-150.0    | 1 piece(s) | ID 40 |        |        |       | Repair kit ID 40 for the new clip system.  |       |
| Suction hoses (clip system)                        |         |                |            |       |        |        |       |  |       |
| Suction hose                                       | 46      | 6.906-321.0    | 1 piece(s) | 40    | 4 m    |        |       | 4 m suction hose with bayonet and C 40 clip connection.<br>Without bend and adapter.   |       |
|  | 47      | 2.889-163.0    | 1 piece(s) | ID 35 | 2.5 m  |        |       | Electroconductive suction hose, NW 35. Length: 2.5 metres.   |       |
| Extension hoses (clip system)                      |         |                |            |       |        |        |       |  |       |
| Extension hose                                     | 48      | 2.889-145.0    | 1 piece(s) | ID 35 | 2.5 m  |        |       | Extension hose for new clip system ID 35. Length: 2.5 m.   |       |
|  | 49      | 2.889-146.0    | 1 piece(s) | ID 40 | 2.5 m  |        |       | Extension hose for new clip system ID 40. Length: 2.5 m.   |       |
| Other  |         |                |            |       |        |        |       |  |       |
| Drilling dust nozzle                               | 50      | 2.679-000.0    | 1 piece(s) |       |        |        |       | Drilling dust nozzle for dust-free vacuuming of boreholes.<br>Suitable for dry and wet and dry vacuum cleaners from<br>Kärcher.                      |       |
| Adapter for electric power tools, so               | rewab   | le             |            |       |        |        |       |  |       |
| Adapter for electric power tools, screwable, ID 35 | 51      | 5.453-016.0    | 1 piece(s) | ID 35 |        |        |       | 3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.                             | ' [   |
| Target-group-specific accessory kit                | s for v | acuum cleaners |            |       |        |        |       |  |       |
| Universal trade and industrial set                 | 52      | 2.637-595.0    |            | ID 35 |        |        |       | Accessory kit for trade and industry.  |       |
| Heating boiler cleaning kit                        | 53      | 2.638-852.0    |            | ID 35 |        |        |       | Accessory kit for vacuuming and cleaning boilers, oil stoves etc.  | , E   |
| Car cleaning accessory kit                         | 54      | 2.862-166.0    |            | ID 35 |        |        |       | Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures.   |       |

<sup>■</sup> Included in the scope of supply. 

Available accessories.