



HD 3.0/40 PB

This Karcher belt drive cold water pressure washer with a Honda GX engine and 7-year Karcher pump delivers reliable commercial cleaning power.

TECHNICAL DATA AND EQUIPMENT



HD 3.0/40 PB

Technical data		
Order no.		1.575-155.0
EAN code		670437011179
Working pressure	PSI	4000
Equipment		
Anti-twist system (AVS)		-
Electro start		-
Quick Connect Kärcher standard noz- zles		
Servo Control		-
Vario Power spray lance		-

HD 3.0/40 PB 1.575-155.0



















		T .	1	1			
		Order no.	ID	Max. working pressure	Length	Price	Description
Standard with unions on both sides	5		·				
High-pressure hose, 10 m, ID 8, 315 bar, extension	1	6.391-342.0	ID 8	315 bar	10 m		To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.
Longlife 400 with unions on both s	ides						
High-pressure hose Longlife 400, 10 m, ID 8, extension	2	6.391-354.0	ID 8	400 bar	10 m		To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.
High-pressure hose Longlife 400, 15 m, ID 8, including rotary coup- ling	3	6.389-709.0	ID 8	400 bar	15 m		With rotary coupling, 2 x M 22 x 1.5
High-pressure hose 1.5 m, ID 8, including connectors	4	6.390-178.0	ID 8	400 bar	1.5 m		1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).
Longlife food design with screw co	nnecti	ons at both ends					
High pressure hose food ID 8, 10 m	5	6.391-864.0	ID 8	400 bar	10 m		Longlife HP hose for use in the food industry. Außendecke## animal-grease-resistant, non-colour-bleeding ma-
High-pressure hose food industry 400 bar, 20 m, ID 8, including rotary coupling	6	6.391-887.0	ID 8	400 bar	20 m		terial. With rotary coupling, 2 x M 22 x 1,5
Longlife 400							
High-pressure hose Longlife 400, 10 m, ID 8, AVS trigger gun con- nection	7	6.391-351.0	ID 8	400 bar	10 m		With patented AVS connection in the trigger gun (rotatable) and hand screw connection, M 22 x 1.5 with kink protection. With double steel reinforcement.
Special hoses							
High-pressure hose, 1.5 m, ID 8, incl. connection parts, curved outflow	8	6.388-886.0	ID 8	400 bar	1.5 m		Connection hose in longlife quality with 2x M22 x 1.5, with angled connection on one side.

[☐] Available accessories. ▲ Extension hose.

HD 3.0/40 PB 1.575-155.0









		Order no.	Flow rate		Price	Description
Trigger guns						
High-end HP trigger gun	1	4.775-823.0				High-end spray guns with optimised flow. Small pressure losses also with water volumes up to 2500 l/h. Robustness and durability for professional use. Food-safe and saltwater-resistant materials offer the best conditions for use in the food sector and in industry. Connector for HP hoses M 22 × 1.5.
Quick connect						
Quick coupling	2	6.401-458.0				For fast changes between different spray lances/accessories. Perfect for Kärcher spray unit, suitable for trigger gun/spray lance interface. With M 22 x 1.5 internal thread.
Male coupling	3	6.401-459.0				Hardened stainless steel male coupling for quick coupling 6.401-458. With M 22 x 1.5 external thread.

[☐] Available accessories. ▲ Extension hose.

HD 3.0/40 PB 1.575-155.0







		Order no.	Max. working pressure	Length		Price	Description
Spray lance							
250 mm lance, non-rotatable	1	4.760-667.0		250 mm			250 mm stainless steel lance. With manual coupling. Non-rotatable. $\hfill\Box$
Gutter cleaner							
Gutter cleaning lance	2	2.642-305.0					The lance is suited for cleaning of gutter systems. Because of the shape of the lance and the special nozzle the gutter can be cleaned without removing the cover plates.

[☐] Available accessories. ▲ Extension hose.

HD 3.0/40 PB 1.575-155.0





		Order no.			Price	Description	
Rotary coupling				'			
Rotary coupling	1	4.401-091.0				Reliably prevents twisting of HP hoses. Connection M 22 x 1.5 m. Handle protection	

[☐] Available accessories. ▲ Extension hose.