



KM 105/110 R LPG+KSSB

Ride-on vacuum sweeper with Tact filter cleaning system, unique sweeping crescent side brush, automatic adjustment of main sweeper roller in line with wear and tear via Teach system and new sweeping concept.



1 Sweeping crescent side brush

- No more tedious sweeping by hand.
- Cleans in corners in a single pass.



2 Innovative, highly effective and automatic Tact filter cleaning system

- Consistently clean pores for an optimal cleaning result.
- Automatic cleaning.



3 Teach system

- Automatic roller brush correction according to wear.
- Three contact pressures adjustable at the push of a button.



4 Kärcher Intelligent Key

- Programmable in 28 different languages.
- Assignment of user rights for machine settings.



KM 105/110 R LPG+KSSB

Technical data

Order no.	0.300-204.0	
EAN code	4054278182247	
		hydraulic
Drive - power	kW	5,9
Max. Area Performance	m²/h	7350
	m²/h	10150
Working width	mm	640
Working width with 1 side brush	mm	1050
Working width with 2 side brushes	mm	1450
Waste container	l	110
Hill climbing ability	%	12
Operating speed	km/h	7
Weight	kg	478
Dimensions (L × W × H)	mm	1800 × 1250 × 1450

Equipment

Automatic filter cleaning	■	Kärcher Intelligent Key	■
Bulk waste flap	■	Start / Stop system	■
Overthrow sweeping principle	■	Teach system	■
Travel drive - forward	■	Sweeping crescent side brush	■
Travel drive, reverse	■	Power Plus system	■
Vacuum	■	Automatic wear adjustment of the main sweeper roller	■
Outdoor applications	■	Tact filter cleaning	■
Indoor applications	■	Multi-functional display	■
Operating hour meter	■	Individual user languages/user rights	■
Sweep function (can be switched off)	■	Shared service concept	■
Pneumatic wheels	■	Home Base fastening option	■

■ Included in delivery.

KM 105/110 R LPG+KSSB 0.300-204.0



1



2

		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description	
Standard main roller brushes								
	1	4.762-529.0		640 mm	400 mm			■
Flat pleated filter								
Flat filter with cross beam PES	2	6.907-519.0					Synthetic filter, moisture-proof, washable, saves maintenance costs	■

■ Included in delivery. □ Available accessories.

KM 105/110 R LPG+KSSB 0.300-204.0



		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description
Standard side brushes							
	1	6.966-063.0			600 mm		

Included in delivery.
 Available accessories.

KM 105/110 R LPG+KSSB 0.300-204.0



		Order no.	Installation ex works				Price	Description	
Water spraying system									
Add-on kit spray system KM 105/1xx	1	2.852-241.0	DE_28522417					Water spraying system for binding dust, including nozzles for the left side brush and very stable 30-litre plastic container. Removable, with water drain, safe belt attachment.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

KM 105/110 R LPG+KSSB 0.300-204.0



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)						<input type="checkbox"/>

Included in delivery.
 Available accessories.

KM 105/110 R LPG+KSSB 0.300-204.0



		Order no.	Installation ex works				Price	Description	
Sweeping/Vacuuming									
Side brush cover	1	2.852-243.0	DE_28522437					Side brush cover for KM 105 vacuum sweepers. For dust reduction, as this sustainably reduces dust dispersion and thereby prevents surroundings and equipment from becoming dusty.	<input type="checkbox"/>

■ Included in delivery. Available accessories.