

#### KM 105/110 R Bp Pack+KSSB

Ride-on vacuum sweeper with Tact filter cleaning system, unique sweeping crescent side brush, automatic adjustment of main sweeper roller in line with wear and tear via Teach system and new sweeping concept.









- 1 Sweeping crescent side brush
- No more tedious sweeping by hand.
- Cleans in corners in a single pass.
- 2 Innovative, highly effective and automatic Tact filter cleaning system
- Consistently clean pores for an optimal cleaning result.
- Automatic cleaning.

- 3 Teach system
- Automatic roller brush correction according to wear.
- Three contact pressures adjustable at the push of a button.
- 4 Kärcher Intelligent Key
- Programmable in 28 different languages.
- Assignment of user rights for machine settings.

### **TECHNICAL DATA AND EQUIPMENT.**





#### KM 105/110 R Bp Pack+KSSB

Order no.		0.300-208.0										
EAN code		4054278182285										
		DC motor										
Drive - power	kW	1,4										
Max. Area Performance	m²/h	6300										
	m²/h	8700										
Working width	mm	640										
Working width with 1 side brush	mm	1050										
Working width with 2 side brushes	mm	1450										
Battery capacity	Ah	240										
Battery voltage	V	24										
Battery runtime	h	max. 4										
Waste Container	1	110										
Hill climbing ability	%	12										
Operating speed	km/h	6										
Weight	kg	596										
Weight, ready to operate	kg	610										
Dimensions (L × W × H)	mm	1800 × 1250 × 1450										
Equipment												
Automatic filter cleaning			Kärcher Intelligent Key									
Bulk waste flap		•	Start / Stop system									
Overthrow sweeping principle		•	Teach system	•								
Travel drive - forward		•	Sweeping crescent side brush	•								
Travel drive, reverse		•	Power Plus system	•								
Vacuum		•	Automatic wear adjustment of the main sweeper roller	•								
Outdoor applications		•	Tact filter cleaning	•								
Indoor applications			Multi-functional display									
Operating hour meter		•	Individual user languages/user rights	•								
Sweep function (can be switched off)			Shared service concept									
Pneumatic wheels			Home Base fastening option									

Technical data

#### **KM 105/110 R BP PACK+KSSB** 0.300-208.0







		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
Main roller brush - Soft/natural								
	1	4.762-523.0		640 mm	400 mm			
Flat pleated filter								
Flat filter with cross beam PES	2	6.907-519.0					Synthetic filter, moisture-proof, washable, saves maintenance costs	

<sup>■</sup> Included in delivery. 

Available accessories.

### **KM 105/110 R BP PACK+KSSB** 0.300-208.0





		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description
Side brush, soft							
	1	6.966-065.0			600 mm		

# KM 105/110 R BP PACK+KSSB 0.300-208.0





		Order no.	Installation ex		Price	Description	
		0.22.10.	1				Ч
Water spraying system							
Add-on kit spray system KM 125/130	1	2.852-242.0	DE_28522427			Water spraying system for KM 125/130 R vacuum sweeper. For binding dust when needed, with 30-litre plastic container, water drain, belt attachment and nozzle for the left side brush.	

 $<sup>\</sup>blacksquare$  Included in delivery.  $\hfill\Box$  Available accessories.

#### **KM 105/110 R BP PACK+KSSB** 0.300-208.0





		Order no.	Quantity	ID	Width	Length	Price	Description	
Other							•		
Cleaning agent container, complete	1	4.070-006.0	1 Piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	

# KM 105/110 R BP PACK+KSSB 0.300-208.0





		Order no.	Installation ex works		Price	Description	
Sweeping/Vacuuming							
Side brush cover	1	2.852-243.0	DE_28522437			Side brush cover for KM 105 vacuum sweepers. For dust reduction, as this sustainably reduces dust dispersion and thereby prevents surroundings and equipment from becoming dusty.	

<sup>■</sup> Included in delivery. 

□ Available accessories.