

BRS 43/500 C

Provides exceptional cleaning results and leaves carpets dry enough to re-entry in only 20 minutes. Using encapsulation technology the machine cleans carpets thoroughly with the minimum of effort and downtime.



Order no. 1.006-671.0

- On-board iCapsol tank
- Counter-rotating rollers ensure machine does not wander
- With sweeping mechanism

Technical data

EAN code		4039784497979
Area performance (Deep cleaning / interim cleaning "iCapsol")	m²/h	300
Spray pressure, interim cleaning	bar	3.4
Spray rate, interim cleaning	l/min	0.38
Fresh/dirty water tank	l	7.5
Power rating brush	W	370
Weight without accessories	kg	25
Weight incl. packaging	kg	32.2
Dimensions (L × W × H)	mm	400 × 470 × 1160

Users must receive training on this device.

Equipment

Direction of operation		Forward or backwards
iCapsol mode		■
iCapsol tank on-board		■
No. of rollers	Piece(s)	2

■ Included in delivery.



2 contra-rotating rollers.


- High cleaning performance through high contact pressure.
- Simultaneously cleans deep into the pile from two sides and raises the pile.
- Ensures uniform floor contact also on uneven surfaces.



2 in 1

- Cleans and brushes at the same time.
- Includes waste container.

EQUIPMENT FOR BRS 43/500 C
1.006-671.0



		Order no.	Description	
ROLLER BRUSHES FOR BR				
ASSY, BRUSH & HUB, OFFSET PATTERN, 430 mm	1	8.640-259.0	Standard, 2 required.	■
ASSY, BRUSH & HUB, .006, 430 mm	2	8.629-774.0	For wool.	□
CARPET CLEANERS				
Other accessories				
JET, PROMAX, 11001	3	8.601-255.0		■

■ Included in delivery. □ Available accessories.