

AP 100/50 M

The AP 100/50 is a compact cleaning machine providing an All-In-One solution. It allows regular cleaning of sanitary areas to be fast, thorough and safe.



Order no. 1.007-058.0

Technical data

EAN code		4039784463578
Tank capacity fresh water	l	100
Tank capacity dirt water	l	70
Max. Pressure	bar	6 / max. 50 / 19
Flow Rate	l/min	5
Power rating fan	W	1800
Power rating, pump	W	370
Voltage	V	230
Weight	kg	100

Equipment

High-pressure hose	m	15 / Food industry version / DN 6, 250 bar
Suction hose		■
Suction nozzle		■
Suction Tube	Piece(s) × mm / mm	2 × 550 / 40 / Metal
Trigger gun		Easy-press trigger gun
Spray lance	mm	600
Switch-CHEM-System		■

■ included in delivery.



Cleaning with high pressure

- Detergent is delivered via high-pressure pump.
- 15 m high-pressure hose for large action radius.
- Spray lance with high-pressure nozzle as standard. Can be extended with a wide range of accessories, e.g. foam lance.



Including vacuum function

- The washing water can be removed with a wet and dry vacuum if no drain is available.
- Can be used by two persons at the same time.
- Extremely flexible hose for versatile use.



Fresh water always on-board

- 100 litre water tank.
- Mobile use, independent of water supply.
- Includes fill hose for easy filling from the tap.

EQUIPMENT FOR AP 100/50 M

1.007-058.0



		Order no.	Description	
TRIGGER GUNS				
Easy Press high-pressure gun with holding power reduction (Kärcher patent)				
Easy Press HP trigger gun with soft grip	1	4.775-463.0	Easy press high-pressure trigger gun with softgrip. For high-pressure hoses DN 6 and DN 8 with 11 mm swivel diameter.	■
SPRAY LANCES				
Rotating spray lances				
Spray lance 600 mm	2	4.760-364.0	Spray lance in 600mm stainless steel, can be rotated 360° under pressure for professional high pressure washers. Compatible: All Kärcher professional pressure washer	■
Spray lance, 600 mm, rotatable	3	4.760-664.0	600 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	■
KÄRCHER POWER NOZZLE				
Power nozzle spray angle 40°				
Power Nozzle 40°, 055	4	2.884-525.0	Power nozzle with a 40° spray angle and fan jet, suitable for large areas and sensitive surfaces.	■
HIGH-PRESSURE HOSES				
Food industry version				
High-pressure hose food grade, 15 m, DN 6, 250 bar, 1 × M22 × 1.5 / 1 × AVS-hose reel connection	5	6.391-654.0	15 m high-pressure hose (DN 6) with patented (rotating) AVS trigger gun connector. Non-discolouring outer layer for use in the food industry. DN 6/155°C/250 bar.	■
ACCESSORIES FOR AP				
Suction hose	6	8.633-348.0		■
Hard surface and carpet tool	7	2.642-552.0		□
BENDS				
Plastic bend				
Plastic bend	8	5.031-904.0	Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	■
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool neutrally DN40	9	6.906-383.0	All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	■
SUCTION TUBES				
Suction tubes stainless steel				
Suction tube, ID 40	10	6.902-081.0	Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	■
SUCTION HOSES				
Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)				
Repair set, C 40	11	2.639-873.0	Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	■
FOAM SYSTEMS				
Cup foam lance				
Cup foam lance, 1200 l/h -	12	6.394-668.0	Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design.	□
COUPLING PARTS				
Connector				
Nozzle connector/screw connector	13	4.402-022.0	Nozzle connector/screw connector for connecting high-pressure nozzles and accessories to the high-pressure trigger gun (with nozzle connector). Connectors: 1x M 22 × 1.5 and 1x M 18 × 1.5.	□

■ Included in delivery. □ Available accessories.