

BRC 45/45 C

Spray-extraction machine for deep and interim cleaning of medium-large carpeted areas



1

Order no.

2

1.008-056.0

- For medium-sized areas
- Works forwards and backwards
- Two contra-rotating roller brushes with constant contact pressure.

	Technical data		
	EAN code		4039784497986
	Area performance (Deep cleaning / interim cleaning "iCapsol")	m²/h	350 / 1000
	Air flow	l/s	45
	Vacuum	mbar / kPa	300 / 30
	Spray pressure, interim cleaning	bar	3.5
	Spray pressure, deep cleaning	bar	7
	Spray rate, interim cleaning	l/min	0.7
	Spray rate, deep cleaning	l/min	3.2
	Working width, vacuuming	mm	450
	Tank of fresh/dirty water	I	45 / 38
	Power rating fan	W	1100
	Power rating brush	W	600
	Weight without accessories	kg	75
	Dimensions (L × W × H)	mm	1029 × 559 × 1092

Equipment		
Direction of operation		Forward or backwards
iCapsol mode		•
No. of rollers	Piece(s)	2
Included in delivery.		

This device does not require instruction.

KARCHER



Floating brush head with contra-rotating roller brushes

- Two roller brushes for high cleaning performance.
- Simultaneously cleans deep into the pile from two sides.
- Ensures uniform floor contact also on uneven surfaces.



Working direction, forwards or backwards

- Working direction adjustable to carpet.
- Cleaning direction selectable by folding push handle.
- Ergonomic working position for carpet cleaning forwards and backwards.

KARCHER

EQUIPMENT FOR BRC 45/45 C 1.008-056.0



		Order no.	Description
ROLLER BRUSHES FOR BR		Order IIO.	Description
Roller brush, 450 mm	1	8 621-605 0	Standard, black, 2 required.
	2		Soft, 2 required. For hard carpets such as needle felt or short loop-pile carpets.
CARPET CLEANERS			
Other accessories			
Adapter	3	8.631-030.0	For floor tool 4.130-061.0 and handle with trigger 4.130-163.0.
SPRAY EXTRACTION CLEANERS			
Hand tools			
Hand tool ID 38, 110 mm	4	4.130-163.0	For cleaning upholstery with Puzzi 400/ E and 400 K, with water flow reducer 3.637-029.0 (except Puzzi 400 K)
Spray-extraction hoses		1	
Spray extraction hose ID 38, 4 m	5	4 440-644 0	Complete, metal coupling.

 \blacksquare Included in delivery. $\hfill\square$ Available accessories.