KÄRCHEI

NT 611 ECO K

Professional wet and dry vacuum cleaner with integrated disposal pump.



Order no.

1.146-209.0

- Mechanical filter shakerAlso suitable for dry vacuuming (with opt. filter)
- With integrated wastewater pump

Technical data		
EAN code		4039784721012
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	I/s	57
Vacuum	mbar / kPa	235 / 23.5
Container content	1	55
Rated input power	W	max. 2350
Performance disposal pump	W	1100
Standard nominal size		ID 40
Cable length	m	10
Sound pressure level	dB(A)	63
Weight without accessories	kg	23
Dimensions (L × W × H)	mm	570 × 430 × 860

-		
Equipment		
Suction hose	m	4 / with bend
Suction Tube	Piece(s) × mm	1 × 550 / Steel, chromed
Wet and dry floor tool	mm	360
Crevice nozzle		•
Coarse dirt filter		
Drain hose (oil-resistant)		
Auto shutdown when max. level is reached		•
Container material		Plastic
Clip system for extension hose		
Removable dirty water pump		
Parking brake		
Sturdy bumper		
Push handle		
Safety class		I
Maintenance -free suction fans	Piece(s)	1

Included in delivery.

KÄRCHER



Integrated dirty water pump

 Large quantities of water can be disposed of via the disposal pump to allow continuous use.



Drain hose

■ Picked-up liquid is easy to drain via a hose.



Integrated coarse dirt filter for protecting the turbine

 Protects the turbine from damage caused by coarse dirt and small parts.

KARCHER

EQUIPMENT FOR NT 611 ECO K

1.146-209.0

























				T
		Order no.	Description	
FILTER T/ NT				
Coarse filter for wet pickup				
Coarse dirt filter for wet pick up	1	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco & KF models.	К
Flat pleated filter HEPA, dust class H	'	•		
Flat pleated filter, PTFE H class	2	6.907-671.0	HEPA flat pleated filter made from PTFE. Suitable for dust class H (HEPA 13).	[
Special filter bags, wet filter bags				
Filter bag 5St. Kae.	3	6.904-211.0	Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	[
BENDS	'			
Plastic bend				
Plastic bend	4	5.031-904.0	Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	
Bend metal		·		Ť
Bend, DN 35, metal	5	6.900-519.0	Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	
Bend, stainless steel ID 35	6	6.903-141.0	Stainless steel and crooked, ID 35	
Bend, DN 40, metal	7	6.900-276.0	Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	
Bend, stainless steel ID 40	8	6.902-079.0	Stainless steel and crooked, ID 40	
SUCTION NOZZLES				۰
All-purpose nozzles (wet/dry)				
DN 40 wet/dry floor nozzle	9	6.907-408.0	Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	•
Floor tool neutrally DN40	10	6.906-383.0	All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
Crevice nozzles				
Crevice nozzle DN40	11	6.903-033.0	Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	
	12	6.905-817.0	Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	Ε
Car cleaning nozzles		·		
Car nozzle, DN 40, 90 mm	13	6.900-952.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Gangway nozzles				
Gangway nozzle	14	4.130-401.0	Metal, height-adjustable, strips, rubber lips (only for NT 55/1 Eco/Tact & NT 611 Eco/Tact versions) [

lacksquare Included in delivery. \Box Available accessories.

KARCHER

EQUIPMENT FOR NT 611 ECO K 1.146-209.0























24 26	2	/	28	
				Τ
		Order no.	Description	
SUCTION NOZZLES				
Rubber suction tools, nose 45°				
Rubber suction tools, nose 45°	15	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
SUCTION TUBES				
Suction tubes metal				
Suction tube	16	6.900-275.0	Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	
Suction tube DN35	17	6.900-514.0	Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	
Suction tubes stainless steel				
Suction tube, ID 40	18	6.902-081.0	Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	
Suction tube	19	6.906-531.0	Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	
SUCTION HOSES				Ė
Suction hoses with clip system 1.0 (compatib	le with	vacuum cleane	ers up to model year 2016)	
Suction hose	20	6.906-321.0	4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	ı
	21	6.906-241.0	4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	
Repair set, C 40	22	2.639-873.0	Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	[
Extension hose, C 40	23	6.906-344.0	2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	
Suction hose (clip system), C 40, 10 m	24	6.906-279.0	10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end.	
Suction hose (clip system), C 35	25	6.906-242.0	Electrically conductive, 10 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	
FILTER BAGS				
Paper filter bags				
Paper filter bags, 5 × , NT 40, NT 45, NT 55, N 561, NT 611	NT 26	6.904-208.0	5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply. Standard for NT 561/61 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.	1 [
FLAT PLEATED FILTER, STANDARD, BIA C OR	UP TO D	OUST CLASS M		
Flat pleated filter (paper)				Ī
Flat filter only for replacement Kaerche	27	6.904-367.0	Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	
Flat pleated filter (PES)				
Flat pleated filter (PES)	28	6.904-360.0	Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	

■ Included in delivery.

□ Available accessories.



EQUIPMENT FOR NT 611 ECO K 1.146-209.0













0 🗆
on 🗆
h C 🗆
rith

 $[\]blacksquare$ Included in delivery. \qed Available accessories.