



NT 611

Professional wet and dry vacuum cleaner with integrated disposal pump and fire hose compatible coupling.

1 Integrated dirty water pump

- Large quantities of water can be disposed of via the disposal pump to allow continuous use.

3 On-board accessory storage

- Large bumper with accessory storage.

2 Integrated coarse dirt filter for protecting the turbine

- Protects the turbine from damage caused by coarse dirt and small parts.



NT 611

- With dirty water pump
- IP68 connector; PRCD-K switch

Technical data

Order no.	1.146-601.0	
EAN code	4039784722576	
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	57
Vacuum	mbar / kPa	235 / 23,5
Container content	l	55
Rated input power	W	2350
Performance disposal pump	W	800
Standard nominal size	DN 40	
Cable length	m	10
Sound pressure level	dB(A)	63
Weight	kg	23
Dimensions (L × W × H)	mm	570 × 430 × 860

Equipment

Suction hose	m	4 / with bend	Parking brake	■
Suction Tube	Piece(s) × m	2 × 0,5 / Metal	Sturdy bumper	■
Wet and dry floor tool	mm	370 / Aluminium	Push handle	■
Crevice nozzle	■		Safety class	I
Coarse dirt filter	■		Maintenance-free suction fans	Piece(s) 1
Filter bag	Piece(s)	1 / Paper		
Drain hose (oil-resistant)	■			
Auto shutdown when max. level is reached	■			
Container material	Plastic			
Clip system for extension hose	■			
Removable dirty water pump	■			

■ Included in delivery.

NT 611

1.146-601.0



		Order no.	Quantity				Price	Description	
Coarse filter for wet pickup									
Coarse dirt filter for wet pick up	1	6.904-287.0	1 Piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	■
Prefilter	2	4.423-160.0	1 Piece(s)						■
Flat pleated filter (paper)									
Flat filter only for replacement Kaerche	3	6.904-367.0	1 Piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	□
Flat pleated filter (PES)									
Flat-pleated filter packaged PES	4	6.907-662.0	1 Piece(s)						□
Flachfaltenfilter (PTFE)									
Flat pleated filter, PTFE	5	6.907-455.0	1 Piece(s)					Polyester fleece with PTFE coating for single-motor Tact and Ap vacuum cleaners, dust class M. Particularly suitable for very adhesive materials.	□
Special filter bags, wet filter bags									
Filter bag 5St. Kae.	6	6.904-211.0	5 Piece(s)					Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	□
Paper filter bags									
Paper filter bags	7	6.904-208.0	5 Piece(s)					5 paper filter bags (BIA-(U, S, G, C) dust class M) with reinforced outer ply. Standard for NT 561/611 Eco/te/M/TEA/M A, optional for NT 361 Eco BS/611 Eco BS.	□

■ Included in delivery. □ Available accessories.

NT 611

1.146-601.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Plastic bend	1	5.031-904.0	1 Piece(s)	DN 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	■
All-purpose nozzles (wet/dry)									
Floor tool DN40-370	2	6.903-018.0	1 Piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	■
Floor tool neutrally DN40	3	6.906-383.0	1 Piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Crevice nozzles									
Crevice nozzle DN40	4	6.903-033.0	1 Piece(s)	40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	■
	5	6.905-817.0	1 Piece(s)	40 mm	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes metal									
Suction tube	6	6.900-275.0	1 Piece(s)	40	550 mm			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	■
Suction tube DN35	7	6.900-514.0	1 Piece(s)	35	500 mm			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	□
Bend stainless									
Bend, stainless steel ID 35	8	6.903-141.0	1 Piece(s)	DN 35				Stainless steel and crooked, ID 35	□
Bend, stainless steel ID 40	9	6.902-079.0	1 Piece(s)	DN 40				Stainless steel and crooked, ID 40	□
Bend metal									
Bend, DN 35, metal	10	6.900-519.0	1 Piece(s)	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	□
Bend, DN 40, metal	11	6.900-276.0	1 Piece(s)	DN 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	□
Car cleaning nozzles									
Car nozzle	12	6.900-952.0	1 Piece(s)	DN 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
Gangway nozzles									
Gangway nozzle	13	4.130-401.0	1 Piece(s)	40 mm		611 mm		Metal, height-adjustable, strips, rubber lips (only for NT 55/1 Eco/Tact & NT 611 Eco/Tact versions)	□
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	14	6.902-105.0	1 Piece(s)	40 mm	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
Suction tubes stainless steel									
Suction tube, ID 40	15	6.902-081.0	1 Piece(s)	40	500 mm			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	□
Suction tube	16	6.906-531.0	1 Piece(s)	40	1000 mm			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	□

■ Included in delivery. □ Available accessories.

NT 611

1.146-601.0



		Order no.	Quantity	ID	Length		Price	Description
Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016)								
Suction hose	1	4.440-678.0	1 Piece(s)	DN 40	4 m			With bend, C DN-40. <input checked="" type="checkbox"/>
	2	6.906-714.0	1 Piece(s)	DN 40	4 m			With bayonet and clip connection, C 45. <input checked="" type="checkbox"/>
	3	6.906-241.0	1 Piece(s)	DN 35	4 m			With bayonet and clip connection. <input type="checkbox"/>
Extension hose, C 40	4	6.906-344.0	1 Piece(s)	DN 40	2,5 m			For all C-40 hoses. <input type="checkbox"/>
Suction hose (clip system), C 40, 10 m	5	6.906-279.0	1 Piece(s)	DN 40	10 m			With bayonet and clip connection, C 45 <input type="checkbox"/>
Suction hose	6	6.906-321.0	1 Piece(s)	DN 40	4 m			With bayonet and clip connection, C 40. <input type="checkbox"/>
Suction hose (clip system), C 35	7	6.906-242.0	1 Piece(s)	DN 35	10 m			With bayonet and clip connection. <input type="checkbox"/>
Repair kits								
Repair set, C 40	8	2.639-873.0	1 Piece(s)	C- 40				Suction hose repair kit (clip system). <input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 611

1.146-601.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
UBS non-conductive media									
UBS non-conductive media	1	2.882-517.0	1 Piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases.	■

Included in delivery.
 Available accessories.

NT 611

1.146-601.0



		Order no.	Quantity	ID			Price	Description	
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C 40 adapter	1	5.407-109.0	1 Piece(s)	C-DN 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
C-DN 40 adapter	2	5.407-111.0	1 Piece(s)	40 mm				Connects C 40 hose for ID 40, electrically conductive.	<input type="checkbox"/>
Reducing sleeves									
Sleeve C40 / C35	3	5.407-113.0	1 Piece(s)	40 mm				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducer (tube -> nozzle)									
Reducer	4	6.902-017.0	1 Piece(s)	40 mm				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	5	6.902-072.0	1 Piece(s)	35 mm				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>

■ Included in delivery. Available accessories.

NT 611

1.146-601.0



		Order no.	Quantity	Width			Price	Description	
Other accessories for T and NT									
Adapter connection old elektr. leitend	1	5.031-436.0							<input type="checkbox"/>

■ Included in delivery. □ Available accessories.