



NT 30/1 Tact L 220V *GB

This compact multi-purpose L class vacuum, provides an entry level option within our Tact range. The robust 30 litre container and strong suction power allows for effective cleaning in various industries.



NT 30/1 Tact L 220V *GB

- PES flat pleated filter
- Anti-static preparation

Technical data

Order Number	1.148-204.0	
EAN code	4054278271798	
Air flow	l/s	74
Vacuum	mbar / kPa	254 / 25,4
Container capacity	l	30
Max. rated input power	W	1380
Standard nominal size	ID 35	
Sound level	dB(A)	69
Container material	Plastic	
Quantity of motors	1	
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	13,5
Dimensions (L x W x H)	mm	560 × 370 × 580

Equipment

Suction hose	m	2,5	Caster with brake	■
Suction pipe	piece(s) / m	2 × 0,55 / Stainless steel		
Filter bag		Fleece		
Wet and dry floor tool	mm	360 / standard		
Crevice nozzle		■		
Auto shutdown when max. level is reached		■		
Anti-static preparation		■		
Flat pleated filter		PES		
Filter cleaning		Tact Filter CleanTact Filter Clean-Tact Filter CleanTact Filter Clean		
Sturdy bumper		■		
Safety class		II		

■ Included in delivery.

NT 30/1 TACT L 220V *GB 1.148-204.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Plastic sacks for dust-free disposal									
Disposal bag 10-parts PE	1	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	■
Flat pleated filter (PES)									
Flat pleated filter (PES)	2	6.904-360.0	1 piece(s)					Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	■
Fleece filter bags (3 ply)									
Filter bags-fleece 5 piece 30 Liter	3	2.889-154.0	5 piece(s)						■
Plastic bend									
Elbow packaged NW35 2K	4	2.889-170.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system.	■
Elbow packaged NW40 1K	5	2.889-171.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40.	□
Elbow electrically conducting packaged N	6	2.889-172.0	1 piece(s)	ID 40				Bend for the new clip system in nominal size DN 40. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
	7	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Elbow complete packaged NW35 2K	8	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
All-purpose nozzles (wet/dry)									
Floor tool packaged NW35 360mm	9	2.889-152.0	1 piece(s)	ID 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Floor tool anthracite packaged NW35	10	2.889-173.0	1 piece(s)	ID 35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Floor tool anthracite packaged NW40	11	2.889-174.0						Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	□
Floor tool DN35	12	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	13	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	14	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	□
Crevice nozzles									
Crevice nozzle wet and dry packaged NW35	15	2.889-159.0	1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.	■
Crevice nozzle wet and dry packaged NW40	16	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.	□
Suction tubes stainless steel									
Set suction tube stainless steel NW35 55	17	2.889-192.0	1 piece(s)	ID 35	550 mm			Stainless steel suction tube set (2 × 0.55 m)	■
Set suction tube stainless steel NW40 55	18	2.889-194.0	1 piece(s)	ID 40	550 mm				□

■ Included in delivery. □ Available accessories.

NT 30/1 TACT L 220V *GB 1.148-204.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction hoses complete (Clip-system)									
Suction hose	19	2.889-134.0	1 piece(s)	ID 35	2,5 m			2.5 m suction hose with new bayonet and clip fastener.	■
	20	2.889-133.0	1 piece(s)	ID 35	2,5 m			2.5 m suction hose with new clip fastener, C 35.	□
	21	2.889-161.0	1 piece(s)	ID 35	2 m				□
	22	2.889-135.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener.	□
Electrically conductive suction hose	23	2.889-136.0	1 piece(s)	ID 35	2,5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
	24	2.889-137.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose	25	2.889-138.0	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	□
	26	2.889-139.0	1 piece(s)	ID 40	2,5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, oil-resistant	27	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Electrically conductive suction hose	28	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	□
	29	2.889-142.0	1 piece(s)	ID 40	2,5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	□
Suction tubes metal									
Set suction tube chromed NW35 550mm	30	2.889-191.0	1 piece(s)	ID 35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	□
Adapter for electric power tools, clip on, el.									
Sleeve electrically conducting packaged	31	2.889-151.0	1 piece(s)	ID 35				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	□
Flat pleated filter (paper)									
Flat filter only for replacement Kärcher	32	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	□
Flachfaltenfilter (PTFE)									
Flat pleated filter, PTFE	33	6.907-455.0	1 piece(s)					Polyester fleece with PTFE coating for single-motor Tact and Ap vacuum cleaners, dust class M. Particularly suitable for very adhesive materials.	□
Coarse filter for wet pickup									
Coarse dirt filter for wet pick up	34	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	□
Membrane filter / fabric filter									
Membrane filter packaged Kärcher	35	2.889-281.0							□
HEPA filter for dust class H									
HEPA surface filter	36	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
All-purpose brushes									
All-purpose brush	37	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	□
Car cleaning nozzles									
Car nozzle DN35	38	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
Combi-nozzles (dry)									
Combination floor tool (dry)	39	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□

■ Included in delivery. □ Available accessories.

NT 30/1 TACT L 220V *GB 1.148-204.0

KÄRCHER



		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction brushes									
Suction brush DN35	40	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Repair kits									
Repair set NW35	41	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Repair set NW40	42	2.889-150.0	1 piece(s)	ID 40				Repair kit ID 40 for the new clip system.	<input type="checkbox"/>
Extension hoses (Clip-system)									
Extension hose packaged NW35 2.5m	43	2.889-145.0	1 piece(s)	ID 35	2,5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
Extension hose packaged NW40 2.5m	44	2.889-146.0	1 piece(s)	ID 40	2,5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	<input type="checkbox"/>
Other									
Drilling dust tool	45	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Target group specific vacuum cleaner accessory sets									
Universal kit for industrial and commercial use	46	2.637-595.0		ID 35				Accessory kit for industrial and commercial use.	<input type="checkbox"/>
Boiler cleaning kit	47	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>
Car cleaning kit	48	2.862-166.0		ID 35				Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice tool ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ ID 35	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.