

## NT 30/1 TACT TE H

With a guaranteed filtration efficiency of 99.995%, the 30/1 Tact Te H wet and dry vacuum cleaner is the first choice for removing dusts hazardous to health in dust class H.



**Order no.** 1.148-257.0

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Licensed for asbestos abatement

### Technical data

<b>EAN code</b>		4054278483672
<b>Current type</b>	<b>Ph / V / Hz</b>	1 / 220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	74
<b>Vacuum</b>	<b>mbar / kPa</b>	273 / 27.3
<b>Container content</b>	<b>l</b>	30
<b>Rated input power</b>	<b>W</b>	max. 1380
<b>Standard nominal size</b>		ID 35
<b>Cable length</b>	<b>m</b>	7.5
<b>Sound pressure level</b>	<b>dB(A)</b>	69
<b>Weight without accessories</b>	<b>kg</b>	14.4
<b>Weight incl. packaging</b>	<b>kg</b>	19.6
<b>Dimensions (L × W × H)</b>	<b>mm</b>	560 × 370 × 580

### Equipment

<b>Safety filter bag</b>	<b>Piece(s)</b>	1
<b>Suction hose</b>	<b>m</b>	4 / with manifold (electrically conductible)
<b>Suction Tube</b>	<b>Piece(s) × mm</b>	2 × 550 / Stainless steel
<b>Filter bag</b>		Fleece
<b>Wet and dry floor tool</b>	<b>mm</b>	360
<b>Crevice nozzle</b>		■
<b>Connector for electric tools</b>		■
<b>Automatic on/off control for electric power tools</b>		■
<b>Antistatic system</b>		■
<b>Flat pleated filter</b>		PTFE HEPA
<b>Sturdy bumper</b>		■
<b>Safety class</b>		I
<b>Caster with brake</b>		■
<b>Filter cleaning</b>		Tact - Auto Filter Clean System
<b>PE-Plastic bag for dust-free disposal</b>	<b>Piece(s)</b>	1
<b>Container material</b>		Plastic

■ included in delivery.




### Filtration system with H filter and Tact filter cleaning system

- Sucks less dangerous dust directly into the container. Filtration efficiency: 99.995 per cent.
- The greatest possible health protection without sacrificing suction power or filter endurance.



### Fulfills testing requirements for dust class H, with additional test for "Asbestos" in accordance with TRGS 519


- In Germany, only safety vacuum cleaners with this licence are allowed to be used to vacuum dust that contains asbestos.



### Complete antistatic system with conductive accessories

- Users are effectively protected against electric shocks and electrostatic charging.

## EQUIPMENT FOR NT 30/1 TACT TE H 1.148-257.0



		Order no.	Description	
<b>FILTER T/ NT</b>				
<b>Flat pleated filter HEPA, dust class H</b>				
Flat pleated filter, PTFE H class	1	6.907-671.0	HEPA flat pleated filter made from PTFE. Suitable for dust class H (HEPA 13).	■
HEPA surface filter	2	6.904-242.0	HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
<b>Plastic sacks for dust-free disposal</b>				
Plastic bag for dust-free disposal, 10 x , NT 30/1, NT 40/1, NT 50/1	3	2.889-158.0	PE plastic sack for dust-free disposal.	□
	4	2.889-231.0	PU plastic bag for dust-free disposal. Pack of 10.	□
<b>Safety filter sets / sacks</b>				
Safety filter bag, 5 x , NT 30/1	5	2.889-183.0	Safety filter set with dust disposal bag, for dust class H safety vacuum cleaners. Guarantees the dust-free disposal of dangerous dust.	□
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow complete packaged NW35 2K	6	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	■
Elbow packaged NW35 2K	7	2.889-170.0	Ergonomic bend for the new clip system.	□
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Floor tool packaged NW35 360mm	8	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Floor tool anthracite packaged NW35	9	2.889-173.0	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	10	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	■
<b>Car cleaning nozzles</b>				
Car nozzle, DN 35, 90 mm	11	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes stainless steel</b>				
Set suction tube stainless steel NW35 55	12	2.889-192.0	Stainless steel suction tube set (2 x 0.55 m)	■
<b>Suction tubes metal</b>				
Set suction tube chromed NW35 550mm	13	2.889-191.0	Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	□
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Electrically conductive suction hose	14	2.889-137.0	4 m suction hose with new bayonet and clip fastener. Electrically conductive.	■

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 30/1 TACT TE H

### 1.148-257.0



		Order no.	Description	
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose	15	2.889-135.0	4 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
Electrically conductive suction hose	16	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
Suction hose	17	2.889-138.0	4 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
	18	2.889-139.0	Suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
Suction hose, oil-resistant	19	2.889-140.0	Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	<input type="checkbox"/>
Electrically conductive suction hose	20	2.889-141.0	4 m, electrically conductive suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
	21	2.889-142.0	Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	<input type="checkbox"/>
Extension hose packaged NW35 2.5m	22	2.889-145.0	Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
Repair set NW35	23	2.889-149.0	Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
Extension hose conductive packaged NW35	24	2.889-343.0		<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Adapter for electric power tools, clip on, el.</b>				
Sleeve electrically conducting packaged	25	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	<input checked="" type="checkbox"/>
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>				
Connection cone NW35	26	5.407-005.0		<input type="checkbox"/>
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Drilling dust tool	27	2.679-000.0	Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter old packaged NW35	28	2.889-312.0		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 30/1 TACT TE H 1.148-257.0



		Order no.	Description	
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Adapter connection old elektr. leitend	29	5.031-436.0		<input type="checkbox"/>

■ Included in delivery.     Available accessories.