

NT 40/1 AP L

NT 40/1 Ap L: Powerful wet and dry vacuum cleaner in the middle class with 40 litre tank. The machine impresses with excellent suction power, clever equipment and durable components.



Order no. 1.148-324.0

- Semi-automatic filter cleaning system
- Flat pleated filter with filter casing
- Flexible hose and cable storage

Technical data

EAN code		4054278447995
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	l	40
Container material		Plastic
Rated input power	W	max. 1380
Standard nominal size		ID 35
Cable length	m	7.5
Sound pressure level	dB(A)	70
Weight without accessories	kg	12.4
Weight incl. packaging	kg	16.4
Dimensions (L × W × H)	mm	525 × 370 × 630

Equipment

Suction hose	m	2.5 / with bend
Suction Tube	Piece(s) × mm	2 × 550 / Steel, chromed
Filter bag	Piece(s)	1 / Fleece
Wet and dry floor tool	mm	300
Crevice nozzle		■
Auto shutdown when max. level is reached		■
Flat pleated filter		Paper
Filter cleaning		Semi-automatic filter cleaning Ap
Safety class		II
Caster with brake		■

■ Included in delivery.



Semi-automatic filter cleaning system

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- Transport-proof storage of the power cable.

Removable filter casing

- Permits dust-free removal of the filter.
- Effectively prevents incorrect insertion of the flat pleated filter.

EQUIPMENT FOR NT 40/1 AP L 1.148-324.0



		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter (paper)				
Flat filter only for replacement Kaerche	1	6.904-367.0	Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	■
Flat pleated filter (PES)				
Flat-pleated filter packaged PES	2	6.907-662.0		□
Flachfaltenfilter (PTFE)				
Flat pleated filter, PTFE	3	6.907-455.0	Polyester fleece with PTFE coating for single-motor Tact and Ap vacuum cleaners, dust class M. Particularly suitable for very adhesive materials.	□
BENDS				
Plastic bend				
Elbow packaged NW35 2K	4	2.889-170.0	Ergonomic bend for the new clip system.	■
Elbow electrically conducting packaged N	5	2.889-148.0	Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Elbow complete packaged NW35 2K	6	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NT Entry Class NW35	7	2.899-691.0		■
Floor tool packaged NW35 360mm	8	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	9	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	■
Car cleaning nozzles				
Ergonomic car nozzle, DN 35, 100 mm	10	2.889-356.0		□
Car nozzle, DN 35, 90 mm	11	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
SUCTION TUBES				
Suction tubes metal				
Set suction tube chromed NW35 550mm	12	2.889-191.0	Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	■
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose	13	2.889-134.0	2.5 m suction hose with new bayonet and clip fastener.	■
	14	2.889-135.0	4 m suction hose with new bayonet and clip fastener.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 40/1 AP L 1.148-324.0



		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Electrically conductive suction hose	15	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
	16	2.889-137.0	4 m suction hose with new bayonet and clip fastener. Electrically conductive.	<input type="checkbox"/>
Suction hose	17	2.889-138.0	4 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
	18	2.889-139.0	Suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
Suction hose, oil-resistant	19	2.889-140.0	Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	<input type="checkbox"/>
Electrically conductive suction hose	20	2.889-141.0	4 m, electrically conductive suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
Repair set NW35	21	2.889-149.0	Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
FILTER BAGS				
Fleece filter bags (3 ply)				
Fleece filter bags, 5 × , NT 40/1, NT 50/1	22	2.889-155.0	Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	<input type="checkbox"/>
FILTER T/ NT				
Membrane filter / fabric filter				
Membrane filter, NT 30/1, NT 40/1, NT 50/1	23	2.889-281.0		<input type="checkbox"/>
CONNECTING SLEEVES				
Connecting sleeve C-DN (clip on taper), EL (electroconductive)				
Connection cone NW35	24	5.407-005.0		<input type="checkbox"/>
OTHER ACCESSORIES FOR T AND NT				
Drilling dust tool	25	2.679-000.0	Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter old packaged NW35	26	2.889-312.0		<input type="checkbox"/>
Adapter connection old elektr. leitend	27	5.031-436.0		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.