

NT 40/1 TACT BS *EU

The NT 40/1 Tact Bs provides the ideal cleaning solution, specific for bakeries. Perfectly suitable for both floor cleaning and the vacuuming of bakery ovens, thanks to the automatic filter cleaning system.



Order no. 1.148-340.0

- Antistatic preparation
- PES flat pleated filter
- Tact - Auto Filter Clean System

Technical data

| | | |
|-----------------------------------|--------------------|-------------------------|
| EAN code | | 4054278224688 |
| Current type | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Air flow | l/s | 74 |
| Vacuum | mbar / kPa | 273 / 27.3 |
| Container content | l | 40 |
| Rated input power | W | max. 1380 |
| Standard nominal size | | ID 40 |
| Cable length | m | 7.5 |
| Sound pressure level | dB(A) | 68 |
| Weight without accessories | kg | 16.2 |
| Weight incl. packaging | kg | 19.5 |
| Dimensions (L × W × H) | mm | 650 × 370 × 1100 |

Equipment

| | |
|---|---------------------------------|
| Crevice nozzle | ■ |
| Flat pleated filter | PES |
| Auto shutdown when max. level is reached | ■ |
| Container material | Plastic |
| Filter cleaning | Tact - Auto Filter Clean System |
| Sturdy bumper | ■ |
| Push handle | ■ |
| Safety class | II |
| Caster with brake | ■ |
| Antistatic preparation | ■ |

■ included in delivery.



Ideal for bakeries and cake shops

- Optional accessory kits specially for use in bakeries.

Special lock latches made from metal


- Allow certification as explosion-proof machine.
- Permit approval for vacuuming potentially hazardous flour dust.

Heat-resistant PES flat pleated filter

- Allows vacuuming of problematic dust in bakeries.

EQUIPMENT FOR NT 40/1 TACT BS *EU

1.148-340.0



| | Order no. | Description | |
|---|-----------|-------------|---|
| FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M | | | |
| Flat pleated filter (PES) | | | |
| Flat-pleated filter packaged PES | 1 | 6.907-662.0 | <input checked="" type="checkbox"/> |
| SUCTION NOZZLES | | | |
| Crevice nozzles | | | |
| Crevice nozzle wet and dry packaged NW40 | 2 | 2.889-160.0 | Crevice nozzle ID 40, for new Tact range. <input checked="" type="checkbox"/> |
| Baking oven nozzle | | | |
| Baking oven nozzle, ID 35, 350mm | 3 | 4.130-104.0 | Aluminium, for cleaning baking ovens with rubber lip 6.900-517.0 and supporting lip 6.900-518.0, je 2 x. <input type="checkbox"/> |
| Baking oven nozzle, ID 35 | 4 | 4.130-173.0 | For cleaning baking ovens with scratch bar. <input type="checkbox"/> |
| FILTER BAGS | | | |
| Fleece filter bags (3 ply) | | | |
| Fleece filter bags, 5 x , NT 40/1, NT 45/1, NT 55/1 | 5 | 6.907-480.0 | Fleece filter bag, tear-resistant, dust class M. <input type="checkbox"/> |
| | 6 | 6.907-361.0 | Fleece filter bag, extra tear-resistant, dust class M. <input type="checkbox"/> |
| SUCTION HOSES | | | |
| Suction hoses with cone connection | | | |
| Special suction hose, ID 35, heat-resistant | 7 | 4.440-731.0 | For cleaning baking ovens, temperature resistant up to 140 °C <input type="checkbox"/> |
| TARGET GROUP SPECIFIC VACUUM CLEANER ACCESSORY SETS | | | |
| Oven kit | 8 | 2.640-341.0 | Accessory kit for vacuuming and cleaning ovens in bakeries, cake shops, etc. <input type="checkbox"/> |
| Bakery kit | 9 | 2.640-436.0 | Accessory kit for vacuuming and cleaning bakeries, equipment, shelves, etc. Ideal for bakeries, cake shops, etc. <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.