

## NT 40/1 TACT TE M \*110V

The NT 40/1 Tact Te M is designed for the pickup of very large quantities of hazardous dusts, suitable for dust class M. It is robust yet highly mobile, featuring a 40 litre container.



Order no. 1.148-347.0

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Cooling air filtration

### Technical data

EAN code		4054278483702
Current type	V / Hz	110 - 110 / 50 - 60
Air flow	l/s	71
Vacuum	mbar / kPa	273 / 27.3
Container content	l	40
Rated input power	W	max. 1100
Standard nominal size		ID 35
Cable length	m	7.5
Sound pressure level	dB(A)	67
Weight without accessories	kg	15.4
Weight incl. packaging	kg	20.2
Dimensions (L × W × H)	mm	560 × 370 × 655

### Equipment

Suction hose	m	4 / with manifold (electrically conductible)
Suction Tube	Piece(s) × mm	2 × 550 / Stainless steel
Filter bag		Fleece
Wet and dry floor tool	mm	360
Crevice nozzle		■
Connector for electric tools		■
Automatic on/off control for electric power tools		■
Antistatic system		■
Flat pleated filter		PES
Sturdy bumper		■
Safety class		I
Caster with brake		■
Filter cleaning		Tact - Auto Filter Clean System
Dust class		M
Container material		Plastic

■ included in delivery.



## Fully automatic filter cleaning

- Sensor-controlled electronics for optimal filter cleaning and suction power.

## Tested filtration efficiency of 99.9 per cent

- Almost complete elimination of fine dust for clean and safe workstations.

## Complete antistatic system with conductive accessories

- Effective protection against electric shocks through antistatic charging.

## EQUIPMENT FOR NT 40/1 TACT TE M \*110V

### 1.148-347.0



	Order no.	Description	
<b>FILTER BAGS</b>			
<b>Fleece filter bags (3 ply)</b>			
Fleece filter bags, 5 × , NT 40/1, NT 50/1	1	2.889-155.0	Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head. ■
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>			
<b>Flat pleated filter (PES)</b>			
Flat-pleated filter packaged PES	2	6.907-662.0	■
<b>FILTER T/ NT</b>			
<b>Plastic sacks for dust-free disposal</b>			
Plastic bag for dust-free disposal, 10 × , NT 30/1, NT 40/1, NT 50/1	3	2.889-231.0	PU plastic bag for dust-free disposal. Pack of 10. ■
<b>BENDS</b>			
<b>Plastic bend</b>			
Elbow complete packaged NW35 2K	4	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust. ■
<b>SUCTION NOZZLES</b>			
<b>All-purpose nozzles (wet/dry)</b>			
Floor tool packaged NW35 360mm	5	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees. ■
<b>Crevice nozzles</b>			
Crevice nozzle wet and dry packaged NW35	6	2.889-159.0	Crevice nozzle ID 35, for new Tact range. ■
<b>Car cleaning nozzles</b>			
Car nozzle, DN 35, 90 mm	7	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners. □
<b>SUCTION TUBES</b>			
<b>Suction tubes stainless steel</b>			
Set suction tube stainless steel NW35 55	8	2.889-192.0	Stainless steel suction tube set (2 × 0.55 m) ■
<b>SUCTION HOSES</b>			
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>			
Electrically conductive suction hose	9	2.889-137.0	4 m suction hose with new bayonet and clip fastener. Electrically conductive. ■
Extension hose conductive packaged NW35	10	2.889-343.0	□
<b>CONNECTING SLEEVES</b>			
<b>Adapter for electric power tools, clip on, el.</b>			
Sleeve electrically conducting packaged	11	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools. ■
<b>OTHER ACCESSORIES FOR T AND NT</b>			
Adapter old packaged NW35	12	2.889-312.0	□

■ Included in delivery. □ Available accessories.