

NT 40/1 TACT TE M

The NT 40/1 Tact Te M is designed for the pickup of very large quantities of hazardous dusts, suitable for dust class M. It is robust yet highly mobile, featuring a 40 litre container.



Order no. 1.148-355.0

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Cooling air filtration

Technical data

EAN code		4054278483696
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	l	40
Rated input power	W	max. 1380
Standard nominal size		ID 35
Cable length	m	7.5
Sound pressure level	dB(A)	68
Weight without accessories	kg	15.1
Weight incl. packaging	kg	19.2
Dimensions (L × W × H)	mm	560 × 370 × 655

Equipment

Suction hose	m	4 / with manifold (electrically conductible)
Suction Tube	Piece(s) × mm	2 × 550 / Stainless steel
Filter bag		Fleece
Wet and dry floor tool	mm	360
Crevice nozzle		■
Connector for electric tools		■
Automatic on/off control for electric power tools		■
Antistatic system		■
Flat pleated filter		PES
Sturdy bumper		■
Safety class		I
Caster with brake		■
Filter cleaning		Tact - Auto Filter Clean System
Dust class		M
Container material		Plastic

■ included in delivery.



Fully automatic filter cleaning

- Sensor-controlled electronics for optimal filter cleaning and suction power.

Tested filtration efficiency of 99.9 per cent

- Almost complete elimination of fine dust for clean and safe workstations.

Complete antistatic system with conductive accessories

- Effective protection against electric shocks through antistatic charging.

EQUIPMENT FOR NT 40/1 TACT TE M

1.148-355.0



	Order no.	Description	
FILTER BAGS			
Fleece filter bags (3 ply)			
Fleece filter bags, 5 × , NT 40/1, NT 50/1	1	2.889-155.0 Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	■
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M			
Flat pleated filter (PES)			
Flat-pleated filter packaged PES	2	6.907-662.0	■
FILTER T/ NT			
Plastic sacks for dust-free disposal			
Plastic bag for dust-free disposal, 10 × , NT 30/1, NT 40/1, NT 50/1	3	2.889-231.0 PU plastic bag for dust-free disposal. Pack of 10.	■
BENDS			
Plastic bend			
Elbow complete packaged NW35 2K	4	2.889-168.0 Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	■
SUCTION NOZZLES			
All-purpose nozzles (wet/dry)			
Floor tool packaged NW35 360mm	5	2.889-152.0 360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Crevice nozzles			
Crevice nozzle wet and dry packaged NW35	6	2.889-159.0 Crevice nozzle ID 35, for new Tact range.	■
Car cleaning nozzles			
Car nozzle, DN 35, 90 mm	7	6.906-108.0 Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
SUCTION TUBES			
Suction tubes stainless steel			
Set suction tube stainless steel NW35 55	8	2.889-192.0 Stainless steel suction tube set (2 × 0.55 m)	■
SUCTION HOSES			
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)			
Electrically conductive suction hose	9	2.889-137.0 4 m suction hose with new bayonet and clip fastener. Electrically conductive.	■
Extension hose conductive packaged NW35	10	2.889-343.0	□
CONNECTING SLEEVES			
Adapter for electric power tools, clip on, el.			
Sleeve electrically conducting packaged	11	2.889-151.0 Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
OTHER ACCESSORIES FOR T AND NT			
Adapter old packaged NW35	12	2.889-312.0	□

■ Included in delivery. □ Available accessories.