



NT 35/1 Tact Bs

Specialist heavy-duty vacuum cleaner, perfect for use in bakeries

1 The vacuum cleaner for bakeries

- The plastic container is acid, lye and heat resistant.
- The optional accessory kits were developed specially for use in bakeries.

2 Heat-resistant PES flat pleated filter

- The machine has a heat-resistant PES flat pleated filter, dust class M – ideal for effortless removal of dust and dirt in bakeries.



NT 35/1 Tact Bs

- Antistatic preparation
- Tact - Auto Filter Clean System
- Accessory holder for oven nozzle

Technical data

Technical data		
Order no.		1:184-700.0
EAN code		4039784722668
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	61
Vacuum	mbar / kPa	230 / 23
Container content	l	35
Rated input power	W	1380
Standard nominal size		DN 35
Cable length	m	7,5
Sound pressure level	dB(A)	63
Weight	kg	12,8
Dimensions (L × W × H)	mm	580 × 380 × 580

Equipment

Flat pleated filter	PES	
Auto shutdown when max. level is reached	■	
Antistatic system	■	
Container material	Plastic	
Eco filter system	■	
Heat-resistant plastic container	■	
Filter cleaning	Tact Filter CleanTact Filter CleanTact Filter CleanTact Filter Clean	
Safety class	I	
Caster with brake	■	
Maintenance -free suction fans	piece(s)	1
■ Included in delivery.		

NT 35/1 TACT BS

1.184-700.0

KÄRCHER



		Order no.	Quantity				Price	Description	
Flat pleated filter (PES)									
Flat pleated filter (PES)	1	6.904-360.0	1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	■
Flachfaltenfilter (PTFE)									
Flat pleated filter, PTFE	2	6.907-455.0	1 piece(s)					Polyester fleece with PTFE coating for single-motor Tact and Ap vacuum cleaners, dust class M. Particularly suitable for very adhesive materials.	□
Special filter bags, wet filter bags									
Special filter bag, wet filter bag	3	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
Membrane filter / fabric filter									
Membrane filter	4	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	□
Fleece filter bags (3 ply)									
Fleece filter bags	5	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	□

■ Included in delivery. □ Available accessories.

NT 35/1 TACT BS

1.184-700.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Nozzle sets									
Nozzles set DN35	1	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	<input type="checkbox"/>
Bend stainless									
Bend, stainless steel ID 35	2	6.903-141.0	1 piece(s)	DN 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel ID 40	3	6.902-079.0	1 piece(s)	DN 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
Plastic bend									
Plastic bend	4	5.031-718.0	1 piece(s)	DN 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	<input type="checkbox"/>
	5	5.031-939.0	1 piece(s)	DN 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	<input type="checkbox"/>
Plastic bend, ID 35	6	6.902-009.0	1 piece(s)	DN 35				Plastic, ID 35.	<input type="checkbox"/>
Bend metal									
Bend, DN 35, metal	7	6.900-519.0	1 piece(s)	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	<input type="checkbox"/>
Bend, DN 40, metal	8	6.900-276.0	1 piece(s)	DN 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	<input type="checkbox"/>
All-purpose brushes									
All-purpose brush	9	6.903-863.0	1 piece(s)	35 mm	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
All-purpose nozzles (wet/dry)									
Floor tool DN35	10	6.906-512.0	1 piece(s)	DN 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
Floor tool DN40-370	11	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
Floor tool neutrally DN40	12	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
Floor tool neutrally DN35	13	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
DN 40 wet/dry floor nozzle	14	6.907-408.0	1 piece(s)	40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle DN35	15	6.906-108.0	1 piece(s)	DN 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Baking oven nozzle									
Baking oven nozzle, ID 35, 350mm	16	4.130-104.0	1 piece(s)	35 mm		350 mm		Aluminium, for cleaning baking ovens with rubber lip 6.900-517.0 and supporting lip 6.900-518.0, je 2 x.	<input type="checkbox"/>
Baking oven nozzle, ID 35	17	4.130-173.0	1 piece(s)	35 mm		350 mm		For cleaning baking ovens with scratch bar.	<input type="checkbox"/>
Crevice nozzles									
Crevice nozzle DN35	18	6.900-385.0	1 piece(s)	DN 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 35/1 TACT BS

1.184-700.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Crevice nozzle	19	6.900-922.0	1 piece(s)	35 mm	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	<input type="checkbox"/>
Crevice nozzle DN40	20	6.903-033.0	1 piece(s)	40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	<input type="checkbox"/>
	21	6.905-817.0	1 piece(s)	40 mm	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	<input type="checkbox"/>
Crevice nozzle DN35	22	6.906-240.0	1 piece(s)	35 mm	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	23	6.902-104.0	1 piece(s)	35 mm	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	24	6.902-105.0	1 piece(s)	40 mm	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Combi-nozzles (dry)									
Combination floor tool (dry)	25	6.906-511.0	1 piece(s)	DN 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
Pipe dusting nozzles									
BRUSH	26	6.903-035.0	1 piece(s)	35 mm				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	27	6.903-036.0	1 piece(s)	35 mm				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction brushes									
Suction brush DN35	28	6.903-862.0	1 piece(s)	35 mm		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Suction tubes stainless steel									
Suction tube, ID 40	29	6.902-081.0	1 piece(s)	40	500 mm			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	30	6.906-531.0	1 piece(s)	40	1000 mm			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tubes plastic									
Suction tube, DN 35	31	6.900-384.0	1 piece(s)	35	500 mm			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Suction tubes metal									
Suction tube DN35	32	6.900-514.0	1 piece(s)	35	500 mm			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	33	6.900-275.0	1 piece(s)	40	550 mm			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 35/1 TACT BS

1.184-700.0

KÄRCHER


		Order no.	Quantity	ID	Length	Price	Description	
Repair kits								
Repair set, C 35	1	2.639-682.0	1 piece(s)	C- 35			Suction hose repair kit (clip system).	<input type="checkbox"/>
Suction hoses (Clip-system)								
Suction hose	2	6.906-241.0	1 piece(s)	DN 35	4 m		With bayonet and clip connection.	<input type="checkbox"/>
	3	6.906-275.0	1 piece(s)	DN 35	2,5 m		With bayonet and clip connection, electrically conductive, C 35.	<input type="checkbox"/>
Suction hose (clip system), C 35, el.	4	6.906-500.0	1 piece(s)	DN 35	4 m		With bayonet and clip connection, electrically conductive, C 35	<input type="checkbox"/>
Suction hose	5	6.906-321.0	1 piece(s)	40	4 m		With bayonet and clip connection, C 40.	<input type="checkbox"/>
Suction hose (clip system), C 40, 10 m, el.	6	6.906-877.0	1 piece(s)	DN 40	10 m		With bayonet and clip connection, electrically conductive, C 40	<input type="checkbox"/>
Suction hose (clip system), C 35	7	6.906-242.0	1 piece(s)	DN 35	10 m		With bayonet and clip connection.	<input type="checkbox"/>
Suction hoses complete								
Suction hose, complete	8	4.440-287.0	1 piece(s)	DN 35	4 m		Electrically non-conductive, 4 m	<input type="checkbox"/>
Suction hoses complete (Clip-system)								
Suction hose C DN35	9	4.440-626.0	1 piece(s)	DN 35	2,5 m		With bend, C DN-35	<input type="checkbox"/>
Suction hose	10	4.440-653.0	1 piece(s)	DN 35	2,5 m		With bend, electrically conductive, C DN-35.	<input type="checkbox"/>
Special hoses								
Special suction hose, ID 35, heat-resistant	11	4.440-731.0	1 piece(s)	DN 35	2,5 m		Special suction hose, ID 35, 2,5 m, for e.g. oven cleaning, temperature-resistant to 140 °C, plastic, metal.	<input type="checkbox"/>
Extension hoses (Clip-system)								
Extension hose, C 40	12	6.906-344.0	1 piece(s)	DN 40	2,5 m		For all C-40 hoses.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 35/1 TACT BS 1.184-700.0

KÄRCHER



		Order no.	Quantity	ID			Price	Description	
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-ID 35 adapter	1	5.407-112.0	1 piece(s)	35 mm				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
C 40 adapter	2	5.407-109.0	1 piece(s)	C-DN 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Adapter (tube -> nozzle)									
Adapter ID 35 - 40 (tube -> nozzle)	3	6.902-084.0	1 piece(s)	35 mm				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves									
Reducer	4	5.407-108.0	1 piece(s)	40 mm				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducer (tube -> nozzle)									
Reducer	5	6.902-017.0	1 piece(s)	40 mm				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	6	6.902-072.0	1 piece(s)	35 mm				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Set reducing / extension sleeves									
Set reducing / extension sleeves	7	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 35/1 TACT BS

1.184-700.0



		Order no.	ID					Price	Description	
Target group specific vacuum cleaner accessory sets										
Oven kit	1	2.640-341.0	DN 35						Accessory kit for vacuuming and cleaning ovens in bakeries, cake shops, etc.	<input type="checkbox"/>
Bakery kit	2	2.640-436.0	DN 40						Accessory kit for vacuuming and cleaning bakeries, equipment, shelves, etc. Ideal for bakeries, cake shops, etc.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.