

NT 35/1 Tact

Multi-purpose wet & dry vacuum cleaner with Tact automatic filter clean system for heavy duty dust extraction.

1 Tact system (Auto Filter Clean System)

- The filter cleans itself with powerful blasts of air. This automatic process guarantees constantly high suction power. Further benefits: low maintenance costs, long filter service life.

2 On-board practical storage

- Large on-board storage area for tool and accessory storage.

NT 35/1 Tact, 1.184-853.0, 2021-01-19

TECHNICAL DATA AND EQUIPMENT.

KÄRCHER

NT 35/1 Tact

- Tact - Auto Filter Clean System
- Accessory / suction hose storage
- On-board practical storage

Technical data

Order Number		1.184-853.0
EAN code		4039784722705
Current type	**V / Hz**	220 - 240 / 50 - 60
Air flow	**l/s**	74
Vacuum	**mbar / kPa**	254 / 25
Container capacity	**l**	35
Container material		Plastic
Motor rating	**W**	1380
Standard nominal size		DN 35
Sound level	**dB(A)**	69
Quantity of motors		1
Weight	**kg**	11,5
Dimensions (L x W x H)	**mm**	520 × 380 × 580

Equipment

Suction hose	**m**	2,5 / with bend
Suction Tube	**piece(s) × m**	2 × 0,5 / Stainless steel
Filter bag	**piece(s)**	1 / Fleece
Wet and dry floor tool	**mm**	300
Crevice nozzle		■
Auto shutdown when max. level is reached		■
Eco filter system		■
Flat pleated filter		Paper
Filter cleaning		Tact Filter CleanTact Filter CleanTact Filter CleanTact Filter Clean
Safety class		II
Caster with brake		■

■ **Included in delivery.**

NT 35/1 Tact, 1.184-853.0, 2021-01-19

NT 35/1 TACT
1.184-853.0

KÄRCHER


1


2–5


6


7–9


10


11


12, 16


13


14


15



17


		Order Number	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter (paper)									
Flat filter only for replacement Kaercher	1	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	■
Plastic bend									
Plastic bend	2	5.031-718.0	1 piece(s)	35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
	3	5.031-939.0	1 piece(s)	35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
	5	5.031-904.0	1 piece(s)	40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
All-purpose nozzles (wet/dry)									
Floor tool DN35	6	6.906-512.0	1 piece(s)	35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	■
Floor tool DN40-370	7	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	8	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	9	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool anthracite packaged NW35	10	2.889-173.0	1 piece(s)	35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Floor tool anthracite packaged NW40	11	2.889-174.0						Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	□
Crevice nozzles									
Crevice nozzle DN35	12	6.900-385.0	1 piece(s)	35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
Crevice nozzle	13	6.900-922.0	1 piece(s)	35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	14	6.903-033.0	1 piece(s)	40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	15	6.905-817.0	1 piece(s)	40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Crevice nozzle DN35	16	6.906-240.0	1 piece(s)	35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
Suction tubes metal									
Suction tube DN35	17	6.900-514.0	1 piece(s)	35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■

■ Included in delivery. □ Available accessories.

NT 35/1 TACT
1.184-853.0

KÄRCHER


18


19


20


21


22


23


24


25–26


27


28


29


30


31–32, 34


33

		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction tube	18	6.900-275.0	1 piece(s)	40	0,55 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	☐
Set suction tube chromed NW35 550mm	19	2.889-191.0	1 piece(s)	35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	☐
Nozzle sets									
Nozzles set DN35	20	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	☐
Flat pleated filter HEPA, dust class H									
HEPA surface filter	21	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	☐
Flat pleated filter (PES)									
Flat pleated filter (PES)	22	6.904-360.0	1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	☐
Coarse filter for wet pickup									
Coarse dirt filter for wet pick up	23	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	☐
Special filter bags, wet filter bags									
Special filter bag, wet filter bag	24	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	☐
Paper filter bags									
Paper filter bags	25	6.904-224.0	300 piece(s)					BIA-C dust class M approved. Large-scale consumer pack.	☐
	26	6.904-259.0	5 piece(s)					5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	☐
Plastic sacks for dust-free disposal									
Plastic sacks for dust-free disposal	27	6.596-886.0	10 piece(s)					PE plastic sack.	☐
Membrane filter / fabric filter									
Membrane filter/fabric filter	28	6.904-212.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	☐
Fleece filter bags (3 ply)									
Fleece filter bags	29	6.907-479.0	5 piece(s)					Fleece filter bag, tear-resistant, dust class M.	☐
Fleece filter bags, x 5	30	6.904-351.0	5 piece(s)					3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	☐
Bend stainless									
Bend, stainless steel ID 35	31	6.903-141.0	1 piece(s)	35				Stainless steel and crooked, ID 35	☐
Bend, stainless steel ID 40	32	6.902-079.0	1 piece(s)	40				Stainless steel and crooked, ID 40	☐
Bend metal									
Bend, DN 35, metal	33	6.900-519.0	1 piece(s)	35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	☐
Bend, DN 40, metal	34	6.900-276.0	1 piece(s)	40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	☐

■ Included in delivery. ☐ Available accessories.

NT 35/1 TACT
1.184-853.0

KÄRCHER


35–36


37


38–39


40


41


42


43–45


46


47


48

		Order Number	Quantity	ID	Length	Width	Price	Description	
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	35	6.902-104.0	1 piece(s)	35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
	36	6.902-105.0	1 piece(s)	40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	☐
Combi-nozzles (dry)									
Combination floor tool (dry)	37	6.906-511.0	1 piece(s)	35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	☐
Pipe dusting nozzles									
BRUSH	38	6.903-035.0	1 piece(s)	35				Plastic, pipe diameter 100 mm	☐
	39	6.903-036.0	1 piece(s)	35				Plastic, pipe diameter 200 mm	☐
Suction brushes									
Suction brush DN35	40	6.903-862.0	1 piece(s)	35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	☐
Turbo nozzle									
Upholstery nozzle TURBO	41	2.860-113.0	1 piece(s)	32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	☐
Floor tool TURBO DN 35/32	42	2.860-114.0	1 piece(s)	32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	☐
Suction tubes stainless steel									
Suction tube, ID 40	43	6.902-081.0	1 piece(s)	40	0,5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	☐
Suction tube	44	6.906-531.0	1 piece(s)	40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	☐
Suction tube, DN 35	45	6.902-154.0	1 piece(s)	35	0,5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	☐
Suction tubes plastic									
Suction tube, DN 35	46	6.900-384.0	1 piece(s)	35	0,5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	☐
Other									
Drilling dust tool	47	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	☐
CS 40 Me	48	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	☐

■ Included in delivery. ☐ Available accessories.

NT 35/1 TACT
1.184-853.0

KÄRCHER


1


2

MISSING PICTURE:
M:\print\2889161_
std_01_94456.tif
3


4


5, 12


6


7


8


9


10


11


13


14


15

		Order Number	Anzahl	Nennweite	Länge		Price	Description	
Suction hoses complete (Clip-system)									
Suction hose C DN35	1	4.440-626.0	1 piece(s)	35	2,5 m			With bend, C DN-35	■
Suction hose	2	4.440-653.0	1 piece(s)	35	2,5 m			With bend, electrically conductive, C DN-35.	□
	3	2.889-161.0	1 piece(s)	35	2 m				□
Repair kits									
Repair set, C 35	4	2.639-682.0	1 piece(s)	35				Suction hose repair kit (clip system).	□
Suction hoses (Clip-system)									
Suction hose	5	6.906-241.0	1 piece(s)	35	4 m			With bayonet and clip connection.	□
	6	6.906-275.0	1 piece(s)	35	2,5 m			With bayonet and clip connection, electrically conductive, C 35.	□
Suction hose (clip system), C 35, el.	7	6.906-500.0	1 piece(s)	35	4 m			With bayonet and clip connection, electrically conductive, C 35	□
Suction hose	8	6.906-321.0	1 piece(s)	40	4 m			With bayonet and clip connection, C 40.	□
	9	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection, C 45.	□
	10	6.906-546.0	1 piece(s)	40	4 m			With bayonet and clip connection, electrically conductive, C 40.	□
Suction hose (clip system), C 40, 10 m, el.	11	6.906-877.0	1 piece(s)	40	10 m			With bayonet and clip connection, electrically conductive, C 40	□
Suction hose (clip system), C 35	12	6.906-242.0	1 piece(s)	35	10 m			With bayonet and clip connection.	□
Suction hoses complete									
Suction hose, complete	13	4.440-461.0	1 piece(s)	27	7 m			Plastic, with power tool adapter,	□
Connecting sleeves									
Adapter, DN 32/35, with internal thread	14	6.902-077.0	1 piece(s)	32				For connecting 2 suction hoses (not ESB 28 and 34).	□
Adapter, DN 40 with internal thread	15	6.900-286.0	1 piece(s)	40				For connecting 2 suction hoses, threaded at both ends.	□
Connecting sleeve, ID 61, with female thread	16	6.902-078.0	1 piece(s)	61					□
Extension hoses (Clip-system)									
Extension hose, C 32, C 35 clip system	17	6.906-237.0	1 piece(s)	32	2,5 m			For all C-32 and C-35 hoses.	□

■ Included in delivery. □ Available accessories.

NT 35/1 TACT
1.184-853.0

KÄRCHER


1


2–4


5


6, 11, 13


7–9


10


12


14


15


16


17


18

		Order Number	Anzahl	Nennweite			Price	Description	
Y-adapter kit									
Y-adapter kit	1	2.637-217.0	1 piece(s)	35				Distributor, plastic.	☐
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-ID 35 adapter	2	5.407-112.0	1 piece(s)	35				C 35 hose connector for ID 35 accessory, electrically conductive.	☐
C 40 adapter	3	5.407-109.0	1 piece(s)	40				C 40 hose connector for ID 35 accessory, electrically conductive.	☐
C-DN 40 adapter	4	5.407-111.0	1 piece(s)	40				C 40 hose connector for DN 40 accessory, electrically conductive.	☐
Adapter for electric power tools, clip on, el.									
Adapter for electric power tools, C 35, el.	5	5.453-048.0	1 piece(s)	35				Inside Ø 25.4 mm, outside Ø 34.6 mm / 38 mm, electrically conductive.	☐
Connecting sleeve for electric tool C 35, el.	6	5.453-049.0	1 piece(s)	35				Inside Ø 28.6 mm, outside Ø 37.3 mm / 38.8 mm, electrically conductive. Only NT vacuums.	☐
Adapter for electric power tools, C 35, el.	7	5.453-050.0	1 piece(s)	35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive.	☐
Connecting sleeve for electric tool C 35, el.	8	5.453-051.0	1 piece(s)	35				Inside Ø 32 mm, outside Ø 39 mm, electrically conductive.	☐
Connecting sleeve for electric tools C 35, el.	9	5.453-052.0	1 piece(s)	35				Inside Ø 28 mm, outside Ø 34 mm / 38.8 mm, electrically conductive.	☐
Adapter for electric power tools, screwable									
Power tool adapter, threaded, DN 35	10	5.453-016.0	1 piece(s)	35				Plastic, adjustable from DN 26-36.	☐
Adapter for electric power tools, screwable, ID 35	11	5.453-026.0	1 piece(s)	35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	☐
Power tool adapter, threaded, DN 35	12	6.902-059.0	1 piece(s)	35				Inside Ø 32 mm, outside Ø 39 mm.	☐
	13	6.902-095.0	1 piece(s)	35				Inside Ø 28 mm, outside Ø 34/38.8 mm, electrically conductive.	☐
Adapter (tube -> nozzle)									
Adapter ID 35 - 40 (tube -> nozzle)	14	6.902-084.0	1 piece(s)	35				From ID 35 to 40, plastic.	☐
Reducing sleeves									
Reducer	15	5.407-108.0	1 piece(s)	40				C-40 hose with 35 external thread for threaded adapter, DN 35.	☐
Reducer (tube -> nozzle)									
Reducer	16	6.902-017.0	1 piece(s)	40				From ID 40 to ID 35, plastic.	☐
Reducer from ID 35 to 32	17	6.902-072.0	1 piece(s)	35				From ID 35 to 32, metal.	☐
Set reducing / extension sleeves									
Set reducing / extension sleeves	18	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	☐

■ Included in delivery. ☐ Available accessories.

NT 35/1 TACT
1.184-853.0

KÄRCHER


1


2


3


4


5


6

		Order Number	ID				Price	Description	
Target group specific vacuum cleaner accessory sets									
Universal kit for industrial and commercial use	1	2.637-595.0	DN 35						☐
Boiler cleaning kit	2	2.638-852.0	DN 35					Boiler cleaning kit	☐
Building trade kit	3	2.637-352.0	DN 40					Building trade kit	☐
Professional cleaning kit ID 40	4	2.637-353.0	DN 40					Professional cleaning kit	☐
Horse grooming kit, ID 35	5	2.637-248.0	DN 40					Horse grooming kit (electrically conductive)	☐
NT vacuum cleaner kit, DN 40, el.	6	2.638-147.0	DN 40					Wet and dry vacuum kit (electrically conductive)	☐

■ Included in delivery. ☐ Available accessories.