





KM 150/500 R Lpg

LPG-powered, fully hydraulic industrial sweeper with three-wheel chassis and rear steering. For tackling tough jobs in the building material or metal-working industries, foundries and other dirt-intensive sectors. With Kubota 23.1kW engine.



1 Efficient filter system

- Flat pleated filter with 7 m² filter area.
- Effective cleaning with dual scraper.

2 Comfortable workplace

- All controls are clearly arranged and easy to access.
- All displays in full view.

3 Simple operation, maintenance and servicing

- Simple technology with tried and tested components: fully hydraulic drive; electric instead of electronic.
- Easy motor access for quick and simple maintenance.

4 Classic version with diesel drive

- Simple operation
- Fully hydraulic traction drive.



KM 150/500 R Lpg

- High working and transport speed
- Fully hydraulic drive and sweeping system
- Low maintenance

Technical data

Order Number	1.186-123.0	
EAN code	4039784521896	
Drive	4-stroke LPG engine / Kubota	
Drive - power	kW	22
Max. area performance	m²/h	18000
Working width	mm	1200
Working width with 1 side brush	mm	1500
Working width with 2 side brushes	mm	1800
Waste container	l	500
Hill climbing ability	%	18
Operating speed	km/h	12
Filter area	m²	7
Weight	kg	1415
Dimensions (L x W x H)	mm	2442 × 1570 × 1640


Equipment

Manual filter cleaning system	■	Indoor applications	■
Traction drive	hydrostatic	Operating hour meter	■
Adjustable roller brush	■	Sweep function (can be switched off)	■
Power steering	■	Pneumatic wheels	■
Adjustable suction power	■	Side brush swings out automatically	■
Dustpan principle	■		
Travel drive - forward	■		
Travel drive, reverse	■		
Vacuum	■		
Hydraulic container lift	■		
Outdoor applications	■		

■ Included in delivery.

KM 150/500 R LPG

1.186-123.0



		Order Number	Installation ex works	Length / width	Diame-ter	Price	Description	
Flat pleated filter								
Flat-pleated filter KM 150/500	1	6.988-159.0						<input checked="" type="checkbox"/>
	2	6.987-177.0						<input type="checkbox"/>
Standard main roller brushes								
Standard roller brush	3	6.987-085.0		1194 mm	380 mm		Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	<input checked="" type="checkbox"/>
Main roller brush - Soft/natural								
Reversing rolling mill soft KM 150/500	4	6.987-464.0		1194 mm	380 mm			<input type="checkbox"/>
	5	6.987-437.0		1194 mm	380 mm			<input type="checkbox"/>
Main roller brush, hard								
Reversing rolling mill hard KM 150/500	6	6.987-436.0		1194 mm	380 mm			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

KM 150/500 R LPG

1.186-123.0




		Order Number	Installation ex works	Length / width	Diame-ter	Price	Description	
Standard side brushes								
Standard side brush	1	6.987-083.0			550 mm			■
Side brush, hard								
Side brush, hard	2	6.905-773.0			550 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
Side brush, hard								
Side brush, steel bristles	3	6.905-619.0			550 mm		For stripping, removing moss, abrasive, for outdoor use only	□
Side brush, soft								
Side brush, soft	4	6.905-620.0			550 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	□

■ Included in delivery. □ Available accessories.

KM 150/500 R LPG

1.186-123.0



		Order Number	Installation ex works				Price	Description	
Weatherproof cab									
	1	2.852-133.7	2.852-133.7						<input type="checkbox"/>
Comfortable cab	2	2.851-264.7	2.851-264.7						<input type="checkbox"/>
Canopy with windscreen and windscreen wiper	3	2.851-270.7	2.851-270.7						<input type="checkbox"/>
Add-on kit protection shield	4	2.851-268.7	2.851-268.7						<input type="checkbox"/>
Sweeping/Vacuuming									
Third side brush	5	2.851-277.7	2.851-277.7						<input type="checkbox"/>
Side brush cover	6	2.851-287.0							<input type="checkbox"/>
Other mounting kits									
	7	6.373-014.0							<input type="checkbox"/>
Stainless steel waste container	8	6.961-927.7	6.961-927.7						<input type="checkbox"/>
Lighting									
Working light	9	2.851-279.0	2.851-279.7						<input type="checkbox"/>
Protective roof for operator									
Canopy	10	2.851-686.0							<input type="checkbox"/>
Side brushes, left									
Add-on kit second side broom left	11	2.851-274.0	2.851-274.7						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

KM 150/500 R LPG 1.186-123.0



		Order Number	Installation ex works				Price	Description	
Tyres, puncture-proof									
Puncture-proof tyres (set), solid rubber	1	4.515-329.0	4.515-329.7						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

KM 150/500 R LPG

1.186-123.0



		Order Number	Installation ex works				Price	Description	
Water spraying system									
Add-on kit spray system KM 150/500 R LPG	1	2.852-596.0	2.852-596.7					For binding dust. Consisting of stainless steel water tank (60 l) and spray water nozzles on the side brushes.	<input type="checkbox"/>

■ Included in delivery. Available accessories.