



## B 150 R DOSE (Disc)

B 150 R + D 90: perfect for medium-sized areas from 3000 to 6000 m<sup>2</sup>. The compact, battery powered ride-on scrubber dryer has 2 disc brushes (90 cm working width) and 150 l tanks.



CONFIGURABLE



EASY-Operation



DOSE

### 1 Configurable machine

- Equipment details freely selectable.
- Perfect adaptation of the machine to cleaning requirements.

### 2 Innovative KIK system

- Increased security against incorrect operation.
- Reduction in service costs.

### 3 Auto-Fill (optional)

- Automatic fresh water tank filling.
- Connect a fresh water hose and the filling stops automatically as soon as the tank is full.

### 4 4 batteries to choose from



## B 150 R DOSE (Disc)

- Compact and manoeuvrable
- DOSE cleaning agent dosing unit.

### Technical data

<b>Order no.</b>		1.246-020.2
Working width of brushes	mm	750 - 900
Working width, vacuuming	mm	940 - 1060
Fresh/dirty water tank	l	150 / 150
Theoretical area performance	m <sup>2</sup> /h	4500
Brush speed	rpm	180
Brush contact pressure	g/cm <sup>2</sup>	34 - 46
Battery voltage	V	36
Battery runtime	h	max. 5
Battery running time	h	max. 5
Rated input power	W	2800
Dimensions (L × W × H)	mm	1790 × 910 × 1410

### Equipment

Disc brush	■
Powerful traction drive	■
Battery and built-in charger included	■
Automatic water stop	■
Tin	■
Solenoid valve	■
2-tank system	■

■ Included in delivery.

# B 150 R DOSE (DISC) 1.246-020.2


**KÄRCHER**



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
KIK key, yellow	1	5.035-344.0		yellow	1 Piece(s)		User key for using the appliance	■
KIK key, grey	2	5.035-348.0		grey	1 Piece(s)		Supervisor key for using the appliance	■
Add-on kit ecolzero	3	5.388-133.0			1 Piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	□
Filling hose	4	6.680-124.0	1,5 m		1 Piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key, white	5	4.035-076.0		white	1 Piece(s)		User key for using the appliance programmable	□
KIK key set, yellow	6	4.035-408.0		yellow	5 Piece(s)		Key for operators. Cannot be adjusted.	□
KIK key set, white	7	4.035-064.0		white	5 Piece(s)			□
Cover tank flushing system complete	8	4.035-513.0			1 Piece(s)			□
ABS brush head impact protection	9	2.034-000.0					Extremely robust and stable impact protection for protecting the brush head when driving close to walls or corners, or in the event of unexpected obstacles.	□
<b>Cleaning tool kit accessories</b>								
Adapter Homebase	10	5.035-488.0			1 Piece(s)		Fastener for various hooks and clips on the machine.	□
Home Base Mop Holder Kit	11	4.035-514.0			1 Piece(s)		Holder fits on machine for convenient mop storage.	□
Universal hook kit	12	4.070-075.0			1 Piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
Double hook	13	6.980-077.0			1 Piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Holder handhold grey	14	6.980-078.0		grey	1 Piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	15	6.980-080.0		grey	1 Piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Home Base Box Kit	16	4.035-406.0			1 Piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Manual rinsing system	17	4.035-515.0			1 Piece(s)		Allows the tank to be rinsed using the on-board fresh water. Includes hose, spray nozzle and hose hanger.	□
<b>Wheels/tyres</b>								
Supergrip front wheels	18	6.435-810.0		purple	1 Piece(s)		The combination of the special tyre compound and the V-profile of these oil-resistant front wheel bands increases traction and ensures very good adhesion properties on slippery floors.	□
<b>RM Dosierstation</b>								
Cleaning agent dosage kit, wall mounted DS 3	19	2.641-811.0			1 Piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	□
<b>Wiping lips</b>								
Modification kit, squeegee blades for brush head	20	2.763-031.0			1 Piece(s)		Floating squeegee blades adapt to the surface. Fits D 90, D 75 and D 65.	□

■ Included in delivery. □ Available accessories.

# B 150 R DOSE (DISC) 1.246-020.2




		Order no.	Hardness grade	Diameter	Colour	Quantity	Price	Description	
<b>Disc Brushes for BD</b>									
Disc brush	1	4.905-004.0	soft	450 mm	natural	1 Piece(s)		Made of natural fibres, for spray cleaning and for polishing.	<input type="checkbox"/>
	2	4.905-003.0	medium	450 mm	red	1 Piece(s)		Disc brush, medium-hard, red, 450 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	3	4.905-006.0	hard	450 mm	black	1 Piece(s)		Disc brush, hard, black, 450 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>
	4	4.905-019.0	very soft	385 mm	white	1 Piece(s)		Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	<input type="checkbox"/>
	5	4.905-020.0	soft	385 mm	natural	1 Piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 75.	<input type="checkbox"/>
	6	4.905-018.0	medium	385 mm	red	1 Piece(s)		Medium, for all floors. Standard with D 75.	<input type="checkbox"/>
	7	4.905-021.0	hard	385 mm	black	1 Piece(s)		Hard, for heavy soiling and for deep cleaning. For insensitive floors only. Fits D 75.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 150 R DOSE (DISC) 1.246-020.2

**KÄRCHER**



		Order no.	Hardness grade	Diameter	Colour	Quantity	Price	Description	
<b>Microfibre pad</b>									
Microfibre pad	1	6.369-960.0		457 mm	white	5 Piece(s)		Excellent cleaning power. Cleans even pores of fine stoneware tiles.	<input type="checkbox"/>
	2	6.371-078.0		381 mm	white	5 Piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	<input type="checkbox"/>
<b>Pads</b>									
Pad	3	6.369-024.0	medium-soft	457 mm	red	5 Piece(s)		5 pads, medium-soft, red, 457 mm diameter. For cleaning all floors. Suitable for, e.g. D 90.	<input type="checkbox"/>
	4	6.369-023.0	medium-hard	457 mm	green	5 Piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	<input type="checkbox"/>
	5	6.369-022.0	hard	457 mm	black	5 Piece(s)		5 pads, hard, black, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	<input type="checkbox"/>
	6	6.369-791.0	medium-soft	381 mm	red	5 Piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.	<input type="checkbox"/>
	7	6.369-790.0	medium-hard	381 mm	green	5 Piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
	8	6.369-789.0	hard	381 mm	black	5 Piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
<b>Pad drive board</b>									
Pad drive board	9	4.762-493.0		445 mm		1 Piece(s)		Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.	<input type="checkbox"/>
	10	4.762-447.0		375 mm		1 Piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	<input type="checkbox"/>
<b>Diamond pads</b>									
Diamond pad	11	6.371-258.0	coarse	457 mm	white	5 Piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	12	6.371-259.0	medium	457 mm	yellow	5 Piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	13	6.371-239.0	fine	457 mm	green	5 Piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	14	6.371-252.0	coarse	385 mm	white	5 Piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	15	6.371-253.0	medium	385 mm	yellow	5 Piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	16	6.371-236.0	fine	385 mm	green	5 Piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 150 R DOSE (DISC) 1.246-020.2



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Suction bar, complete</b>								
Squeegee	1	4.777-078.0	1200 mm	transparent	1 Piece(s)		V-shaped squeegee with length of 1,200 mm and adjustable support rollers. Oil-resistant, fluted suction lips made from robust polyurethane for all conventional floors. Special sliding properties on crevices.	<input type="checkbox"/>
	2	4.777-403.0	1060 mm	transparent	1 Piece(s)		Straight squeegee with adjustable support rollers, 1060 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.	<input type="checkbox"/>
<b>Squeegees for suction bars</b>								
Rubber lip set corrugated oil resistant	3	6.273-016.0	1334 mm	transparent	2 -part		Fluted suction lip set for all conventional floors. Made from oil-resistant, transparent polyurethane with a long lifetime and specially developed for V-shaped, 1,200 mm-long squeegees.	<input type="checkbox"/>
Suction lips	4	6.273-209.0	1080 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 1080 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	<input type="checkbox"/>
	5	6.273-206.0	1080 mm	transparent	2 -part		non-streak, oil resistant, brown	<input type="checkbox"/>
Suction lip	6	6.273-293.0	1080 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
Suction lips	7	6.273-215.0	1080 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 1080 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 150 R DOSE (DISC) 1.246-020.2



		Order no.					Price	Description	
<b>Brush heads</b>									
Brush-head D 90 S	1	2.763-008.0						Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards.	<input type="checkbox"/>
Brush-head D 75	2	2.763-005.0						Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.

# B 150 R DOSE (DISC) 1.246-020.2



		Order no.	Length	Diameter	Quantity	Price	Description	
<b>Spray extraction mounting kit</b>								
Spray suction attachment kit	1	2.642-058.0			1 Piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>
<b>Fleet mounting kit</b>								
KAERCHER reversion kit Fleet Services EU	2	2.644-099.0			1 Piece(s)			<input type="checkbox"/>
<b>Lighting/RKL mounting kit</b>								
Working light (manufactured from 8/2018 onwards)	3	2.034-001.0					Working light for improving safety when working. With front and side lighting on the brush head.	<input type="checkbox"/>
Flashing beacon	4	4.035-516.0			1 Piece(s)		Increases safety at work.	<input type="checkbox"/>
<b>Other attachment kits</b>								
Auto-Fill	5	4.035-345.0			1 Piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
Suction hose accessories	6	4.444-015.0	3,25 m		1 Piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Set deflector roll stack formation SB	7	4.035-619.0			2 -part			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.



# B 150 R DOSE (DISC) 1.246-020.2



		Order no.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
<b>Batteries</b>									
Battery kit wet 1x 36V/240Ah	1	2.815-107.0	1 -part	36 V	240 Ah	low maintenance			<input type="checkbox"/>
Battery kit wet 1x 36V/180Ah	2	2.815-106.0	1 -part	36 V	180 Ah	low maintenance			<input type="checkbox"/>
Battery kit Gel 6x 6V/240Ah	3	2.815-105.0	6 -part	36 V	240 Ah	maintenance-free			<input type="checkbox"/>
Battery kit Gel 6x 6V/180Ah	4	2.815-104.0	6 -part	36 V	180 Ah	maintenance-free			<input type="checkbox"/>
Battery kit AGM 6x 6V/285Ah	5	2.815-114.0	6 -part	36 V	285 Ah	maintenance-free			<input type="checkbox"/>
<b>Accessories for batteries</b>									
Box with wall holder	6	2.641-243.0	1 Piece(s)			low maintenance		Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	<input type="checkbox"/>
Box	7	2.641-244.0	1 Piece(s)			low maintenance			<input type="checkbox"/>
Mounting kit battery kit	8	2.638-032.0	2 -part						<input type="checkbox"/>
	9	2.638-136.0	7 -part						<input type="checkbox"/>
	10	2.638-143.0	7 -part						<input type="checkbox"/>
	11	2.638-161.0	5 -part						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 150 R DOSE (DISC) 1.246-020.2



		Order no.	Quantity	ID	Width	Length	Price	Description	
<b>Other</b>									
Cleaning agent container, complete	1	4.070-006.0	1 Piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.

# B 150 R DOSE (DISC) 1.246-020.2



		Order no.					Price	Description	
<b>Storage</b>									
Basket with bottle insert	1	6.999-290.0							<input type="checkbox"/>

■ Included in delivery.     Available accessories.