

B 200 R + D 75

Proven disc engineering, 75 cm working width and a 200-litre tank distinguish the battery powered B 200 R + D 75 ride-on scrubber drier. Compact machine for surfaces up to $7,000 \text{ m}^2$.

















- 1 Innovative KIK system
- Increased security against incorrect operation.
- Reduction in service costs.
- 2 Configurable machine
- Equipment details freely selectable.
- Perfect adaptation of the machine to cleaning requirements.

3 Auto-Fill (optional)

- Automatic fresh water tank filling.
- Connect fresh water hose and filling automatically stops when the tank is full.

4 4 batteries to choose from

TECHNICAL DATA AND EQUIPMENT.





B 200 R + D 75

- Compact and manoeuvrableDOSE cleaning agent dosing unit.

Technical data		
Order no.		1.246-200.2
Working width of brushes	mm	750
Working width, vacuuming	mm	950
Fresh/dirty water tank	I	200 / 200
Theoretical area performance	m²/h	4500
Brush speed	rpm	180
Brush contact pressure	g/cm²	46
Battery voltage	V	36
Battery runtime	h	max. 5
Battery running time	h	max. 5
Rated input power	W	2200
Dimensions (L × W × H)	mm	1860 × 910 × 1410

Equipment			
Disc brush			
Powerful traction drive			
Battery and built-in charger included	•		
Automatic water stop			
Tin	•		
Solenoid valve			
2-tank system			

■ Included in delivery.











		Order no.	Hardness grade	Diameter	Colour	Quanti- ty	Price	Description	
Disc Brushes for BD									
Disc brush	1	4.905-018.0	medium	385 mm	red	1 Piece(s)		Medium, for all floors. Standard with D 75.	•
	2	4.905-019.0	very soft	385 mm	white	1 Piece(s)		Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	
	3	4.905-020.0	soft	385 mm	natural	1 Piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 75.	
	4	4.905-021.0	hard	385 mm	black	1 Piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 75.	

[■] Included in delivery.

Available accessories.















		Order no.	Length	Colour	Quanti- ty	Price	Description	
Suction bar, complete						<u> </u>		
Suction bar parabolic 950mm/37in	1	4.778-007.0	950 mm	red	1 Piece(s)			
Squeegee	2	4.777-081.0	1100 mm	transparent	1 Piece(s)		With adjustable support rollers and spirit level for precise adjustment: V-shaped squeegee, 1,100 mm long. Suction lips made from robust, oil-resistant and transparent polyurethane.	1111
	3	4.777-402.0	940 mm	transparent	1 Piece(s)		Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.	
Squeegees for suction bars								
Rubber lip set corrugated oil resistant	4	6.273-025.0	1222 mm	transparent	2 -part		Suction lip set made from robust, transparent polyurethane with fluted structure for V-shaped squeegees with length of 1,100 mm. Impressive sliding properties on all floors.	
Suction lips	5	6.273-208.0	960 mm	transparent	2 -part		Includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	
	6	6.273-205.0	960 mm	transparent	2 -part		Includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	
	7	6.273-291.0	960 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
	8	6.273-214.0	960 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	

[■] Included in delivery.

□ Available accessories.































		I	1					_
		Order no.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous		I.						
KIK key, yellow	1	5.035-344.0		yellow	1 Piece(s)		User key for using the appliance	-
KIK key, grey	2	5.035-348.0		grey	1 Piece(s)		Supervisor key for using the appliance	
Add-on kit eco!zero	3	5.388-133.0			1 Piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	n [
Filling hose	4	6.680-124.0	1,5 m		1 Piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
KIK key, white	5	4.035-076.0		white	1 Piece(s)		User key for using the appliance programmable	Г
KIK key set, yellow	6	4.035-408.0		yellow	5 Piece(s)		Key for operators. Cannot be adjusted.	
KIK key set, white	7	4.035-064.0		white	5 Piece(s)			
Wheels/tyres			·	- 1		'		
Rear wheel, supergrip	8	6.438-010.0						
Supergrip front wheels	9	6.435-810.0		purple	1 Piece(s)		The combination of the special tyre compound and the V-profile of these oil-resistant front wheel bands increases traction and ensures very good adhesion properties on	
Cleaning tool kit accessories		<u> </u>					slippery floors.	_
Adapter Homebase	10	5.035-488.0			1 Piece(s)		Fastener for various hooks and clips on the machine.	
Home Base Mop Holder Kit	11	4.035-514.0			1 Piece(s)		Holder fits on machine for convenient mop storage.	
Universal hook kit	12	4.070-075.0			1 Piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage o hoses (for example, spray suction attachment kit) on the machine.	
Double hook	13	6.980-077.0			1 Piece(s)		Double hook for attaching rubbish bags, etc. to the machine Only for use with the Homebase adapter 5.035-488.0.	e. [
Holder handhold grey	14	6.980-078.0		grey	1 Piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Bottle holder	15	6.980-080.0		grey	1 Piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	٦
Home Base Box Kit	16	4.035-406.0			1 Piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	t
Manual rinsing system	17	4.035-515.0			1 Piece(s)		Allows the tank to be rinsed using the on-board fresh wate Includes hose, spray nozzle and hose hanger.	r. [
RM Dosierstation								
Cleaning agent dosage kit, wall mounted DS 3	18	2.641-811.0			1 Piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	
Wiping lips	-		1					t
Modification kit, squeegee blades for brush head	19	2.763-031.0			1 Piece(s)		Floating squeegee blades adapt to the surface. Fits D 90, D 75 and D 65.	





		Order no.			Price	Description	
Brush heads							
Brush-head D 75	1	2.763-005.0				Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	

[■] Included in delivery.

Available accessories.























		1		1		1		T	_
		Order no.	Hardness grade	Diameter	Colour	Quanti- ty	Price	Description	
Microfibre pad									
Microfibre pad	1	6.371-078.0		381 mm	white	5 Piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	, -
Pads									
Pad	2	6.369-791.0	medium-soft	381 mm	red	5 Piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning al floors. Suitable for, e.g. D 75.	
	3	6.369-790.0	medium-hard	381 mm	green	5 Piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75	j. 🗆
	4	6.369-789.0	hard	381 mm	black	5 Piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
Pad drive board									
Pad disk complete STRONG BD75	5	4.762-591.0		375 mm		1 Piece(s)			
Pad drive board	6	4.762-447.0		375 mm		1 Piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
Diamond pads									
Diamond pad	7	6.371-252.0	coarse	385 mm	white	5 Piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
	8	6.371-253.0	medium	385 mm	yellow	5 Piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable a a crystallisation pad for high-gloss crystallisation.	ln
	9	6.371-236.0	fine	385 mm	green	5 Piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for highgloss crystallisation.	g
Melamine pads									
Pad set 2x D 381 Melamin	10	6.371-022.0		381 mm		2 Piece(s)		Melamine pad set with 381 mm diameter for our BD 80 W scrubber drier and other machines with the D 75 disc brush head. For the effective cleaning of microporous surfaces.	1 0

[■] Included in delivery.

□ Available accessories.















		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Fleet mounting kit								
KAERCHER reversion kit Fleet Services EU	1	2.644-099.0			1 Piece(s)			
Lighting/RKL mounting kit								
Working light (manufactured from 8/2018 onwards)	2	2.034-001.0					Working light for improving safety when working. With front and side lighting on the brush head.	
Flashing beacon	3	4.035-516.0			1 Piece(s)		Increases safety at work.	
Other attachment kits								
Add-on kit protection shield B150R/B200R	4	2.644-089.0						
Suction hose accessories	5	4.444-015.0	3,25 m		1 Piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	
Set deflector roll stack formation SB	6	4.035-619.0			2 -part			

lacksquare Included in delivery. \Box Available accessories.















		T	1		1	1			_
		Order no.	Quantity	Battery voltage	Battery capaci- ty	Battery type	Price	Description	
Batteries		Order no.	Qualitity	SC.	Ly	туре	FIICE	Description	_
Battery kit wet 1x 36V/240Ah	1	2.815-107.0	1 -part	36 V	240 Ah	low mainte- nance			
Battery kit wet 1x 36V/180Ah	2	2.815-106.0	1 -part	36 V	180 Ah	low mainte- nance			
Battery kit Gel 6x 6V/240Ah	3	2.815-105.0	6 -part	36 V	240 Ah	mainte- nance- free			
Battery kit Gel 6x 6V/180Ah	4	2.815-104.0	6 -part	36 V	180 Ah	mainte- nance- free			
Battery kit AGM 6x 6V/285Ah	5	2.815-114.0	6 -part	36 V	285 Ah	mainte- nance- free			
Accessories for batteries			•						
Box with wall holder	6	2.641-243.0	1 Piece(s)			low mainte- nance		Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	
Вох	7	2.641-244.0	1 Piece(s)			low mainte- nance			
Mounting kit battery kit	8	2.638-032.0	2 -part						
	9	2.638-136.0	7 -part						
	10	2.638-143.0	7 -part						
	11	2.638-161.0	5 -part						

[■] Included in delivery.

Available accessories.





		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 Piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	

[■] Included in delivery.

Available accessories.





		Order no.				Price	Description
Storage			'	,	'		
Basket with bottle insert	1	6.999-290.0					