

T 12/1 ECO!EFFICIENCY

High performance dry tub vacuum with A energy rating



Order no.

1.355-136.0

- Reduced power consumption
- Plug-in power cord
- Very quiet

Technical data

| | | |
|-----------------------------------|-------------------|---------------------|
| EAN code | | 4039784831636 |
| Current type | V / Hz | 220 - 240 / 50 - 60 |
| Vacuum | mbar / kPa | 185 / 18.5 |
| Air flow | l/s | 46 |
| Rated performance | W | 500 |
| Container content | l | 12 |
| Standard nominal size | | ID 35 |
| Cable length | m | 12 |
| Sound pressure level | dB(A) | 60 |
| Weight without accessories | kg | 6.4 |
| Dimensions (L × W × H) | mm | 410 × 315 × 340 |

Equipment

| | | |
|---------------------------------------|----------------------|--------------------------|
| Suction hose | m | 2 |
| Suction Tube | Piece(s) × mm | 2 × 505 / Steel, chromed |
| Motor protective filter | Piece(s) | 1 |
| Filter bag | Piece(s) | 1 / Fleece |
| Combi floor nozzle | ■ | |
| Container material | | Plastic |
| Clip system for extension hose | ■ | |
| Safety class | | II |
| Plug-in power cord | | Standard |
| Permanent filter basket | | Fleece |

■ included in delivery.



Saving energy has never been so much fun!

- Low power consumption (500 W).
- Up to 40% energy saving with simultaneously high cleaning performance.



Low noise level

- Suitable for use in noise-sensitive areas thanks to low operating noise.
- Night-time cleaning applications are also possible without any problems.



Service-friendly

- Simple, quick replacement of power cable, even without any prior knowledge.
- Reduces time requirement and service costs.

EQUIPMENT FOR T 12/1 ECO!EFFICIENCY

1.355-136.0



| | Order no. | Description | |
|--|----------------|---|---|
| FILTER T/ NT | | | |
| Main filter baskets | | | |
| Permanent main filter basket, T 12/1, T 15/1, T 17/1 | 1 4.731-011.0 | Plastic frames with reinforced fleece material, washably to 40°C. | ■ |
| Exhaust air filter | | | |
| Motor protection filter, 1 × , T 9/1 Bp, T 7, T 8, T 10, T 11, T 12, T 15 | 2 6.414-022.0 | | ■ |
| Motor protection filter, 3 × , BV 5/1, T 7, T 8, T 9, T 10, T 11, T 12, T 15 | 3 2.889-119.0 | | □ |
| HEPA filter for dust class H | | | |
| Filter, packaged, HEPA, H13 | 4 6.414-080.0 | Optional HEPA filter box H 13 (paper/plastic) for use instead of the standard blower air filter box. Increases the filter capacity and improves the blower air. | □ |
| Fabric filter bag | | | |
| Filter bag cloth | 5 6.904-316.0 | Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models. | □ |
| BENDS | | | |
| Plastic bend | | | |
| Elbow electrically conducting packaged N | 6 2.889-148.0 | Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design. | ■ |
| SUCTION NOZZLES | | | |
| All-purpose nozzles (wet/dry) | | | |
| Combination nozzle basalt grey packaged | 7 2.889-179.0 | Plastic floor nozzle, ID 35 switchable | ■ |
| Floor tool packaged | 8 2.889-360.0 | | □ |
| Parquet nozzle packaged D360 DN32 | 9 6.905-078.0 | Parquet nozzle NW 32 with generous 360 mm working width. | □ |
| Crevice nozzles | | | |
| Crevice nozzle packaged NW35 | 10 2.889-130.0 | Plastic crevice nozzle. | □ |
| Upholstery nozzles | | | |
| Upholstery brush | 11 6.905-998.0 | | □ |
| Turbo nozzle | | | |
| Upholstery nozzle TURBO | 12 2.860-113.0 | Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve. | □ |
| Floor tool TURBO DN 35/32 | 13 2.860-114.0 | Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve. | □ |
| SUCTION TUBES | | | |
| Suction tubes metal | | | |
| Suction tube chromed NW35 - 505mm | 14 6.902-074.0 | Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres. | ■ |

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR T 12/1 ECO!EFFICIENCY

1.355-136.0



15



16



17



18




19



20-21



22



23

| | Order no. | Description | |
|---|----------------|--|-------------------------------------|
| SUCTION HOSES | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | |
| Suction hose | 15 2.889-161.0 | | <input checked="" type="checkbox"/> |
| Extension hose conductive packaged NW35 | 16 2.889-343.0 | | <input type="checkbox"/> |
| NOZZLE SETS | | | |
| Nozzle kit: crevice nozzle, upholstery nozzle, suction brush, DN 35 | 17 2.860-116.0 | Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3) | <input type="checkbox"/> |
| OTHER ACCESSORIES FOR T AND NT | | | |
| Adapter old packaged NW35 | 18 2.889-312.0 | | <input type="checkbox"/> |
| FURTHER ACCESSORIES DRY VACUUM CLEANERS | | | |
| Repair set Kaercher NW35 | 19 2.639-329.0 | | <input type="checkbox"/> |
| FILTER BAGS | | | |
| Fleece filter bags (3 ply) | | | |
| Fleece filter bags, 10 × , T 10, T 12, Trek Vac 2, Trek Vac 3 | 20 6.904-315.0 | Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1. | <input type="checkbox"/> |
| Fleece filter bags, 200 × , T 10, T 12, Trek Vac 2, Trek Vac 3 | 21 6.904-321.0 | Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit. | <input type="checkbox"/> |
| Paper filter bags | | | |
| Paper filter bags, 10 × , T 12/1 | 22 6.904-312.0 | 10 paper filter bags dust class M. Suitable for all T 12/1 models. | <input type="checkbox"/> |
| Paper filter bags, 200 × , T 12/1 | 23 6.904-318.0 | Dust class M | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.