

## NT 22/1 AP TE L WET & DRY VACUUM CLEANER

Kärcher NT 22/1 AP TE L: Compact, powerful wet & dry vacuum. L-class dust, semi-auto filter clean, tool socket. Ideal for professionals, construction, & more.



**Order no.** 1.378-612.0

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

### Technical data

<b>EAN code</b>		4054278290522
<b>Current type</b>	<b>Ph / V / Hz</b>	1 / 220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	72
<b>Vacuum</b>	<b>mbar / kPa</b>	249 / 24.9
<b>Container content</b>	<b>l</b>	22
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>W</b>	max. 1350
<b>Standard nominal width</b>		ID 35
<b>Cable length</b>	<b>m</b>	6
<b>Sound pressure level</b>	<b>dB(A)</b>	72
<b>Colour</b>		anthracite
<b>Weight without accessories</b>	<b>kg</b>	6.1
<b>Weight incl. packaging</b>	<b>kg</b>	9.2
<b>Dimensions (L × W × H)</b>	<b>mm</b>	380 × 372 × 503

### Equipment


<b>Suction hose length</b>	<b>m</b>	1.9
<b>Bend</b>		Plastic
<b>Quantity of suction tubes</b>	<b>Piece(s)</b>	2
<b>Suction tubes length</b>	<b>mm</b>	505
<b>Suction tubes material</b>		Steel, chromed
<b>Quantity of filter bags</b>	<b>Piece(s)</b>	1
<b>Filter bag material</b>		Fleece
<b>Wet/dry floor nozzle width</b>	<b>mm</b>	300
<b>Crevice nozzle</b>		■
<b>Cartridge filter</b>		PES
<b>Power tool connection adapter</b>		■
<b>Automatic switch-on/off for electric devices</b>		■
<b>Filter cleaning</b>		Semi-automatic filter cleaning Ap
<b>Protection class</b>		I
<b>Stop swivel castor</b>		■

■ Included in delivery.



## Low weight and compact dimensions

- The machine is easy and convenient to transport and store.



## Semi-automatic filter cleaning

- Optimum filter cleaning efficiency at the push of a button.
- Enables consistently high filter performance and suction power.
- Time-saving design and longer filter service life.



## Moisture-resistant PES cartridge filter

- Easy switching between wet and dry vacuum cleaner operation.
- The PES cartridge filter does not need to be dried before use.
- Sustainability: the PES cartridge filter is washable.

## EQUIPMENT FOR NT 22/1 AP TE L WET & DRY VACUUM CLEANER 1.378-612.0



		Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Cartridge filter PES</b>				
Cartridge filter packaged PES	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow packaged NW35 1K	2	2.889-199.0	Plastic elbow, grey, with C-35 clip system.	■
Elbow electrically conducting packaged N	3	2.889-148.0	Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Elbow complete packaged NW35 2K	4	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
Elbow packaged NW35 2K	5	2.889-170.0	Ergonomic bend for the new clip system.	□
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Floor tool packaged NT Entry Class DN35	6	2.899-811.0		■
Floor tool packaged NW35 360mm	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	8	2.889-159.0	Crevice nozzle ID 35, for new Tact range.	■
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, ID 35, 100 mm	9	2.889-356.0		□
Car nozzle, ID 35, 90 mm	10	6.906-108.0	Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes metal</b>				
Suction tube chromed NW35 - 505mm	11	6.902-074.0	Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	■
<b>Suction tubes plastic</b>				
Set suction tube DN35 505mm	12	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□
<b>CONNECTING SLEEVES</b>				
<b>Adapter for electric power tools, clip on, el.</b>				
Sleeve electrically conducting packaged	13	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>				
Connection cone NW35	14	5.407-005.0		□

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 22/1 AP TE L WET & DRY VACUUM CLEANER 1.378-612.0



		Order no.	Description	
<b>VACUUMS</b>				
<b>Nozzles</b>				
Flexible Crevice Nozzle	15	2.863-374.0	Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	<input type="checkbox"/>
<b>FILTER BAGS</b>				
<b>Fleece filter bags (3 ply)</b>				
Fleece filter bags, 5 Piece(s), NT 22/1	16	2.889-217.0	Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified.	<input type="checkbox"/>
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose	17	2.889-134.0	2.5 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>
Electrically conductive suction hose	18	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	<input type="checkbox"/>
Extension hose packaged NW35 2.5m	19	2.889-145.0	Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
<b>OTHER ACCESSORIES FOR T AND NT</b>				
Drilling dust tool	20	2.679-000.0	Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter old packaged NW35	21	2.889-312.0		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.