

NT 22/1 AP TE L *110V

The NT 22/1 Ap is the new Professional entry class of wet and dry vacuum cleaners. It offers professional quality and provides the ideal cleaning solution to tradesmen.



Order no. 1.378-614.0

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

Technical data

| | | |
|-----------------------------------|--------------------|-------------------------|
| EAN code | | 4054278290546 |
| Current type | Ph / V / Hz | 1 / 120 - 120 / 50 - 60 |
| Air flow | l/s | 71 |
| Vacuum | mbar / kPa | 245 / 24.5 |
| Container content | l | 22 |
| Container material | | Plastic |
| Rated input power | W | max. 1200 |
| Standard nominal size | | ID 35 |
| Cable length | m | 6 |
| Sound pressure level | dB(A) | 72 |
| Weight without accessories | kg | 6.7 |
| Weight incl. packaging | kg | 9.5 |
| Dimensions (L × W × H) | mm | 380 × 372 × 503 |

Equipment

| | | |
|--|----------------------|-----------------------------------|
| Suction hose | m | 1.9 / with bend |
| Suction Tube | Piece(s) × mm | 1 × 505 / Steel, chromed |
| Filter bag | Piece(s) | 1 / Fleece |
| Wet and dry floor tool | mm | 300 |
| Crevice nozzle | | ■ |
| Cartridge filter | | PES |
| Connector for electric tools | | ■ |
| Automatic on/off control for electric power tools | | ■ |
| Filter cleaning | | Semi-automatic filter cleaning Ap |
| Safety class | | I |
| Caster with brake | | ■ |

■ Included in delivery.



Lightweight with compact dimensions

- The machine is easy and convenient to transport and store.



Semi-automatic filter cleaning system

- Semi-automatic filter cleaning effectively ensures constantly high suction power.



Moisture-resistant PES cartridge filter

- It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.

EQUIPMENT FOR NT 22/1 AP TE L *110V 1.378-614.0



| | | Order no. | Description | |
|---|----|-------------|--|---|
| CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M | | | | |
| Cartridge filter PES | | | | |
| Cartridge filter packaged PES | 1 | 2.889-219.0 | Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified. | ■ |
| BENDS | | | | |
| Plastic bend | | | | |
| Elbow packaged NW35 1K | 2 | 2.889-199.0 | Plastic elbow, grey, with C-35 clip system. | ■ |
| Elbow electrically conducting packaged N | 3 | 2.889-148.0 | Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design. | □ |
| Elbow complete packaged NW35 2K | 4 | 2.889-168.0 | Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust. | □ |
| Elbow packaged NW35 2K | 5 | 2.889-170.0 | Ergonomic bend for the new clip system. | □ |
| SUCTION NOZZLES | | | | |
| All-purpose nozzles (wet/dry) | | | | |
| Floor tool packaged NT Entry Class DN35 | 6 | 2.899-811.0 | | ■ |
| Floor tool packaged NW35 360mm | 7 | 2.889-152.0 | 360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees. | □ |
| Crevice nozzles | | | | |
| Crevice nozzle wet and dry packaged NW35 | 8 | 2.889-159.0 | Crevice nozzle ID 35, for new Tact range. | ■ |
| Car cleaning nozzles | | | | |
| Ergonomic car nozzle, DN 35, 100 mm | 9 | 2.889-356.0 | | □ |
| Car nozzle, DN 35, 90 mm | 10 | 6.906-108.0 | Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners. | □ |
| SUCTION TUBES | | | | |
| Suction tubes metal | | | | |
| Suction tube chromed NW35 - 505mm | 11 | 6.902-074.0 | Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres. | ■ |
| Suction tubes plastic | | | | |
| Set suction tube DN35 505mm | 12 | 2.889-218.0 | Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres. | □ |
| CONNECTING SLEEVES | | | | |
| Adapter for electric power tools, screwable | | | | |
| Attachment rubber sleeve | 13 | 5.303-877.0 | | ■ |
| Connecting sleeve C-DN (clip on taper), EL (electroconductive) | | | | |
| Connection cone NW35 | 14 | 5.407-005.0 | | □ |

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 22/1 AP TE L *110V 1.378-614.0



| | | Order no. | Description | |
|---|----|-------------|--|--------------------------|
| CONNECTING SLEEVES | | | | |
| Adapter for electric power tools, clip on, el. | | | | |
| Sleeve electrically conducting packaged | 15 | 2.889-151.0 | Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools. | <input type="checkbox"/> |
| FILTER BAGS | | | | |
| Fleece filter bags (3 ply) | | | | |
| Fleece filter bags, 5 × , NT 22/1 | 16 | 2.889-217.0 | Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified. | <input type="checkbox"/> |
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | | |
| Suction hose | 17 | 2.889-134.0 | 2.5 m suction hose with new bayonet and clip fastener. | <input type="checkbox"/> |
| Electrically conductive suction hose | 18 | 2.889-136.0 | Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m. | <input type="checkbox"/> |
| Extension hose packaged NW35 2.5m | 19 | 2.889-145.0 | Extension hose for new clip system ID 35. Length: 2.5 m. | <input type="checkbox"/> |
| OTHER ACCESSORIES FOR T AND NT | | | | |
| Drilling dust tool | 20 | 2.679-000.0 | Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> |
| Adapter old packaged NW35 | 21 | 2.889-312.0 | | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.